# Sikafast 555 L05 Part B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.04.2020

 2.0
 14.06.2022
 000000038746
 Date of first issue: 17.03.2020

### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Sikafast 555 L05 Part B

Product code : 000000038746

Manufacturer or supplier's details

Company : Sika Australia Pty. Ltd.

55 Elizabeth Street

Wetherill Park, NSW 2164

Telephone : +61 2 9725 11 45 Telefax : +61 2 9725 33 30 Emergency telephone num- : +61 1800 033 111

ber

Recommended use of the chemical and restrictions on use

Product use : Sealant/adhesive

### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Skin sensitisation : Category 1

Carcinogenicity (Inhalation) : Category 1A

**GHS** label elements

Hazard pictograms :





Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.

H350 May cause cancer by inhalation.

Precautionary statements : P101 If medical advice is needed, have product container or

label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Prevention

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P261 Avoid breathing mist or vapours.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

## Sikafast 555 L05 Part B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.04.2020

 2.0
 14.06.2022
 000000038746
 Date of first issue: 17.03.2020

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P333 + P313 If skin irritation or rash occurs: Get medical ad-

vice/ attention.

P362 + P364 Take off contaminated clothing and wash it before

euse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
dibenzoyl peroxide	94-36-0	>= 10 -< 25
Benzoic acid isononylester	670241-72-2	>= 2.5 -< 10
Oxirane, methyl-, polymer with oxirane, mono-	9038-95-3	0 -< 10
butyl ether		
Quartz (SiO2) <5µm	14808-60-7	>= 0.1 -< 1

## **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

## Sikafast 555 L05 Part B



Version Revision Date: Date of last issue: 05.04.2020 SDS Number: 14.06.2022 00000038746 Date of first issue: 17.03.2020 2.0

Never give anything by mouth to an unconscious person.

Obtain medical attention.

Most important symptoms and effects, both acute and delayed

irritant effects sensitising effects Allergic reactions Excessive lachrymation

See Section 11 for more detailed information on health effects

and symptoms.

May cause an allergic skin reaction. May cause cancer by inhalation.

Treat symptomatically. Notes to physician

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Hazardous combustion prod- :

ucts

No hazardous combustion products are known

Specific extinguishing meth-

Standard procedure for chemical fires.

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

tive equipment and emer-

gency procedures

Personal precautions, protec- : Use personal protective equipment. Deny access to unprotected persons.

Environmental precautions : Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

## **SECTION 7. HANDLING AND STORAGE**

fire and explosion

Advice on protection against : Normal measures for preventive fire protection.

Advice on safe handling Avoid exceeding the given occupational exposure limits (see

section 8).

Do not get in eyes, on skin, or on clothing. For personal protection see section 8.

Persons with a history of skin sensitisation problems or asth-

# Sikafast 555 L05 Part B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.04.2020

 2.0
 14.06.2022
 000000038746
 Date of first issue: 17.03.2020

ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Follow standard hygiene measures when handling chemical

products

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

Conditions for safe storage : Store between 5 and 25 °C in a dry, well ventilated place

away from sources of heat, ignition and direct sunlight.

Keep container tightly closed in a dry and well-ventilated

place.

Store in accordance with local regulations.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
dibenzoyl peroxide	94-36-0	TWA	5 mg/m3	AU OEL	
	Further information: Sensitiser				
Quartz (SiO2) <5μm	14808-60-7	TWA (Res- pirable dust)	0.05 mg/m3	AU OEL	
	Further information: Category 1A (Carc. 1A) Known to have carcinogenic potential for humans				

Appropriate engineering

controls

Use adequate ventilation and/or engineering controls to pre-

vent exposure to vapours.

Personal protective equipment

Respiratory protection : In case of inadequate ventilation wear respiratory protection.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

Hand protection : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-

essary.

Follow AS/NZS 1337.1

Recommended: Butyl rubber/nitrile rubber gloves.

Contaminated gloves should be removed.

Eye protection : Safety glasses

# Sikafast 555 L05 Part B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.04.2020

 2.0
 14.06.2022
 000000038746
 Date of first issue: 17.03.2020

Skin and body protection : Protective clothing (e.g. safety shoes, long-sleeved working

clothing, long trousers) Follow AS 2210:3

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES** 

Appearance : paste

Colour : various

Odour : very faint

Odour Threshold : No data available

pH : Not applicable substance/mixture is non-soluble (in water)

Melting point/range / Freezing :

ooint

No data available

Boiling point/boiling range : No data available

Flash point :  $> 255 \,^{\circ}\text{C} \, (> 491 \,^{\circ}\text{F})$ 

(Method: closed cup)

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : 0.01 hPa

Relative vapour density : No data available

Density : ca. 1.49 g/cm3 (20 °C (68 °F))

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

## Sikafast 555 L05 Part B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.04.2020

 2.0
 14.06.2022
 000000038746
 Date of first issue: 17.03.2020

Viscosity, dynamic : No data available

Viscosity, kinematic :  $> 20.5 \text{ mm2/s} (40 ^{\circ}\text{C} (104 ^{\circ}\text{F}))$ 

Explosive properties : Not explosive

Oxidizing properties : No data available

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

Not applicable

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac- :

tions

No hazards to be specially mentioned.

Conditions to avoid : No data available

Incompatible materials : see section 7.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Acute toxicity**

Not classified based on available information.

### Components:

dibenzoyl peroxide:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 24.3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

### Skin corrosion/irritation

Not classified based on available information.

## Serious eye damage/eye irritation

Not classified based on available information.

## Respiratory or skin sensitisation

### Skin sensitisation

May cause an allergic skin reaction.

# Sikafast 555 L05 Part B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.04.2020

 2.0
 14.06.2022
 000000038746
 Date of first issue: 17.03.2020

#### Respiratory sensitisation

Not classified based on available information.

#### **Chronic toxicity**

## Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

May cause cancer by inhalation.

## Reproductive toxicity

Not classified based on available information.

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### **Aspiration toxicity**

Not classified based on available information.

### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

## **Product:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 500 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Information given is based on data on the compo-

nents and the ecotoxicology of similar products.

NOEC (Danio rerio (zebra fish)): 250 mg/l

Remarks: Information given is based on data on the compo-

nents and the ecotoxicology of similar products.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia dubia (water flea)): > 500 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Information given is based on data on the compo-

nents and the ecotoxicology of similar products.

NOEC (Daphnia dubia (water flea)): 100 mg/l

Remarks: Information given is based on data on the compo-

nents and the ecotoxicology of similar products.

Toxicity to algae/aquatic

plants

IC50 (Desmodesmus subspicatus (green algae)): 150 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Information given is based on data on the compo-

nents and the ecotoxicology of similar products.

# Sikafast 555 L05 Part B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.04.2020

 2.0
 14.06.2022
 000000038746
 Date of first issue: 17.03.2020

**Ecotoxicology Assessment** 

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

**Components:** 

dibenzoyl peroxide:

M-Factor (Acute aquatic tox- : 10

icity)

M-Factor (Chronic aquatic : 10

toxicity)

Persistence and degradability

No data available

**Bioaccumulative potential** 

No data available

Mobility in soil

No data available

Other adverse effects

**Product:** 

Additional ecological infor-

mation

: There is no data available for this product.

### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

## **SECTION 14. TRANSPORT INFORMATION**

## **International Regulations**

**UNRTDG** 

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

# Sikafast 555 L05 Part B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.04.2020

 2.0
 14.06.2022
 000000038746
 Date of first issue: 17.03.2020

### **IMDG-Code**

Not regulated as a dangerous good

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **National Regulations**

### **ADG**

Not regulated as a dangerous good

#### **SECTION 15. REGULATORY INFORMATION**

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : Schedule 5

Scheduling of Medicines and

Poisons

International Chemical Weapons Convention (CWC)

Schedules of Toxic Chemicals and Precursors

Prohibition/Licensing Requirements

Not applicable

There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regula-

tions

## The components of this product are reported in the following inventories:

AIIC : Not in compliance with the inventory

## **SECTION 16. OTHER INFORMATION**

Revision Date : 14.06.2022 Date format : dd.mm.yyyy

#### Full text of other abbreviations

AU OEL : Australia. Workplace Exposure Standards for Airborne Con-

taminants.

AU OEL / TWA : Exposure standard - time weighted average

ADG : Australian Dangerous Goods Code.

ADR : European Agreement concerning the International Carriage of

Dangerous Goods by Road

CAS : Chemical Abstracts Service DNEL : Derived no-effect level

EC50 : Half maximal effective concentration GHS : Globally Harmonized System

IATA : International Air Transport Association

IMDG : International Maritime Code for Dangerous Goods

LD50 : Median lethal dosis (the amount of a material, given all at

once, which causes the death of 50% (one half) of a group of

test animals)

# Sikafast 555 L05 Part B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.04.2020

 2.0
 14.06.2022
 000000038746
 Date of first issue: 17.03.2020

LC50 : Median lethal concentration (concentrations of the chemical in

air that kills 50% of the test animals during the observation

period)

MARPOL : International Convention for the Prevention of Pollution from

Ships, 1973 as modified by the Protocol of 1978

OEL : Occupational Exposure Limit

PBT : Persistent, bioaccumulative and toxic PNEC : Predicted no effect concentration

REACH : Regulation (EC) No 1907/2006 of the European Parliament

and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency

SVHC : Substances of Very High Concern

vPvB : Very persistent and very bioaccumulative

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version!

AU / EN