SikaRapid[®] C-100



Version	Revision Date:	SDS Number:	Date of last issue: 18.09.2018
2.0	27.04.2022	10000022099	Date of first issue: 18.09.2018

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	: SikaRapid [®] C-100
Product code	: 10000022099
Manufacturer or supplier's o	details
Company	: Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164
Telephone	: +61 2 9725 11 45
Telefax	: +61 2 9725 33 30
Emergency telephone num- ber	: +61 1800 033 111

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification		
Acute toxicity (Oral)	:	Category 4
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	• :	Category 1
Long-term (chronic) aquatic hazard	:	Category 3
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	:	Prevention:
		 P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P273 Avoid release to the environment. P280 Wear protective gloves/ eye protection/ face protection.
		Response:
		P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
		1 / 10

SikaRapid[®] C-100



Version 2.0	Revision Date: 27.04.2022	SDS Number: 100000022099	Date of last issue: 18.09.2018 Date of first issue: 18.09.2018
		P305 + P351 + P338 + P3 water for several minutes. and easy to do. Continue r CENTER/ doctor. P332 + P313 If skin irritatio tion.	Wash with plenty of water. 10 IF IN EYES: Rinse cautiously with Remove contact lenses, if present insing. Immediately call a POISON on occurs: Get medical advice/ atten- taminated clothing and wash it before
		Disposal: P501 Dispose of contents/ disposal plant.	container to an approved waste
II Other	r hazards which do not	result in classification	

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

: Mixture

Components

componente		
Chemical name	CAS-No.	Concentration (% w/w)
nitric acid, calcium potassium salt, hydrate	905593-70-6	>= 30 -< 60
sodium thiocyanate	540-72-7	>= 3 -< 10
nitric acid, ammonium calcium salt	15245-12-2	>= 1 -< 3
formic acid	64-18-6	>= 1 -< 3
2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1	>= 0.0003 -< 0.0025

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water.
		2 / 10

SikaRapid[®] C-100



Vers 2.0		Revision Date: 27.04.2022		SDS Number: 100000022099	Date of last issue: 18.09.2018 Date of first issue: 18.09.2018
				Do not give milk or alcoholic beve Never give anything by mouth to a Obtain medical attention.	
	Most important symptoms and effects, both acute and delayed		:	 irritant effects Gastrointestinal discomfort Excessive lachrymation Dermatitis See Section 11 for more detailed information on health effects and symptoms. Harmful if swallowed. Causes skin irritation. Causes serious eye damage. 	
	Notes to ph	nysician	:	Treat symptomatically.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth- ods	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions	:	Try to prevent the material from entering drains or water courses. If the product contaminates rivers and lakes or drains inform respective authorities. No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against	:	Normal measures for preventive fire protection.
fire and explosion		

SikaRapid[®] C-100



Version 2.0	Revision Date: 27.04.2022	SDS Number: 100000022099	Date of last issue: 18.09.2018 Date of first issue: 18.09.2018
Advi	ce on safe handling	section 8). Do not get in eyes, For personal protec Smoking, eating and plication area.	e given occupational exposure limits (see on skin, or on clothing. tion see section 8. d drinking should be prohibited in the ap- giene measures when handling chemical
Hygi	ene measures	practice. When using do not When using do not	
Cond	ditions for safe storage	place. Containers which an kept upright to preve	tly closed in a dry and well-ventilated re opened must be carefully resealed and ent leakage. e with local regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

	•		•	
Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
formic acid	64-18-6	TWA	5 ppm 9.4 mg/m3	AU OEL
		STEL	10 ppm 19 mg/m3	AU OEL
Appropriate engineering : controls	Use adequate vent exposure		or engineering contro	ols to pre-
Personal protective equipment				
Respiratory protection :	Respirator sel exposure leve	lection must be l	ion wear respiratory p based on known or a of the product and the respirator.	nticipated
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary. Follow AS/NZS 1337.1 Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.			
Eye protection :	Safety glasse	S		

SikaRapid[®] C-100



Versior 2.0	n Revision Date: 27.04.2022		SDS Number: 100000022099	Date of last issue: 18.09.2018 Date of first issue: 18.09.2018
S	kin and body protection	:	Protective clothing (e.g. safety she clothing, long trousers) Follow AS 2210:3	oes, long-sleeved working
SECT	ION 9. PHYSICAL AND CHE	МІС	CAL PROPERTIES	
A	ppearance	:	liquid	
С	olour	:	clear	
0	dour	:	characteristic	
0	dour Threshold	:	No data available	
pl	н	:	ca. 7	
	lelting point/range / Freezing	:	No data available	
	oint oiling point/boiling range	:	No data available	
F	lash point	:	Not applicable	
E	vaporation rate	:	No data available	
F	lammability (solid, gas)	:	No data available	
	pper explosion limit / Upper ammability limit	:	No data available	
	ower explosion limit / Lower ammability limit	:	No data available	
V	apour pressure	:	23 hPa	
R	elative vapour density	:	No data available	
D	ensity	:	ca. 1.4 g/cm3 (20 °C (68 °F))	
S	olubility(ies) Water solubility	:	soluble	
	Solubility in other solvents	:	No data available	
	artition coefficient: n- ctanol/water	:	No data available	
	uto-ignition temperature	:	No data available	
D	ecomposition temperature	:	No data available	
V	iscosity Viscosity, dynamic	:	No data available	

SikaRapid[®] C-100



Version 2.0	Revision Date: 27.04.2022		SDS Number: 100000022099	Date of last issue: 18.09.2018 Date of first issue: 18.09.2018
Vis	cosity, kinematic	:	No data available	
Explos	sive properties	:	No data available	
Oxidiz	ing properties	:	No data available	
Volatil	e organic compounds	:	Directive 2010/75/EU of 24 Nove emissions (integrated pollution p Volatile organic compounds (VO	revention and control)

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	see section 7.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.

<u>Components:</u> nitric acid, ammonium calcium salt:				
Acute oral toxicity	:	LD50 Oral (Rat): > 301 mg/kg		
Acute dermal toxicity	:	LD50 Dermal (Rat): > 2,001 mg/kg		
formic acid: Acute oral toxicity	:	LD50 Oral (Rat): 730 mg/kg		
Acute inhalation toxicity	:	LC50 (Rat): 7.4 mg/l Exposure time: 4 h Test atmosphere: vapour		
		Assessment: Corrosive to the respiratory tract.		

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Revision Date:

SikaRapid[®] C-100

Version



Date of last issue: 18.09.2018

2.0	27.04.2022	10000022099	Date of first issue: 18.09.2018
Res	piratory or skin sensitisat	ion	
•	n sensitisation classified based on availab	le information.	
	piratory sensitisation classified based on availab	le information.	
Chr	onic toxicity		
	m cell mutagenicity classified based on availab	le information.	
	cinogenicity classified based on availab	le information.	
-	productive toxicity classified based on availab	le information.	
	DT - single exposure classified based on availab	le information.	
	DT - repeated exposure classified based on availab	le information.	

SDS Number:

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:		
nitric acid, ammonium calci	um	salt:
Toxicity to fish	:	LC50 (Fish): 447 mg/l Exposure time: 48 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
2-octyl-2H-isothiazole-3-one	e (O	IT):
M-Factor (Acute aquatic tox- icity)	:	100
M-Factor (Chronic aquatic toxicity)	:	100
Persistence and degradabili	ity	
No data available		
Bioaccumulative potential		
No data available		
Mobility in soil		
No data available		

SikaRapid[®] C-100



Vers 2.0	sion	Revision Date: 27.04.2022		SDS Number: 100000022099	Date of last issue: 18.09.2018 Date of first issue: 18.09.2018
	Other adv	verse effects			
	Product: Additional mation	l ecological infor-	: Th	ere is no data available for this	product.
		d, calcium potassiun		, hydrate: ere is no data available for this	product.
SEC	CTION 13.	DISPOSAL CONSIDE	ERAT	IONS	
	Disposal	methods			
	Waste fro	m residues	ca	not contaminate ponds, waterv or used container. nd to a licensed waste manage	
	Contamin	ated packaging	Dis	npty remaining contents. spose of as unused product. not re-use empty containers.	

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

National Regulations

ADG Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : No poison schedule number allocated Scheduling of Medicines and Poisons

SikaRapid[®] C-100



ersion .0	Revision Date: 27.04.2022	SDS Number: 100000022099	Date of last issue: 18.09.201 Date of first issue: 18.09.201
	ational Chemical Weapon lules of Toxic Chemicals a		: Not applicable
Prohib	ition/Licensing Requireme	ents	: There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.
The co	omponents of this produ	ict are reported in the fo	ollowing inventories:
AICS		: On the inventory, or in	compliance with the inventory

Revision Date		27.04.2022
Date format	÷	27.04.2022 dd.mm.yyyy
	·	
Full text of other abbreviation	ons	
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Con- taminants.
AU OEL / TWA	:	Exposure standard - time weighted average
AU OEL / STEL	:	Exposure standard - short term exposure limit
ADG	:	Australian Dangerous Goods Code.
ADR	÷	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OFL		Occupational Exposure Limit
PBT	÷	Persistent, bioaccumulative and toxic
PNEC	÷	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC		Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

SikaRapid[®] C-100



Version	Revision Date:	SDS Number:	Date of last issue: 18.09.2018
2.0	27.04.2022	10000022099	Date of first issue: 18.09.2018

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN