# Biresin<sup>®</sup> U1305 (A)



Version 1.0	Revision Date: 30.05.2023		f last issue: - f first issue: 30.05.2023
SECTIC	ON 1. PRODUCT AND COM	ANY IDENTIFICATION	
Pro	oduct name	Biresin® U1305 (A)	
Ма	nufacturer or supplier's d	ails	
Co	mpany	Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164	
Tel	ephone	+61 2 9725 11 45	
Em	ergency telephone number	+61 1800 033 111	
Tel	efax	+61 2 9725 33 30	

#### Recommended use of the chemical and restrictions on use

Product use	:	Tooling system, For professional users only.
-------------	---	--

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS	Classification
-----	----------------

Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 2B
Respiratory sensitisation	:	Category 1
Skin sensitisation	:	Category 1
Carcinogenicity	:	Category 2
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
Specific target organ toxicity - repeated exposure (Inhalation)	:	Category 2
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H315 + H320 Causes skin and eye irritation.

1/11

# Biresin® U1305 (A)



Version 1.0	Revision Date: 30.05.2023	SDS Number: 00000003685	Date of last issue: - Date of first issue: 30.05.2023
		difficulties if inhaled. H335 May cause respirato H351 Suspected of causin	r asthma symptoms or breathing ry irritation. g cancer. to organs through prolonged or re-
Preca	utionary statements	Prevention:	
		and understood. P260 Do not breathe mist P264 Wash skin thoroughl P271 Use only outdoors of P272 Contaminated work of the workplace.	all safety precautions have been read or vapours. ly after handling. r in a well-ventilated area. clothing should not be allowed out of ves/ protective clothing/ eye protec- ng protection.
		<ul> <li>P304 + P340 + P312 IF IN and keep comfortable for b doctor if you feel unwell.</li> <li>P305 + P351 + P338 IF IN for several minutes. Remo easy to do. Continue rinsin P308 + P313 IF exposed of attention.</li> <li>P333 + P313 If skin irritation vice/ attention.</li> <li>P337 + P313 If eye irritation tention.</li> <li>P342 + P311 If experiencin POISON CENTER/ doctor</li> </ul>	or concerned: Get medical advice/ on or rash occurs: Get medical ad- on persists: Get medical advice/ at- ng respiratory symptoms: Call a
		<b>Storage:</b> P403 + P233 Store in a we tightly closed. P405 Store locked up.	ell-ventilated place. Keep container
		<b>Disposal:</b> P501 Dispose of contents/ disposal plant.	container to an approved waste

Other hazards which do not result in classification None known.

# Biresin<sup>®</sup> U1305 (A)



Version	Revision Date: 30.05.2023	SDS Number:	Date of last issue: -
1.0		00000003685	Date of first issue: 30.05.2023

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
4,4'-methylenediphenyl diisocyanate	101-68-8	>= 20 -< 30

#### **SECTION 4. FIRST AID MEASURES**

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	:	irritant effects sensitising effects Asthmatic appearance Cough Respiratory disorder Allergic reactions See Section 11 for more detailed information on health effects and symptoms. Causes skin and eye irritation. May cause an allergic skin reaction. May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficul- ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure if inhaled.
Notes to physician	:	Treat symptomatically.

#### **SECTION 5. FIREFIGHTING MEASURES**

# Biresin® U1305 (A)



Versi 1.0	on Revision Date: 30.05.2023		SDS Number: 00000003685	Date of last issue: - Date of first issue: 30.05.2023
	Suitable extinguishing media	:	Use extinguishing measures that a cumstances and the surrounding	
	Hazardous combustion prod- ucts	:	No hazardous combustion produc	ts are known
	Specific extinguishing meth- ods	:	Standard procedure for chemical	fires.
	Special protective equipment for firefighters	:	In the event of fire, wear self-cont	ained breathing apparatus.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for : containment and cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

#### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	<ul> <li>Avoid formation of aerosol.</li> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

# Biresin<sup>®</sup> U1305 (A)



Version	Revision Date: 30.05.2023	SDS Number:	Date of last issue: -
1.0		00000003685	Date of first issue: 30.05.2023
Condi	tions for safe storage	: Store in original container. Keep in a well-ventilated pla Containers which are opene kept upright to prevent leak Observe label precautions. Store in accordance with log	ed must be carefully resealed and age.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
4,4'-methylenediphenyl diiso-	101-68-8	TWA	0.02 mg/m3	AU OEL
cyanate			(NCO)	
	Further inform	ation: Category	2 (Carc. 2) Suspected	human car-
	cinogen, Sens	sitiser		
		STEL	0.07 mg/m3	AU OEL
			(NCO)	
				la ta mua
Appropriate engineering			or engineering contro	bis to pre-
controls	vent exposur	e to vapours.		
Personal protective equipment	nt			
Respiratory protection	In case of inadequate ventilation wear respiratory protection.			
			based on known or a	
			of the product and the	
		s of the selected		
	C C			
Hand protection	: Chemical-res	istant, imperviou	s gloves complying w	/ith an
	approved sta	ndard should be	worn at all times whe	en handling
	chemical pro	ducts if a risk as	sessment indicates th	is is nec-
	essary.			
	Follow AS/NZ	ZS 1337.1		
	Recommende	ed: Butyl rubber/	nitrile rubber gloves.	
	Contaminated gloves should be removed.			
Eye protection	: Safety glasse	es		
Skin and hady protostion	: Protective clo	thing (o a cofot	, choose long closued	working
Skin and body protection	clothing, long		y shoes, long-sleeved	working
	Follow AS 22	,		
	FUILOW AS ZZ	10.5		

#### Components with workplace control parameters

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	amber
Odour	:	characteristic

# Biresin<sup>®</sup> U1305 (A)



Vers 1.0		Revision Date: 30.05.2023		SDS Number: 00000003685	Date of last issue: - Date of first issue: 30.05.2023
	Odour Thr	eshold	:	No data available	
	рН		:	Not applicable substance/mixture	is non-soluble (in water)
	• •	oint/range / Freezing	:	No data available	
	point Boiling poi	int/boiling range	:	No data available	
	Flash poin	t	:	> 101 °C (214 °F) (Method: closed cup)	
	Evaporatio	on rate	:	No data available	
	Flammabil	lity (solid, gas)	:	No data available	
	Upper exp flammabili	olosion limit / Upper ty limit	:	No data available	
	Lower exp flammabili	olosion limit / Lower ty limit	:	No data available	
	Vapour pro	essure	:	0.01 hPa	
	Relative va	apour density	:	No data available	
	Density		:	ca. 1.2 g/cm3 (20 °C (68 °F))	
	Solubility(i Water s	ies) solubility	:	insoluble	
	Solubil	ity in other solvents	:	No data available	
	Partition contant	oefficient: n-	:	No data available	
		on temperature	:	No data available	
	Decompos	sition temperature	:	No data available	
	Viscosity Viscosi	ity, dynamic	:	ca. 2,300 mPa.s (25 °C (77 °F))	
	Viscosi	ity, kinematic	:	> 20.5 mm2/s ( 40 °C (104 °F))	
	Explosive	properties	:	No data available	
	Oxidizing	properties	:	No data available	
	Volatile or	ganic compounds	:	Directive 2010/75/EU of 24 Novel emissions (integrated pollution pr Volatile organic compounds (VOC	evention and control)

#### SECTION 10. STABILITY AND REACTIVITY

# Biresin<sup>®</sup> U1305 (A)



Vers 1.0	ion	Revision Date: 30.05.2023		SDS Number: 00000003685	Date of last issue: - Date of first issue: 30.05.2023	
	Reactivity	1	:	No dangerous reaction known un	der conditions of normal use.	
	Chemical	stability	:	The product is chemically stable.		
Possibility of hazardous reac- : No hazards to be specially mentions		oned.				
	Conditions to avoid		:	No data available		
	Incompat	ible materials	:	: see section 7.		

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

<u>Components:</u>		
4,4'-methylenediphenyl di	isocy	vanate:
Acute oral toxicity	:	LD50 Oral (Rat): > 5,000 mg/kg
·		Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50: 1.5 mg/l
-		Exposure time: 4 h
		Test atmosphere: dust/mist
		Method: Expert judgement

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes eye irritation.

#### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### **Chronic toxicity**

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Suspected of causing cancer.

#### **Reproductive toxicity**

Not classified based on available information.

# Biresin<sup>®</sup> U1305 (A)



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.05.2023	00000003685	Date of first issue: 30.05.2023

#### STOT - single exposure

May cause respiratory irritation.

#### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

#### Aspiration toxicity

Not classified based on available information.

:

#### **Further information**

#### Product:

Remarks

Toxicology data for the components Information given is based on data on the components and the toxicology of similar products. Based on available data, the classification criteria are not met.

#### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available

#### Persistence and degradability

No data available

#### Bioaccumulative potential

No data available

Mobility in soil

No data available

#### Other adverse effects

#### Product:

Additional ecological infor- : There is no data available for this product. mation

#### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Send to a licensed waste management company.
		Do not contaminate ponds, waterways or ditches with chemi- cal or used container.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product.
		Do not re-use empty containers.

# Biresin<sup>®</sup> U1305 (A)



Version 30.05.2023 1.0

Revision Date:

SDS Number: 00000003685 Date of last issue: -Date of first issue: 30.05.2023

#### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

### IATA-DGR

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo	:	Not applicable
aircraft)		
Packing instruction (passen-	:	Not applicable
ger aircraft)		
IMDG-Code		
UN number		Not applicable
• • • • • • • • • • • • • • • • • • • •	•	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labala		Nat annia abla
Labels	:	Not applicable
EmS Code	:	Not applicable

### : Not applicable Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

Marine pollutant

ADG		
UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Hazchem Code	:	Not applicable

#### Special precautions for user

Not applicable

#### SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legisl	lation specific for the substance or mixture
Standard for the Uniform : No poison schedule Scheduling of Medicines and Poisons	number allocated
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	: Not applicable
Prohibition/Licensing Requirements	: There is no applicable prohibition,

# Biresin<sup>®</sup> U1305 (A)



Version 1.0	Revision Date: 30.05.2023	SDS Number 00000000368			
			authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.		
The co	omponents of this pro	oduct are reported in t	ne following inventories:		
AIIC		: On the inventory, o	or in compliance with the inventory		
SECTION 1	16. OTHER INFORMA	ΓΙΟΝ			
Revisio Date fo	on Date ormat	: 30.05.2023 : dd.mm.yyyy			
Full te	ext of other abbreviati	ons			
AU OE	EL	: Australia. Workpla taminants.	ce Exposure Standards for Airborne Con-		
AU OE	EL / TWA EL / STEL	: Exposure standard	Exposure standard - time weighted average Exposure standard - short term exposure limit		
ADG ADR		: Australian Danger : European Agreem Dangerous Goods	ent concerning the International Carriage of		
CAS DNEL		: Chemical Abstract	s Service		
EC50			Derived no-effect level Half maximal effective concentration		
GHS		: Globally Harmoniz			
IATA			ansport Association		
IMDG			me Code for Dangerous Goods		
LD50			Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of		
LC50		: Median lethal cond	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation		
MARP	OL	: International Conv	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978		
OEL			Occupational Exposure Limit		
PBT			umulative and toxic		
PNEC REAC		and of the Council istration, Evaluatio	t concentration o 1907/2006 of the European Parliament of 18 December 2006 concerning the Reg- n, Authorisation and Restriction of Chemi- ablishing a European Chemicals Agency		
SVHC vPvB		: Substances of Ver			

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

# Biresin<sup>®</sup> U1305 (A)



VersionRevision I1.030.05.202		Date of last issue: - Date of first issue: 30.05.2023
-------------------------------	--	--

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN