

# SAFETY DATA SHEET

## Sikafloor® Level PRO



Version  
4.0

Revision Date:  
22.01.2026

SDS Number:  
000000612688

Date of last issue: 31.01.2025  
Date of first issue: 02.03.2017

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sikafloor® Level PRO

#### Manufacturer or supplier's details

Company : Sika Australia Pty. Ltd.  
55 Elizabeth Street  
Wetherill Park, NSW 2164

Telephone : +61 2 9725 11 45

Emergency telephone number : +61 1800 033 111

Telefax : +61 2 9725 33 30

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 1

Skin sensitisation : Category 1

#### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.

Precautionary statements : **Prevention:**  
P261 Avoid breathing dust.  
P264 Wash skin thoroughly after handling.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/ eye protection/ face protection.  
**Response:**  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

# SAFETY DATA SHEET

## Sikafloor® Level PRO



Version  
4.0

Revision Date:  
22.01.2026

SDS Number:  
000000612688

Date of last issue: 31.01.2025  
Date of first issue: 02.03.2017

and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

| Chemical name               | CAS-No.    | Concentration (% w/w) |
|-----------------------------|------------|-----------------------|
| Quartz (SiO <sub>2</sub> )  | 14808-60-7 | >= 30 -< 60           |
| Limestone                   | 1317-65-3  | >= 10 -< 30           |
| Cement, portland, chemicals | 65997-15-1 | >= 10 -< 20           |
| calcium sulfate             | 7778-18-9  | < 10                  |

## SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.  
Consult a physician after significant exposure.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
If symptoms persist, call a physician.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Keep eye wide open while rinsing.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
Obtain medical attention.

# SAFETY DATA SHEET

## Sikafloor® Level PRO



Version  
4.0

Revision Date:  
22.01.2026

SDS Number:  
000000612688

Date of last issue: 31.01.2025  
Date of first issue: 02.03.2017

Most important symptoms and effects, both acute and delayed : irritant effects  
sensitising effects  
Allergic reactions  
Excessive lachrymation  
Dermatitis  
See Section 11 for more detailed information on health effects and symptoms.  
Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye damage.

Notes to physician : Treat symptomatically.

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Hazardous combustion products : No hazardous combustion products are known

Specific extinguishing methods : Standard procedure for chemical fires.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Deny access to unprotected persons.

Environmental precautions : Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.  
Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Avoid exceeding the given occupational exposure limits (see section 8).  
Do not get in eyes, on skin, or on clothing.  
For personal protection see section 8.  
Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should

# SAFETY DATA SHEET

## Sikafloor® Level PRO



Version  
4.0

Revision Date:  
22.01.2026

SDS Number:  
000000612688

Date of last issue: 31.01.2025  
Date of first issue: 02.03.2017

not be employed in any process in which this mixture is being used.

Smoking, eating and drinking should be prohibited in the application area.

Follow standard hygiene measures when handling chemical products

Do not breathe vapours/dust.

Sika 03

Hygiene measures

: Handle in accordance with good industrial hygiene and safety practice.

When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

Conditions for safe storage

: Keep container tightly closed in a dry and well-ventilated place.

Store in accordance with local regulations.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components                  | CAS-No.  | Value type<br>(Form of exposure) | Control parameters / Permissible concentration | Basis  |
|-----------------------------|--|----------------------------------|--|--------|
| Quartz (SiO <sub>2</sub> )  | 14808-60-7   | TWA (Respirable dust)            | 0.05 mg/m <sup>3</sup>                         | AU OEL |
|                             | Further information: Category 1A (Carc. 1A) Known to have carcinogenic potential for humans              |                                  |  |        |
| Limestone                   | 1317-65-3  | TWA                              | 10 mg/m <sup>3</sup><br>(Calcium carbonate)    | AU OEL |
|                             | Further information: This value is for inhalable dust containing no asbestos and < 1% crystalline silica |                                  |  |        |
| Cement, portland, chemicals | 65997-15-1   | TWA                              | 10 mg/m <sup>3</sup>                           | AU OEL |
| calcium sulfate             | 7778-18-9  | TWA                              | 10 mg/m <sup>3</sup>                           | AU OEL |

#### Appropriate engineering controls

: Provide appropriate exhaust ventilation at places where dust is formed.

#### Personal protective equipment

Respiratory protection

: In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.  
Follow AS/NZS 1337.1

# SAFETY DATA SHEET

## Sikafloor® Level PRO



Version  
4.0

Revision Date:  
22.01.2026

SDS Number:  
000000612688

Date of last issue: 31.01.2025  
Date of first issue: 02.03.2017

Eye protection : Safety glasses

Skin and body protection : Protective clothing (e.g. safety shoes, long-sleeved working clothing, long trousers)  
Follow AS 2210:3

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : solid

Colour : grey

Odour : odourless

Odour Threshold : No data available

pH : Not applicable

Melting point/ range / Freezing point : No data available

Boiling point/boiling range : No data available

Flash point : (Method: closed cup)

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 2.7 g/cm<sup>3</sup> (20 °C (68 °F))

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

# SAFETY DATA SHEET

## Sikafloor® Level PRO



Version  
4.0

Revision Date:  
22.01.2026

SDS Number:  
000000612688

Date of last issue: 31.01.2025  
Date of first issue: 02.03.2017

|                            |   |  |
|----------------------------|---|--|
| Viscosity, dynamic         | : | No data available  |
| Viscosity, kinematic       | : | Not applicable   |
| Explosive properties       | : | No data available  |
| Oxidizing properties       | : | No data available  |
| Volatile organic compounds | : | Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)<br>Not applicable |

### SECTION 10. STABILITY AND REACTIVITY

|                                    |   |   |
|------------------------------------|---|---|
| Reactivity                         | : | No dangerous reaction known under conditions of normal use. |
| Chemical stability                 | : | The product is chemically stable.                           |
| Possibility of hazardous reactions | : | No hazards to be specially mentioned.                       |
| Conditions to avoid                | : | No data available   |
| Incompatible materials             | : | see section 7.  |
| Hazardous decomposition products   | : | No hazardous decomposition products are known.              |

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified due to lack of data.

#### Components:

##### calcium sulfate:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

##### Skin sensitisation

May cause an allergic skin reaction.

##### Respiratory sensitisation

Not classified due to lack of data.

# SAFETY DATA SHEET

## Sikafloor® Level PRO



Version  
4.0

Revision Date:  
22.01.2026

SDS Number:  
000000612688

Date of last issue: 31.01.2025  
Date of first issue: 02.03.2017

---

### Chronic toxicity

#### Germ cell mutagenicity

Not classified due to lack of data.

#### Carcinogenicity

Not classified due to lack of data.

#### Reproductive toxicity

Not classified due to lack of data.

#### STOT - single exposure

Not classified due to lack of data.

#### STOT - repeated exposure

Not classified due to lack of data.

#### Aspiration toxicity

Not classified due to lack of data.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

No data available

### Persistence and degradability

No data available

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Other adverse effects

#### Product:

Additional ecological information : There is no data available for this product.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Send to a licensed waste management company.

Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.

Do not re-use empty containers.

---

# SAFETY DATA SHEET

## Sikafloor® Level PRO



Version  
4.0

Revision Date:  
22.01.2026

SDS Number:  
000000612688

Date of last issue: 31.01.2025  
Date of first issue: 02.03.2017

---

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### IATA-DGR

Not regulated as a dangerous good

|  |   |                |
|--|---|----------------|
| UN/ID No.                                | : | Not applicable |
| Proper shipping name                     | : | Not applicable |
| Class                                    | : | Not applicable |
| Subsidiary risk                          | : | Not applicable |
| Packing group                            | : | Not applicable |
| Labels                                   | : | Not applicable |
| Packing instruction (cargo aircraft)     | : | Not applicable |
| Packing instruction (passenger aircraft) | : | Not applicable |

##### IMDG-Code

Not regulated as a dangerous good

|                      |   |                |
|----------------------|---|----------------|
| UN number            | : | Not applicable |
| Proper shipping name | : | Not applicable |
| Class                | : | Not applicable |
| Subsidiary risk      | : | Not applicable |
| Packing group        | : | Not applicable |
| Labels               | : | Not applicable |
| EmS Code             | : | Not applicable |
| Marine pollutant     | : | Not applicable |

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### ADG

Not regulated as a dangerous good

|                      |   |                |
|----------------------|---|----------------|
| UN number            | : | Not applicable |
| Proper shipping name | : | Not applicable |
| Class                | : | Not applicable |
| Subsidiary risk      | : | Not applicable |
| Packing group        | : | Not applicable |
| Labels               | : | Not applicable |
| Hazchem Code         | : | Not applicable |

#### Special precautions for user

Not applicable

---

### SECTION 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

|   |   |   |
|---|---|---|
| Therapeutic Goods (Poisons Standard) Instrument | : | No poison schedule number allocated (Please use the original publication to check for specific uses, specific conditions or |
|---|---|---|



# SAFETY DATA SHEET

## Sikafloor® Level PRO



Version  
4.0

Revision Date:  
22.01.2026

SDS Number:  
000000612688

Date of last issue: 31.01.2025  
Date of first issue: 02.03.2017

threshold limits that might apply for this chemical)  
International Chemical Weapons Convention (CWC) : Not applicable  
Schedules of Toxic Chemicals and Precursors  
Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

### The components of this product are reported in the following inventories:

AICS : On the inventory, or in compliance with the inventory

## SECTION 16. OTHER INFORMATION

Revision Date : 22.01.2026  
Date of last issue : 31.01.2025  
Date format : dd.mm.yyyy

### Full text of other abbreviations

AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

AU OEL / TWA : Exposure standard - time weighted average  
ADG : Australian Dangerous Goods Code.  
ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road  
CAS : Chemical Abstracts Service  
DNEL : Derived no-effect level  
EC50 : Half maximal effective concentration  
GHS : Globally Harmonized System  
IATA : International Air Transport Association  
IMDG : International Maritime Code for Dangerous Goods  
LD50 : Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)  
LC50 : Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)  
MARPOL : International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978  
OEL : Occupational Exposure Limit  
PBT : Persistent, bioaccumulative and toxic  
PNEC : Predicted no effect concentration  
REACH : Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency  
SVHC : Substances of Very High Concern  
vPvB : Very persistent and very bioaccumulative

# SAFETY DATA SHEET

## Sikafloor® Level PRO



Version  
4.0

Revision Date:  
22.01.2026

SDS Number:  
000000612688

Date of last issue: 31.01.2025  
Date of first issue: 02.03.2017

---

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: [aus.sika.com](http://aus.sika.com)

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

|| Changes as compared to previous version !

AU / EN