Sikagard 6220



Version 1.0

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	Sikagard 6220			
Product code	: 10000001474			
Type of product	: liquid			
Recommended use of the chemical and restrictions on useProduct use: Surfaces protection				
Manufacturer or supplier's details				
Company	: Sika Australia Pty. Ltd.			
Address	: Elizabeth Street 55 Wetherill Park NSW 2164			
Telephone	: +61297251145			
Emergency telephone num- ber	: + 61 1800 033 111			
Telefax	: +61297253330			
E-mail address	: EHS@au.sika.com			

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 3
Specific target organ toxicity - single exposure	: Category 3 (Central nervous system)
Chronic aquatic toxicity	: Category 2
GHS label elements Hazard pictograms	
Signal word	: Warning
Hazard statements	 H226 Flammable liquid and vapour. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	 Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P233 Keep container tightly closed.

Sikagard 6220

Version 1.0	SDS Number: 100000001474	Revision Date: 11.10.2016
	 P240 Ground/bond container and rec P241 Use explosion-proof electrical/ equipment. P242 Use only non-sparking tools. P243 Take precautionary measures a P261 Avoid breathing dust/ fume/ gas P271 Use only outdoors or in a well-v P273 Avoid release to the environme P280 Wear protective gloves/ eye proc Response: P303 + P361 + P353 IF ON SKIN (or immediately all contaminated clothing shower. P304 + P340 + P312 IF INHALED: Re and keep at rest in a position comfort POISON CENTER or doctor/ physicia P370 + P378 In case of fire: Use dry s alcohol-resistant foam for extinction. P391 Collect spillage. Storage: P403 + P233 Store in a well-ventilate tightly closed. P403 + P235 Store in a well-ventilate P405 Store locked up. Disposal: P501 Dispose of contents/ container to disposal plant. 	ventilating/ lighting/ against static discharge. s/ mist/ vapours/ spray. ventilated area. nt. otection/ face protection. hair): Remove/ Take off g. Rinse skin with water/ emove victim to fresh air able for breathing. Call a an if you feel unwell. sand, dry chemical or d place. Keep container d place. Keep cool.

®

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	64742-82-1	>= 30 - < 60
Sulfonic acids, petroleum, sodium salts	68608-26-4	< 10

SECTION 4. FIRST AID MEASURES

General advice	Co	ove out of dangerous area. onsult a physician. ow this safety data sheet to the doctor in attendance.
If inhaled		ove to fresh air. onsult a physician after significant exposure.
In case of skin contact	Wa	ke off contaminated clothing and shoes immediately. ash off with soap and plenty of water. symptoms persist, call a physician.

Sikagard 6220



Version 1.0	SDS Number: 100000001474	Revision Date: 11.10.2
In case of eye contact	 Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a spe 	cialist.
If swallowed	: Clean mouth with water and drink after Do not give milk or alcoholic beverag Never give anything by mouth to an u	es.
Most important symptoms and effects, both acute and delayed	 No known significant effects or hazar Loss of balance Vertigo See Section 11 for more detailed info and symptoms. May cause drowsiness or dizziness. 	
Notes to physician	: Treat symptomatically.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	Water High volume water jet
Specific hazards during fire- fighting	:	Do not use a solid water stream as it may scatter and spread fire. Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth- ods	:	Use water spray to cool unopened containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec-	 Use personal protective equipment.
tive equipment and emer-	Remove all sources of ignition.
gency procedures	Deny access to unprotected persons.
Environmental precautions	 Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.

Sikagard 6220



Version 1.0	SDS Number: 100000001474	Revision Date: 11.10.20
Methods and materials for containment and cleaning up	: Contain spillage, and then collect with sorbent material, (e.g. sand, earth, di miculite) and place in container for di / national regulations (see section 13	atomaceous earth, ver- sposal according to local

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	: Use explosion-proof equipment. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Take pre-cautionary measures against electrostatic discharges.
Advice on safe handling	 Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharge. Open drum carefully as content may be under pressure. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Follow standard hygiene measures when handling chemical products
Hygiene measures	 Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
Conditions for safe storage	 Store in original container. Keep in a well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Store in accordance with local regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Respiratory protection	: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max- imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when han- dling the product. If this concentration is exceeded, self- contained breathing apparatus must be used.
Hand protection	: Chemical-resistant, impervious gloves complying with an ap- proved standard should be worn at all times when handling

Sikagard 6220

Version 1.0	SDS Number: 100000001474	Revision Date: 11.10.2016
	chemical products if a risk assessment indicates this is nec- essary.	
Eye protection	: Safety eyewear complying with an ap be used when a risk assessment indi	
Skin and body protection	: Choose body protection in relation to tration and amount of dangerous sub cific work-place.	

®

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid	
Colour	: various	
Odour	: characteristic	
Odour Threshold	: No data available	
рН	: not determined	
Melting point/range / Freezing point	: No data available	
Boiling point/boiling range	: ca. 100 °C (212 °F)	
Flash point	: ca. 39 °C (102 °F) Method: closed cup	
Evaporation rate	: No data available	
Flammability	: No data available	
Upper explosion limit	: Upper flammability limit 10.0 %(V)	
Lower explosion limit	: lower flammability limit 0.6 %(V)	
Vapour pressure	: ca. 3.7 hPa (2.8 mmHg) (20 °C (68 °F))
Relative vapour density	: No data available	
Density	: ca. 0.865 g/cm3 (20 °C (68 °F) ())	
Solubility(ies) Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	

Sikagard 6220



Version 1.0	SDS Number: 100000001474	Revision Date: 11.10.201
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity Viscosity, dynamic	: No data available	
Viscosity, kinematic	: > 20.5 mm2/s (40 °C)	
Explosive properties	: No data available	
Molecular weight	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: The product is chemically stable.
Possibility of hazardous reac- tions	: Stable under recommended storage conditions. Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: No data available
No decomposition if stored and applied as directed.	

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

No data available

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause drowsiness or dizziness.

Sikagard 6220

Version 1.0



STOT - repeated exposureNot classified based on available information.Aspiration toxicityNot classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity	
No data available	
Persistence and degradability	
No data available	
Bioaccumulative potential	
No data available	
Mobility in soil	
No data available	
Other adverse effects	
Product:	
Additional ecological infor-	An environmental hazard cannot be excluded in the event of
mation	unprofessional handling or disposal.
	Toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulations ADR	
Transport according to chap	oter 3.4 (LQ) possible
IATA-DGR UN/ID No.	: UN 1139
Proper shipping name	: Coating solution
Class	: 3
Packing group	: 111
Labels	: 3


Sikagard 6220

Version 1.0

Class

Labels

None.



Not applicable for product as supplied.

National Regulations

ADG	
UN number	: UN 1139
Proper shipping name	: COATING SOLUTION
Class	: 3
Packing group	: 111
Labels	: 3

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mix- ture		
Standard for the Uniform : No poison schedule Scheduling of Medicines and Poisons	number allocated	
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	: Not applicable	
Prohibition/Licensing Requirements	: There is no applicable prohibition or notification/licensing requirements, including for carcinogens under Commonwealth, State or Territory legislation.	
The components of this product are reported in the following inventories:		
AICS : On the inventory, or in compliance with the inventory		

SECTION 16. OTHER INFORMATION

Date format

: dd.mm.yyyy

Sikagard 6220



Version 1.0

Material Safety Data Sheets are updated frequently. Please ensure that you have a current copy. MSDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.