## Sikalastic<sup>®</sup>-888 Part A



Version	Revision Date:	SDS Number:	Date of last issue: 01.06.2022
3.0	14.06.2022	10000033990	Date of first issue: 04.09.2020

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	<sup>:</sup> Sikalastic <sup>®</sup> -888 Part A
Product code	: 100000033990
Manufacturer or supplier's o	details
Company	: Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164
Telephone	: +61 2 9725 11 45
Telefax	: +61 2 9725 33 30
Emergency telephone num- ber	: +61 1800 033 111

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Acute toxicity (Inhalation)	:	Category 4
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 2A
Respiratory sensitisation	:	Category 1
Skin sensitisation	:	Category 1
Carcinogenicity	:	Category 2
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
Specific target organ toxicity - repeated exposure (Inhalation)	:	Category 2
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled.

H332 Harmful if inhaled.

## Sikalastic<sup>®</sup>-888 Part A



ersion .0	Revision Date: 14.06.2022	SDS Number: 100000033990	Date of last issue: 01.06.2022 Date of first issue: 04.09.2020
		difficulties if inhaled. H335 May cause respirator H351 Suspected of causing	o cancer. to organs through prolonged or re-
Preca	utionary statements	Prevention: P201 Obtain special instruc	tions before use
		P202 Do not handle until al and understood. P260 Do not breathe mist of P264 Wash skin thoroughly P271 Use only outdoors or P272 Contaminated work of the workplace.	Il safety precautions have been read or vapours. y after handling. in a well-ventilated area. clothing should not be allowed out of es/ protective clothing/ eye protec- ng protection.
		and keep comfortable for b doctor if you feel unwell. P305 + P351 + P338 IF IN for several minutes. Remove easy to do. Continue rinsing P308 + P313 IF exposed of attention. P333 + P313 If skin irritation vice/ attention. P337 + P313 If seve irritation tention. P342 + P311 If experiencing POISON CENTER/ doctor.	HALED: Remove person to fresh air reathing. Call a POISON CENTER/ EYES: Rinse cautiously with water ve contact lenses, if present and g. r concerned: Get medical advice/ on or rash occurs: Get medical ad- n persists: Get medical advice/ at- ng respiratory symptoms: Call a
		Storage:	II-ventilated place. Keep container
		<b>Disposal:</b> P501 Dispose of contents/ disposal plant.	container to an approved waste

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

# Sikalastic<sup>®</sup>-888 Part A



Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.Most important symptoms and effects, both acute and delayed: irritant effects sensitising effects Asthmatic appearance Cough Respiratory disorder Allergic reactions Headache Dermatitis See Section 11 for more detailed information on health et and symptoms. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing diffi ties if inhaled. May cause damage to organs through prolonged or reper exposure if inhaled.		evision Date: .06.2022		SDS Number: 100000033990		Date of last issue: 01.06.2022 Date of first issue: 04.09.2020	
Chemical name         CAS-No.         Concentration (% v 4,4'-methylenediphenyl diisocyanate           SECTION 4. FIRST AID MEASURES         Seconsult a physician.         >= 60 -<= 100	Substance / I	Vixture	:	Mixture			
Chemical name         CAS-No.         Concentration (% ov           4.4'-methylenediphenyl diisocyanate         101-68-8         >= 60 -<= 100	Components	5					
4.4'-methylenediphenyl diisocyanate       101-68-8       >= 60 -<= 100	-				CAS-No	Concentration (% w/w)	
SECTION 4. FIRST AID MEASURES         General advice       :       Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.         If inhaled       :       Move to fresh air. Consult a physician after significant exposure.         In case of skin contact       :       Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.         In case of eye contact       :       Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.         If swallowed       :       Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.         Most important symptoms and effects, both acute and delayed       :       :         :       :       :       :         :       :       :       :         :       :       :       :         :       :       :       :         :       :       :       :         :       :       :       :         :       :       :       :         :       :       :       :         :       :       :       :         :       :			vana	ate			
General advice:Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.If inhaled:Move to fresh air. Consult a physician after significant exposure.In case of skin contact:Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.In case of eye contact:Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.If swallowed:Clean mouth with water and drink afterwards plenty of wa Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.Most important symptoms and effects, both acute and delayed::: </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
Consult a physician. Show this safety data sheet to the doctor in attendance. If inhaled : Move to fresh air. Consult a physician after significant exposure. In case of skin contact : Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician. In case of eye contact : Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If swallowed : Clean mouth with water and drink afterwards plenty of wa Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention. Most important symptoms and effects, both acute and delayed : irritant effects Asthmatic appearance Cough Respiratory disorder Allergic reactions Headache Dermatitis See Section 11 for more detailed information on health effects. Causes serious eye irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause an allergig or asthma symptoms or breathing diffi- ties if inhaled. May cause damage to organs through prolonged or repe- exposure if inhaled.	SECTION 4. FIRS	ST AID MEASUR	ES				
In case of skin contact:Take off contaminated clothing and shoes immediately. Wash off with scap and plenty of water. If symptoms persist, call a physician.In case of eye contact:Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.If swallowed:Clean mouth with water and drink afterwards plenty of wa Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.Most important symptoms and effects, both acute and delayed::	General advi	ce	:	Consult a physical	sician.	e doctor in attendance.	
<ul> <li>Wash off with soap and plenty of water. If symptoms persist, call a physician.</li> <li>In case of eye contact</li> <li>Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.</li> <li>If swallowed</li> <li>Clean mouth with water and drink afterwards plenty of wa Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.</li> <li>Most important symptoms and effects, both acute and delayed</li> <li>irritant effects sensitising effects Asthmatic appearance Cough Respiratory disorder Allergic reactions Headache Dermatitis See Section 11 for more detailed information on health e and symptoms. Causes an allergic skin reaction. Causes serious eye irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing diffi ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repe- exposure if inhaled.</li> </ul>	If inhaled		:			int exposure.	
Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.If swallowed: Clean mouth with water and drink afterwards plenty of wa Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.Most important symptoms and effects, both acute and delayed: irritant effects sensitising effects Asthmatic appearance Cough Respiratory disorder Allergic reactions Headache Dermatitis See Section 11 for more detailed information on health er and symptoms. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing diffi ties if inhaled. May cause damage to organs through prolonged or reper exposure if inhaled.	In case of sk	in contact	:	Wash off with soap and plenty of water.			
Do not give milk or alcoholic beverages.         Never give anything by mouth to an unconscious person.         Obtain medical attention.         irritant effects         and effects, both acute and         delayed         : irritant effects         Sensitising effects         Asthmatic appearance         Cough         Respiratory disorder         Allergic reactions         Headache         Dermatitis         See Section 11 for more detailed information on health effects         and symptoms.         Causes skin irritation.         May cause an allergic skin reaction.         Causes serious eye irritation.         Harmful if inhaled.         May cause allergy or asthma symptoms or breathing diffit         ties if inhaled.         May cause damage to organs through prolonged or reperexposure if inhaled.	In case of ey	e contact	:	Keep eye wide open while rinsing.			
and effects, both acute and delayed sensitising effects Asthmatic appearance Cough Respiratory disorder Allergic reactions Headache Dermatitis See Section 11 for more detailed information on health er and symptoms. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing diffi ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or reper- exposure if inhaled.	If swallowed		:	Never give anything by mouth to an unconscious person.			
	and effects, b		:	sensitising eff Asthmatic app Cough Respiratory di Allergic reaction Headache Dermatitis See Section 1 and symptoms Causes skin ir May cause and Causes seriou Harmful if inha May cause all ties if inhaled. May cause res Suspected of May cause da	pearance sorder ons 1 for more detailed s. ritation. allergic skin reactio us eye irritation. aled. ergy or asthma sym spiratory irritation. causing cancer. mage to organs thro	on. nptoms or breathing difficul-	
Notes to physician : Treat symptomatically.	Notes to phys	sician	:				

## Sikalastic<sup>®</sup>-888 Part A



Versie 3.0	on Revision Date: 14.06.2022		SDS Number: 100000033990	Date of last issue: 01.06.2022 Date of first issue: 04.09.2020
SEC	TION 5. FIREFIGHTING MEA	รบ	RES	
	Suitable extinguishing media	:	Use extinguishing measures that cumstances and the surrounding	
Hazardous combustion prod- : ucts		No hazardous combustion products are known		
Specific extinguishing meth- : ods		Standard procedure for chemical fires.		
	Special protective equipment for firefighters	:	In the event of fire, wear self-cont	tained breathing apparatus.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	:	Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions :	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for : containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

#### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	<ul> <li>Avoid formation of aerosol.</li> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Provide sufficient air exchange and/or exhaust in work rooms.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink.
		4 / 10

### Sikalastic<sup>®</sup>-888 Part A



Version 3.0	Revision Date: 14.06.2022	SDS Number: 100000033990	Date of last issue: 01.06.2022 Date of first issue: 04.09.2020
		When using do not smoke. Wash hands before breaks	and at the end of workday.
Condi	tions for safe storage	: Store in original container. Keep in a well-ventilated pla Containers which are open kept upright to prevent leak Observe label precautions. Store in accordance with lo	ed must be carefully resealed and age.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

	control param	01015			
Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis	
4,4'-methylenediphenyl diiso- cyanate	101-68-8	TWA	0.02 mg/m3 (NCO)	AU OEL	
	Further inforr cinogen, Ser		2 (Carc. 2) Suspected	d human car-	
		STEL	0.07 mg/m3 (NCO)	AU OEL	
Appropriate engineering	Use adequate ventilation and/or engineering controls to pre- vent exposure to vapours.				
Personal protective equipmer	nt				
Respiratory protection	Respirator s exposure lev	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.			
Hand protection	approved sta chemical pro essary. Follow AS/N Recommend	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary. Follow AS/NZS 1337.1 Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.			
Eye protection	Safety glass	es			
Skin and body protection	clothing, lon	Protective clothing (e.g. safety shoes, long-sleeved working clothing, long trousers) Follow AS 2210:3			

#### Components with workplace control parameters

Appearance	:	liquid
Colour	:	amber

# Sikalastic<sup>®</sup>-888 Part A



Vers 3.0	ion	Revision Date: 14.06.2022		SDS Number: 100000033990	Date of last issue: 01.06.2022 Date of first issue: 04.09.2020
	Odour		:	No data available	
	Odour Th	reshold	:	No data available	
	рН		:	No data available	
		oint/range / Freezing	:	No data available	
	point Boiling po	int/boiling range	:	No data available	
	Flash poir	nt	:	No data available	
	Evaporati	on rate	:	No data available	
	Flammabi	ility (solid, gas)	:	No data available	
	Upper exp flammabil	olosion limit / Upper ity limit	:	No data available	
	Lower exp flammabil	olosion limit / Lower ity limit	:	No data available	
	Vapour pr	ressure	:	0.01 hPa	
	Relative v	apour density	:	No data available	
	Density		:	ca. 1.13 g/cm3 (40 °C (104 °F))	
	Solubility( Water	ies) solubility	:	No data available	
	Solubi	lity in other solvents	:	No data available	
		coefficient: n-	:	No data available	
	octanol/w Auto-ignit	ater ion temperature	:	No data available	
	Decompo	sition temperature	:	No data available	
	Viscosity Viscos	ity, dynamic	:	ca. 180 mPa.s (40 °C (104 °F))	
		ity, kinematic	:	No data available	
		properties	:	No data available	
		properties	:	No data available	
	-	rganic compounds	:	Directive 2010/75/EU of 24 Nover emissions (integrated pollution pr Not applicable	

## Sikalastic<sup>®</sup>-888 Part A



Version 3.0	Revision Date: 14.06.2022		SDS Number: 100000033990	Date of last issue: 01.06.2022 Date of first issue: 04.09.2020	
SECTIO	ON 10. STABILITY AND RE	AC	ΤΙVITY		
Re	Reactivity		No dangerous reaction known under conditions of normal use.		
Ch	Chemical stability		The product is chemically stable.		
	Possibility of hazardous reac- tions		No hazards to be specially mentioned.		
Co	nditions to avoid	:	No data available		
Inc	ompatible materials	:	see section 7.		

#### SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

Harmful if inhaled.

Components:4,4'-methylenediphenyl diisocyanate:Acute oral toxicity:LD50 Oral (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401							
Acute inhalation toxicity :	LC50: 1.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement						
Skin corrosion/irritation Causes skin irritation.							
Serious eye damage/eye irritation Causes serious eye irritation.							
Respiratory or skin sensitisati	Respiratory or skin sensitisation						
<b>Skin sensitisation</b> May cause an allergic skin reaction.							
<b>Respiratory sensitisation</b> May cause allergy or asthma symptoms or breathing difficulties if inhaled.							
Chronic toxicity							
Germ cell mutagenicity Not classified based on available information.							
Carcinogenicity Suspected of causing cancer.							

### Sikalastic<sup>®</sup>-888 Part A



Version	Revision Date:	SDS Number:	Date of last issue: 01.06.2022
3.0	14.06.2022	10000033990	Date of first issue: 04.09.2020

#### Reproductive toxicity

Not classified based on available information.

#### STOT - single exposure

May cause respiratory irritation.

#### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

#### Aspiration toxicity

Not classified based on available information.

#### SECTION 12. ECOLOGICAL INFORMATION

<b>Ecotoxicity</b> No data available	
<b>Persistence and degradability</b> No data available	
Bioaccumulative potential No data available	
<b>Mobility in soil</b> No data available	
Other adverse effects	
<b>Product:</b> Additional ecological infor- : mation	There is no data available for this product.
SECTION 13. DISPOSAL CONSIDER	ATIONS

Disposal methods		
Waste from residues	:	Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

#### SECTION 14. TRANSPORT INFORMATION

#### **International Regulations**

#### UNRTDG

Not regulated as a dangerous good

# Sikalastic<sup>®</sup>-888 Part A



ersion .0	Revision Date: 14.06.2022	SDS Number: 100000033990		Date of last issue: 01.06.2022 Date of first issue: 04.09.2020		
<b>IATA-</b> Not re	<b>DGR</b> gulated as a dangerous	good				
IMDG-Code Not regulated as a dangerous good						
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.						
Natio	nal Regulations					
<b>ADG</b> Not re	gulated as a dangerous	good				
ECTION	15. REGULATORY INF	ORMATION				
	ational Chemical Weapo		: N	lot applicable		
	lules of Toxic Chemicals bition/Licensing Requirer					
		nents	a re g tl	here is no applicable prohibition, uthorisation and restricted use equirements, including for carcino- ens referred to in Schedule 10 of ne model WHS Act and Regula- ons.		
The c		duct are reported in the	a ru g ti ti	uthorisation and restricted use equirements, including for carcino- ens referred to in Schedule 10 of ne model WHS Act and Regula- ons.		
The c AICS		duct are reported in the	a re g ti ti ti	uthorisation and restricted use equirements, including for carcino- ens referred to in Schedule 10 of ne model WHS Act and Regula- ons.		
AICS		duct are reported in the : On the inventory, or	a re g ti ti ti	uthorisation and restricted use equirements, including for carcino- ens referred to in Schedule 10 of ne model WHS Act and Regula- ons.		
	omponents of this pro- 16. OTHER INFORMAT	duct are reported in the : On the inventory, or	a re g ti ti ti	uthorisation and restricted use equirements, including for carcino- ens referred to in Schedule 10 of ne model WHS Act and Regula- ons.		

Full text of other appreviatio	ns	
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Con- taminants.
AU OEL / TWA	:	Exposure standard - time weighted average
AU OEL / STEL	:	Exposure standard - short term exposure limit
ADG	:	Australian Dangerous Goods Code.
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
		9 / 10

## Sikalastic<sup>®</sup>-888 Part A



Version 3.0	Revision Date: 14.06.2022	SDS Number: 100000033990	Date of last issue: 01.06.2022 Date of first issue: 04.09.2020		
LD50			amount of a material, given all at leath of 50% (one half) of a group of		
LC50		: Median lethal concentration	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation		
MARPOL OEL PBT PNEC		: International Convention Ships, 1973 as modified b	for the Prevention of Pollution from by the Protocol of 1978		
		: Occupational Exposure L			
		: Persistent, bioaccumulati			
		: Predicted no effect conce	entration		
REACH		and of the Council of 18 I istration, Evaluation, Auth	: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency		
SVHC		: Substances of Very High	Concern		
vPvB		: Very persistent and very l	bioaccumulative		

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN