Sikagard-62 Part A



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.07.2021	00000612790	Date of first issue: 11.07.2021

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	Sikagard-62 Part A
Product code	: 000000612790
Manufacturer or supplier's d	letails
Company	: Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164
Telephone	: +61 2 9725 11 45
Telefax	: +61 2 9725 33 30
Emergency telephone num- ber	: +61 1800 033 111

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 2A
Skin sensitisation	:	Category 1
Short-term (acute) aquatic hazard	:	Category 2
Long-term (chronic) aquatic hazard	:	Category 2
GHS label elements Hazard pictograms	:	!
Signal word	:	Warning
Hazard statements	:	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P261 Avoid breathing mist or vapours. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace.

Sikagard-62 Part A



VersionRevision Date:1.011.07.2021		SDS Number: 000000612790	Date of last issue: - Date of first issue: 11.07.2021
		P273 Avoid release to the P280 Wear protective glov	environment. /es/ eye protection/ face protection.
		P305 + P351 + P338 IF IN for several minutes. Remo easy to do. Continue rinsir P333 + P313 If skin irritatio vice/ attention. P337 + P313 If eye irritatio tention.	Wash with plenty of water. I EYES: Rinse cautiously with water ove contact lenses, if present and ng. on or rash occurs: Get medical ad- on persists: Get medical advice/ at- taminated clothing and wash it before
		Disposal: P501 Dispose of contents/ disposal plant.	[/] container to an approved waste

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

: Mixture

Substance / Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)	25068-38-6	>= 30 -< 60
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	68609-97-2	>= 1 -< 10
xylene	1330-20-7	0 -< 10
N,N'-ethane-1,2-diylbis(12-hydroxyoctadecan- 1-amide)	123-26-2	0 -< 1

SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
lf inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	: Immediately flush eye(s) with plenty of water. Remove contact lenses.
	2 / 11

Sikagard-62 Part A



Version 1.0	Revision Date: 11.07.2021		SDS Number: 000000612790	Date of last issue: - Date of first issue: 11.07.2021
			Keep eye wide open while rinsing If eye irritation persists, consult a	
lf swa	llowed	:	Clean mouth with water and drink Do not give milk or alcoholic beve Never give anything by mouth to Obtain medical attention.	erages.
	mportant symptoms ffects, both acute and ed	:	irritant effects sensitising effects Allergic reactions Excessive lachrymation Dermatitis See Section 11 for more detailed and symptoms. Causes skin irritation. May cause an allergic skin reaction Causes serious eye irritation.	
Notes	to physician	:	Treat symptomatically.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth- ods	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Hazchem Code	:	•3Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

Sikagard-62 Part A



Versior 1.0	Revision Date: 11.07.2021		SDS Number: 000000612790	Date of last issue: - Date of first issue: 11.07.2021
	lethods and materials for ontainment and cleaning up	:	Soak up with inert absorben acid binder, universal binder Keep in suitable, closed con	
SECT	ION 7. HANDLING AND STO	OR	AGE	
	dvice on protection against e and explosion	:	Normal measures for prever	tive fire protection.
A	dvice on safe handling	:	section 8). Do not get in eyes, on skin, of For personal protection see Persons with a history of skin ma, allergies, chronic or recu not be employed in any proc used. Smoking, eating and drinking plication area.	
Н	ygiene measures	:	Handle in accordance with g practice. When using do not eat or dri When using do not smoke. Wash hands before breaks a	
С	onditions for safe storage	:	Keep container tightly closed place. Containers which are opene kept upright to prevent leaka Store in accordance with loc	d must be carefully resealed and ge.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
xylene	1330-20-7	STEL	150 ppm 655 mg/m3	AU OEL
		TWA	80 ppm 350 mg/m3	AU OEL

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
xylene	1330-20-7	Methylhip-	Urine	End of	1.5 g/g creat-	ACGIH

Sikagard-62 Part A



Version 1.0	n Revision Date: 11.07.2021		SDS Number: 000000612790		of last issue: - of first issue: 1	1.07.2021
			puric acids	shift (As soon as possible after ex- posure ceases)	inine	BEI
	ppropriate engineering ontrols	:	Use adequate ventilat vent exposure to vapo	5	ring controls to	pre-
P	ersonal protective equip	oment				
R	espiratory protection	:	In case of inadequate Respirator selection n exposure levels, the h working limits of the s	nust be based on kr azards of the produ	nown or anticip	ated
H	and protection	:	Chemical-resistant, in approved standard sh chemical products if a essary. Follow AS/NZS 1337. Recommended: Butyl Contaminated gloves	ould be worn at all risk assessment in 1 rubber/nitrile rubbe	times when ha dicates this is i	ndling
E	ye protection	:	Safety glasses			
SI	kin and body protection	:	Protective clothing (e. clothing, long trousers Follow AS 2210:3		ig-sleeved worl	king

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	off-white
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/range / Freezing	:	No data available
point Boiling point/boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper	:	No data available
		5 / 11

Sikagard-62 Part A



Versi 1.0	on Revision Date: 11.07.2021		SDS Number: 000000612790	Date of last issue: - Date of first issue: 11.07.2021
	flammability limit			
	Lower explosion limit / Lower flammability limit	:	No data available	
	Vapour pressure	:	0.01 hPa	
	Relative vapour density	:	No data available	
	Density	:	1.46 g/cm3 (20 °C (68 °F))	
	Solubility(ies) Water solubility	:	No data available	
	Solubility in other solvents	:	No data available	
	Partition coefficient: n- octanol/water	:	No data available	
	Auto-ignition temperature	:	No data available	
	Decomposition temperature	:	No data available	
	Viscosity Viscosity, dynamic	:	No data available	
	Viscosity, kinematic	:	> 7 mm2/s (40 °C (104 °F))	
	Explosive properties	:	No data available	
	Oxidizing properties	:	No data available	
	Volatile organic compounds	:	Directive 2010/75/EU of 24 Nove emissions (integrated pollution pr Volatile organic compounds (VO	evention and control)

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	Stable under recommended storage conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	see section 7.

Sikagard-62 Part A



sion	Revision Date: 11.07.2021		SDS Number: 000000612790	Date of last issue: - Date of first issue: 11.07.2021
	11. TOXICOLOGICA		ORMATION	
•				
	toxicity assified based on ava	ilahle	information	
	onents:	liubic		
		ol-A-	(epichlorhydrin); epoxy re	sin (number average molecular
	t ≤ 700): oral toxicity	:	LD50 Oral (Rat): > 5,000 m	na/ka
Acute		•	LD50 Ofai (Rat). > 5,000 fi	ig/kg
Acute	dermal toxicity	:	LD50 Dermal (Rabbit): > 2	0,000 mg/kg
xylene				
Acute	oral toxicity	:	LD50 Oral (Rat): 3,523 mg	/kg
Acute	dermal toxicity	:	LD50 Dermal (Rabbit): 1,7	00 mg/kg
Skin c	orrosion/irritation			
Cause	s skin irritation.			
	us eye damage/eye i s serious eye irritatio		on	
Respi	ratory or skin sensi	isatio	on	
Skin s	ensitisation			
May ca	ause an allergic skin	reactio	on.	
Respi	ratory sensitisation			
Not cla	assified based on ava	ilable	information.	
Chron	ic toxicity			
Germ	cell mutagenicity			
Not cla	assified based on ava	ilable	information.	
	nogenicity			
	assified based on ava	ilable	information.	
-	ductive toxicity assified based on ava	ilable	information.	
STOT	- single exposure			
	assified based on ava	ilable	information.	
	- repeated exposure			
Not cla	assified based on ava	ilable	information.	

Sikagard-62 Part A



Version 1.0	Revision Date: 11.07.2021	SDS Number: 000000612790	Date of last issue: - Date of first issue: 11.07.2021
SECTION	12. ECOLOGICAL INFOR	RMATION	
Ecoto	oxicity		
Comp	oonents:		

weight \leq 700):		(epichlorhydrin); epoxy resin (number average molec
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1.8 mg/l Exposure time: 48 h
xylene: Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 2 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic tox- icity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): > 1.3 mg Exposure time: 56 d
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC (Daphnia (water flea)): 1.17 mg/l Exposure time: 7 d
Persistence and degradabili No data available	ty	
Bioaccumulative potential No data available		
Mobility in soil No data available		
Other adverse effects		
Product:		
Additional ecological infor- mation	:	Toxic to aquatic life with long lasting effects.

Disposal methods		
Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product.

8/11

Sikagard-62 Part A



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.07.2021	00000612790	Date of first issue: 11.07.2021

Do not re-use empty containers.

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)		UN 3082 Environmentally hazardous substance, liquid, n.o.s. 9 III Miscellaneous 964 964
IMDG-Code UN number Proper shipping name Class Packing group Labels EmS Code Marine pollutant	::	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. 9 III 9 F-A, S-F no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG UN number Proper shipping name	:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Class	:	9
Packing group	:	III
Labels	:	9
Hazchem Code	:	•3Z

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Sikagard-62 Part A



/ersion .0	Revision Date: 11.07.2021	SDS Number: 000000612790	Date of last issue: - Date of first issue: 11.07.2021
	ard for the Uniform luling of Medicines and ns	: Schedule 5	
Sched	ational Chemical Weap lules of Toxic Chemical bition/Licensing Require	and Precursors	Not applicable There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.
The c AllC	omponents of this pro	duct are reported in the follo : On the inventory, or in co	owing inventories: ompliance with the inventory
SECTION	16. OTHER INFORMA	ION	
Revisi Date f	on Date ormat	: 11.07.2021 : dd.mm.yyyy	
Full te	ext of other abbreviati		
ACGI		: ACGIH - Biological Expo	sure Indices (BEI)
AU OE			osure Standards for Airborne Con-
		 Dangerous Goods by Ro Chemical Abstracts Serv Derived no-effect level Half maximal effective co Globally Harmonized Sys International Air Transpo International Maritime Co Median lethal dosis (the a once, which causes the otest animals) Median lethal concentratiair that kills 50% of the test 	rt term exposure limit bods Code. Incerning the International Carriage of ad ice Incentration stem
MARF	POL	period) : International Convention Ships, 1973 as modified	for the Prevention of Pollution from by the Protocol of 1978
OEL		: Occupational Exposure L	imit
PBT		: Persistent, bioaccumulati	
PNEC REAC		and of the Council of 18 l istration, Evaluation, Auth	entration 72006 of the European Parliament December 2006 concerning the Reg- norisation and Restriction of Chemi- ng a European Chemicals Agency

Sikagard-62 Part A



Version 1.0	Revision Date: 11.07.2021	SDS Number: 000000612790	Date of last issue: - Date of first issue: 11.07.2021
SVHC vPvB		Substances of Very High Conce Very persistent and very bioacc	

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN