# Sarnacol 2142S



Version	Revision Date:	SDS Number:	Date of last issue: 10.09.2016
2.0	04.11.2021	000000122025	Date of first issue: 10.09.2016
-			

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	Sarnacol 2142S
Product code	: 000000122025
Manufacturer or supplier's	details
Company	: Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164
Telephone	: +61 2 9725 11 45
Telefax	: +61 2 9725 33 30
Emergency telephone num- ber	: +61 1800 033 111
Recommended use of the c	hemical and restrictions on use
Product use	: Adhesive

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Flammable liquids	:	Category 2
Serious eye damage/eye irri- tation	:	Category 2A
Respiratory sensitisation	:	Category 1
Skin sensitisation	:	Category 1
Carcinogenicity	:	Category 2
Short-term (acute) aquatic hazard	:	Category 3
Long-term (chronic) aquatic hazard	:	Category 3
GHS label elements		

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H225 Highly flammable liquid and vapour. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

# Sarnacol 2142S



Version 2.0	Revision Date: 04.11.2021	SDS Number: 000000122025	Date of last issue: 10.09.2016 Date of first issue: 10.09.2016
		H334 May cause allergy or difficulties if inhaled. H351 Suspected of causing H412 Harmful to aquatic life	
Preca	autionary statements	Prevention:	
		<ul> <li>P201 Obtain special instruct</li> <li>P202 Do not handle until all and understood.</li> <li>P210 Keep away from heat, and other ignition sources. In P233 Keep container tightly</li> <li>P240 Ground and bond context P241 Use explosion-proof ement.</li> <li>P242 Use non-sparking tool</li> <li>P243 Take action to prevent P261 Avoid breathing mist of P264 Wash skin thoroughly</li> <li>P272 Contaminated work of the workplace.</li> <li>P273 Avoid release to the ement of P264 P264 P264 P264 P264 P266</li> </ul>	I safety precautions have been read , hot surfaces, sparks, open flames No smoking. r closed. atainer and receiving equipment. electrical/ ventilating/ lighting equip- Is. It static discharges. or vapours. after handling. Iothing should not be allowed out of environment. es/ protective clothing/ eye protec- g protection.
		ly all contaminated clothing. P304 + P340 IF INHALED: keep comfortable for breath P305 + P351 + P338 IF IN I for several minutes. Remov easy to do. Continue rinsing P308 + P313 IF exposed or attention. P333 + P313 If skin irritation vice/ attention. P337 + P313 If eye irritation tention. P362 + P364 Take off conta reuse.	Remove person to fresh air and ing. EYES: Rinse cautiously with water re contact lenses, if present and g. concerned: Get medical advice/ n or rash occurs: Get medical ad- n persists: Get medical advice/ at- aminated clothing and wash it before : Use dry sand, dry chemical or
		<b>Storage:</b> P403 + P235 Store in a wel P405 Store locked up.	I-ventilated place. Keep cool.
		Disposal:	container to an approved waste

### Sarnacol 2142S



Version	Revision Date:	SDS Number:	Date of last issue: 10.09.2016
2.0	04.11.2021	00000122025	Date of first issue: 10.09.2016

#### Other hazards which do not result in classification

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
ethyl acetate	141-78-6	>= 10 -< 20
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	>= 1 -< 10
cyclohexane	110-82-7	< 10

#### **SECTION 4. FIRST AID MEASURES**

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	:	irritant effects sensitising effects Asthmatic appearance Allergic reactions Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficul- ties if inhaled. Suspected of causing cancer.
Notes to physician	:	Treat symptomatically.

### Sarnacol 2142S



Version	Revision Date: 04.11.2021	SDS Number:	Date of last issue: 10.09.2016
2.0		000000122025	Date of first issue: 10.09.2016

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	Water High volume water jet
Specific hazards during fire- fighting	:	Do not use a solid water stream as it may scatter and spread fire.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth- ods	:	Use water spray to cool unopened containers.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Hazchem Code	:	•3YE

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Remove all sources of ignition. Deny access to unprotected persons.
Environmental precautions	:	Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Contain spillage, and then collect with non-combustible ab- sorbent material, (e.g. sand, earth, diatomaceous earth, ver- miculite) and place in container for disposal according to local / national regulations (see section 13).

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against fire and explosion	:	Use explosion-proof equipment. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Take precautionary measures against electrostatic discharg- es.
Advice on safe handling	:	Avoid formation of aerosol. Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing.
		4 / 12

### Sarnacol 2142S



Version 2.0	Revision Date: 04.11.2021	SDS Number: 000000122025	Date of last issue: 10.09.2016 Date of first issue: 10.09.2016
		ma, allergies, chroni not be employed in a used. Smoking, eating and plication area. Take precautionary Open drum carefully Take necessary acti (which might cause	ion see section 8. ry of skin sensitisation problems or asth- c or recurrent respiratory disease should any process in which this mixture is being d drinking should be prohibited in the ap- measures against static discharge. as content may be under pressure. on to avoid static electricity discharge ignition of organic vapours). iene measures when handling chemical
Hygie	ne measures	practice <i>.</i> When using do not e When using do not s	
Condi	itions for safe storage	kept upright to preve Observe label preca	ated place. e opened must be carefully resealed and ent leakage.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
ethyl acetate	141-78-6	STEL	400 ppm 1,440 mg/m3	AU OEL
		TWA	200 ppm 720 mg/m3	AU OEL
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	TWA	0.02 mg/m3 (NCO)	AU OEL
	Further informa	ation: Sensitiser		
		STEL	0.07 mg/m3 (NCO)	AU OEL
		TWA	0.02 mg/m3 (NCO)	AU OEL
	Further information: Category 2 (Carc. 2) Suspected humar cinogen, Sensitiser			l human car-
		STEL	0.07 mg/m3 (NCO)	AU OEL
cyclohexane	110-82-7	TWA	100 ppm	AU OEL

## Sarnacol 2142S



ersion .0	Revision Date: 04.11.2021	SDS Nur 0000001		Date of last issu Date of first issu	
			STEL	350 mg/m3 300 ppm 1,050 mg/m3	AU OEL
Appro	opriate engineering ols	vent exposure Avoid vapor fo	e to vapours. ormation. opriate exhaust v	or engineering contro	
Perso	onal protective equipme	nt			
Respi	ratory protection	Respirator se exposure leve working limits	lection must be b	on wear respiratory p based on known or an of the product and the respirator.	nticipated
Hand	protection	approved star chemical proc essary. Follow AS/NZ Recommende	ndard should be lucts if a risk ass S 1337.1	s gloves complying w worn at all times whe sessment indicates th nitrile rubber gloves. be removed.	en handling
Eye p	rotection	: Safety glasse	S		
Skin a	and body protection	clothing, long Follow AS 22	trousers) 10:3	/ shoes, long-sleeved e made of cotton.	working

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	light blue
Odour	:	slight
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/range / Freezing	:	No data available
point Boiling point/boiling range	:	ca. 77 °C (171 °F)
Flash point	:	ca18 °C (-0.40 °F) (Method: closed cup)
Evaporation rate	:	No data available

## Sarnacol 2142S



Vers 2.0	on Revision Date: 04.11.2021		SDS Number: 000000122025	Date of last issue: 10.09.2016 Date of first issue: 10.09.2016
	Flammability (solid, gas)	:	No data available	
	Upper explosion limit / Upper flammability limit	:	Upper flammability limit ca. 11.5 %(V)	
	Lower explosion limit / Lower flammability limit	:	Lower flammability limit ca. 2.1 %(V)	
	Vapour pressure	:	ca. 97 hPa	
	Relative vapour density	:	No data available	
	Density	:	ca. 1 g/cm3 (20 °C (68 °F))	
	Solubility(ies) Water solubility	:	insoluble	
	Solubility in other solvents	:	No data available	
	Partition coefficient: n- octanol/water	:	No data available	
	Auto-ignition temperature	:	427 °C	
	Decomposition temperature	:	No data available	
	Viscosity Viscosity, dynamic	:	ca. 2,000 mPa.s (20 °C (68 °F))	
	Viscosity, kinematic	:	> 20.5 mm2/s ( 40 °C (104 °F))	
	Explosive properties	:	No data available	
	Oxidizing properties	:	No data available	
	Volatile organic compounds	:	Directive 2010/75/EU of 24 Nove emissions (integrated pollution pr Volatile organic compounds (VOC	evention and control)

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	Stable under recommended storage conditions. Vapours may form explosive mixture with air.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	see section 7.

# Sarnacol 2142S



Version	Revision Date:	SDS Number:	Date of last issue: 10.09.2016
2.0	04.11.2021	000000122025	Date of first issue: 10.09.2016

#### SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity		
Not classified based on ava	ilable	information.
Components:		
ethyl acetate: Acute oral toxicity	:	LD50 Oral (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): ca. 1,600 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5,000 mg/kg
<b>Diphenylmethanediisocya</b> Acute oral toxicity	nate, :	, <b>isomeres and homologues:</b> LD50 Oral (Rat): > 10,000 mg/kg
Acute inhalation toxicity	:	LC50: 1.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture is moderately toxic after short term inhalation.
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 9,400 mg/kg
Skin corrosion/irritation	ilahle	information
Serious eye damage/eye i		
Causes serious eye irritation		
Respiratory or skin sensit		on
<b>Skin sensitisation</b> May cause an allergic skin r	eacti	on.
Respiratory sensitisation		
	a syn	nptoms or breathing difficulties if inhaled.
Chronic toxicity		
Germ cell mutagenicity Not classified based on ava	ilable	information.
Carcinogenicity		
Suspected of causing cance	er.	
Reproductive toxicity		
<b>N I I I I I I I I</b>		

Not classified based on available information.

Revision Date:

### Sarnacol 2142S

Version



Date of last issue: 10.09.2016

)	04.11.2021	000000122025	Date of first issue: 10.09.2016
	<b>OT - single exposure</b> ot classified based on available	e information	
	OT - repeated exposure		
	ot classified based on available	e information.	
As	piration toxicity		
	ot classified based on available	e information.	
ECTIC	ON 12. ECOLOGICAL INFOR	MATION	
Ec	otoxicity		
<u>Co</u>	omponents:		
	phenylmethanediisocyanate		
То	exicity to fish :	LC50 (Brachydanio rerio (z Exposure time: 96 h	ebrafish)): > 1,000 mg/l
	xicity to algae/aquatic : ants	EC50 (Desmodesmus subs mg/l Exposure time: 72 h	spicatus (green algae)): > 1,640
Pe	rsistence and degradability		
	o data available		
	oaccumulative potential o data available		
Мс	obility in soil		
No	o data available		
Ot	her adverse effects		
Pre	oduct:		
Ad	Iditional ecological infor- : ation	unprofessional handling or	annot be excluded in the event of disposal. long lasting effects.

SDS Number:

# Disposal methods Waste from residues : The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

### Sarnacol 2142S



Version	Revision Date:	SDS Number:	Date of last issue: 10.09.2016
2.0	04.11.2021	000000122025	Date of first issue: 10.09.2016

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

#### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)		UN 1133 Adhesives 3 II Flammable Liquids 364 353
IMDG-Code UN number Proper shipping name Class Packing group Labels EmS Code Marine pollutant	:	UN 1133 ADHESIVES 3 II 3 F-E, S-D no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

ADG		
UN number	: UN 1	133
Proper shipping name	: ADH	ESIVES
Class	: 3	
Packing group	: 11	
Labels	: 3	
Hazchem Code	: •3YE	

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform	:	No poison schedule number allocated
Scheduling of Medicines and		
Poisons		

### Sarnacol 2142S



Revision Date: 04.11.2021	SDS Number: 000000122025	Date of last issue: 10.09.2016 Date of first issue: 10.09.2016				
ules of Toxic Chemicals a	nd Precursors	<ul> <li>Not applicable</li> <li>There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.</li> </ul>				
The components of this product are reported in the following inventories:AIIC: On the inventory, or in compliance with the inventory						
,	04.11.2021 ational Chemical Weapons ules of Toxic Chemicals a ition/Licensing Requireme	04.11.2021 000000122025 ational Chemical Weapons Convention (CWC) ules of Toxic Chemicals and Precursors ition/Licensing Requirements				

#### **SECTION 16. OTHER INFORMATION**

Revision Date	:	04.11.2021				
Date format	:	dd.mm.yyyy				
Full text of other abbreviations						
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Con- taminants.				
AU OEL / TWA	:	Exposure standard - time weighted average				
AU OEL / STEL	:	Exposure standard - short term exposure limit				
ADG	:	Australian Dangerous Goods Code.				
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road				
CAS	:	Chemical Abstracts Service				
DNEL	:	Derived no-effect level				
EC50	:	Half maximal effective concentration				
GHS	:	Globally Harmonized System				
IATA	:	International Air Transport Association				
IMDG	:	International Maritime Code for Dangerous Goods				
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)				
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)				
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978				
OEL	:	Occupational Exposure Limit				
PBT	:	Persistent, bioaccumulative and toxic				
PNEC	:	Predicted no effect concentration				
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency				
SVHC	:	Substances of Very High Concern				
vPvB	:	Very persistent and very bioaccumulative				

## Sarnacol 2142S



Version	Revision Date:	SDS Number:	Date of last issue: 10.09.2016
2.0	04.11.2021	000000122025	Date of first issue: 10.09.2016

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN