Sikaflex[®]-116 High Grab



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	10000010998	Date of first issue: 06.09.2022

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name:Sikaflex®-116 High GrabManufacturer or supplier's details:Company:Sika Australia Pty. Ltd.
S5 Elizabeth Street
Wetherill Park, NSW 2164Telephone::Emergency telephone number::Telefax::

Recommended use of the chemical and restrictions on use

Product use : Sealant/adhesive

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Urea,N,N"-(methylenedi-4,1-phenylene)bis[N'-	77703-56-1	>= 2.5 -< 10
butyl-		
trimethoxyvinylsilane	2768-02-7	0 -< 1
bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	52829-07-9	>= 0.025 -< 0.25

SECTION 4. FIRST AID MEASURES

General advice	: No hazards which require special first aid me	asures.
If inhaled	: Move to fresh air. Consult a physician after significant exposure	9.

Sikaflex[®]-116 High Grab



Version 1.0	Revision Date: 06.09.2022		SDS Number: 100000010998	Date of last issue: - Date of first issue: 06.09.2022
In case of skin contact		: Take off contaminated clothing and shoes immediate Wash off with soap and plenty of water. If symptoms persist, call a physician.		ty of water.
In ca	se of eye contact	:	Flush eyes with water as a p Remove contact lenses. Keep eye wide open while rir	
If swallowed		:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.	
	t important symptoms effects, both acute and yed	:	No known significant effects See Section 11 for more deta and symptoms.	or hazards. ailed information on health effects
Note	s to physician	:	Treat symptomatically.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth- ods	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	:	For personal protection see section 8.
Environmental precautions :	:	No special environmental precautions required.
Methods and materials for : containment and cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Do not get in eyes, on skin, or on clothing.

Sikaflex[®]-116 High Grab



Version 1.0	Revision Date: 06.09.2022		SDS Number: 100000010998	Date of last issue: - Date of first issue: 06.09.2022
		Fo	or personal protection see se ollow standard hygiene meas oducts	ection 8. sures when handling chemical
Hygiene measures		pr W W	andle in accordance with goo actice. hen using do not eat or drinl hen using do not smoke. ash hands before breaks an	
Conc	litions for safe storage	pl	eep container tightly closed i ace. ore in accordance with local	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis			
methanol	67-56-1	TŴA	200 ppm 262 mg/m3	AU OEL			
	Further infor	mation: Skin abso	orption				
		STEL	250 ppm 328 mg/m3	AU OEL			
Appropriate engineering controls	•	ite ventilation and ire to vapours.	d/or engineering contro	ols to pre-			
Personal protective equip	ment						
Respiratory protection Hand protection	 No special measures required. Respirator selection must be based on known or anticip exposure levels, the hazards of the product and the saf working limits of the selected respirator. Chemical-resistant, impervious gloves complying with a 						
·	approved st chemical pro essary. Follow AS/N Recommend	approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-					
Eye protection	: Safety glass	ses					
Skin and body protection	: Protective c clothing, lon		ty shoes, long-sleeved	d working			

Sikaflex[®]-116 High Grab



ersion D	Revision Date: 06.09.2022		SDS Number: 100000010998	Date of last issue: - Date of first issue: 06.09.2022
ECTION	9. PHYSICAL AND CHE	MIC	CAL PROPERTIES	
Арреа	arance	:	paste	
Colou	r	:	white	
Odour		:	odourless	
Odour	Threshold	:	No data available	
pН		:	Not applicable substance	/mixture is non-soluble (in water)
	g point/range / Freezing	:	No data available	
point Boiling	g point/boiling range	:	No data available	
Flash	point	:	> 101 °C (214 °F) (Method: closed cup)	
Evapo	oration rate	:	No data available	
Flamn	nability (solid, gas)	:	No data available	
	explosion limit / Upper ability limit	:	No data available	
	explosion limit / Lower ability limit	:	No data available	
Vapou	ır pressure	:	0.01 hPa	
Relativ	ve vapour density	:	No data available	
Densit	ty	:	ca. 1.36 g/cm3 (20 °C (68	3 °F))
	ility(ies) ater solubility	:	insoluble	
So	lubility in other solvents	:	No data available	
	on coefficient: n-	:	No data available	
	ol/water gnition temperature	:	No data available	
Decor	nposition temperature	:	No data available	
Viscos Vis	sity cosity, dynamic	:	No data available	
Vis	cosity, kinematic	:	> 20.5 mm2/s (40 °C (10	4 °F))
Explos	sive properties	:	No data available	

Sikaflex[®]-116 High Grab



Vers 1.0	ion Revision E 06.09.202		SDS Number: 100000010998	Date of last issue: - Date of first issue: 06.09.2022	
	Oxidizing properties	: N	o data available		
	Volatile organic compounds		: Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable		
SEC	CTION 10. STABILITY	AND REACTIN	/ITY		
	Reactivity	: N	o dangerous reaction kno	own under conditions of normal use.	
	Chemical stability	: Т	he product is chemically	stable.	
	Possibility of hazardo tions	ous reac- : N	o hazards to be specially	mentioned.	
	Conditions to avoid	: N	o data available		
	Incompatible materia	ls : s	ee section 7.		

No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

<u>Components:</u>		
trimethoxyvinylsilane: Acute oral toxicity	:	LD50 Oral (Rat): ca. 7,120 mg/kg
Acute inhalation toxicity	:	LC50: ca. 16.8 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	:	LD50: 3,540 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Sikaflex[®]-116 High Grab



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	100000010998	Date of first issue: 06.09.2022

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Urea,N,N"-(methylenedi-4,1-phenylene)bis[N'-butyl-: Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 250 mg/l Exposure time: 96 h				
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h		
Toxicity to algae/aquatic plants	:	EC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l Exposure time: 72 h		

bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate:

	-	
M-Factor (Acute aquatic tox-	:	1
icity)		

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

Sikaflex[®]-116 High Grab



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2022	100000010998	Date of first issue: 06.09.2022
-			

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	:	Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passen- ger aircraft)	:	Not applicable
IMDG-Code		
UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG		
UN number	: Not a	applicable
Proper shipping name	: Not a	applicable
Class	: Not a	applicable
Subsidiary risk	: Not a	applicable
Packing group	: Not a	applicable
Labels	: Not a	applicable
Hazchem Code	: Not a	applicable

Sikaflex[®]-116 High Grab



Version 1.0	Revision Date: 06.09.2022	SDS Number: 100000010998	Date of last issue: - Date of first issue: 06.09.2022
Speci	ial precautions for user		
Not ap	pplicable		

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : No poison schedule Scheduling of Medicines and Poisons	number allocated
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	: Not applicable
Prohibition/Licensing Requirements	: There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.

The components of this product are reported in the following inventories:

AIIC

: All components are listed on the inventory, regulatory obligations/restrictions apply

SECTION 16. OTHER INFORMATION

Full text of other abbreviationsAU OEL: Australia. Workplace Exposure Standards for Airborne Contaminants.AU OEL / TWA: Exposure standard - time weighted averageAU OEL / STEL: Exposure standard - short term exposure limitADG: Australian Dangerous Goods Code.ADR: European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS: Chemical Abstracts ServiceDNEL: Derived no-effect levelEC50: Half maximal effective concentrationGHS: Globally Harmonized SystemIATA: International Maritime Code for Dangerous GoodsLD50: Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50: Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978	Revision Date Date format	:	06.09.2022 dd.mm.yyyy
AU OEL / TWA:Exposure standard - time weighted averageAU OEL / STEL:Exposure standard - short term exposure limitADG:Australian Dangerous Goods Code.ADR:European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978	Full text of other abbreviat	ions	
AU OEL / STEL: Exposure standard - short term exposure limitADG: Australian Dangerous Goods Code.ADR: European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS: Chemical Abstracts ServiceDNEL: Derived no-effect levelEC50: Half maximal effective concentrationGHS: Globally Harmonized SystemIATA: International Air Transport AssociationIMDG: International Maritime Code for Dangerous GoodsLD50: Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50: Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978	AU OEL	:	
MARPOL : International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978	AU OEL / STEL ADG ADR CAS DNEL EC50 GHS IATA IMDG LD50		Exposure standard - short term exposure limit Australian Dangerous Goods Code. European Agreement concerning the International Carriage of Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals) Median lethal concentration (concentrations of the chemical in
	MARPOL	:	period) International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978

Sikaflex[®]-116 High Grab



Version 1.0	Revision Date: 06.09.2022		SDS Number: 100000010998	Date of last issue: - Date of first issue: 06.09.2022
OEL PBT PNEC			Occupational Exposure Limi Persistent, bioaccumulative Predicted no effect concentr	and toxic ation
REACH		:	 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency 	
SVHC vPvB		:	Substances of Very High Co Very persistent and very bio	

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN