Sikaflex[®]-292i



Version 2.0	Revision Date: 21.01.2025		SDS Number: 000000607756	Date of last issue: 18.09.2021 Date of first issue: 18.09.2027
SECTION	1. PRODUCT AND COM	PA	NY IDENTIFICATION	
Produ	ct name	:	Sikaflex [®] -292i	
Manu	facturer or supplier's d	eta	ils	
Comp	any	:	Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164	
Telep	hone	:	+61 2 9725 11 45	
Emerg	gency telephone number	:	+61 1800 033 111	
Telefax		:	+61 2 9725 33 30	
Reco	mmended use of the ch	em	ical and restrictions on use	
Produ	ct use	:	Sealant/adhesive	
SECTION	2. HAZARDS IDENTIFIC	AT	ION	
GHS	Classification			

Skin sensitisation	:	Category 1
GHS label elements Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H317 May cause an allergic skin reaction.
Precautionary statements	:	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions.
		Prevention: P261 Avoid breathing mist or vapours. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves.
		Response: P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 If skin irritation or rash occurs: Get medical ad-

Sikaflex[®]-292i



Version 2.0	Revision Date: 21.01.2025	SDS Number: 000000607756	Date of last issue: 18.09.2021 Date of first issue: 18.09.2021
		vice/ attention. P362 + P364 Take off cont reuse.	aminated clothing and wash it before
		Disposal: P501 Dispose of contents/ disposal plant.	container to an approved waste

Other hazards which do not result in classification None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Urea,N,N"-(methylenedi-4,1-phenylene)bis[N'-	77703-56-1	>= 2.5 -< 10
butyl-		
Hexamethylene-1,6-diisocyanate homopolymer	28182-81-2	0 -< 1
Hardener LH (1,6-Hexanedialdimine)	613222-52-9	0 -< 1
Hardener LI (Isophoronedialdimine)	932742-30-8	>= 0.25 -< 1
Reaction product of Hexamethylene diisocya- nate, oligomers with Mercaptopropyltrimethox- ysilane	252047-49-7	>= 0.1 -< 0.25
bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate	41556-26-7	>= 0.1 -< 0.25

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages.

Sikaflex[®]-292i



Version 2.0	Revision Date: 21.01.2025		SDS Number: 000000607756	Date of last issue: 18.09.2021 Date of first issue: 18.09.2021
			Never give anything by mo Obtain medical attention.	outh to an unconscious person.
Most important symptoms and effects, both acute and delayed		:	sensitising effects Allergic reactions See Section 11 for more de and symptoms. May cause an allergic skin	etailed information on health effects reaction.
Notes	to physician	:	Treat symptomatically.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth- ods	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8).

Sikaflex[®]-292i



Version 2.0	Revision Date: 21.01.2025		SDS Number: 000000607756	Date of last issue: 18.09.2021 Date of first issue: 18.09.2021
			Do not get in eyes, on skin, or o For personal protection see sec Persons with a history of skin se ma, allergies, chronic or recurre not be employed in any process used. Smoking, eating and drinking sh plication area. Follow standard hygiene measu products	tion 8. ensitisation problems or asth- nt respiratory disease should in which this mixture is being hould be prohibited in the ap-
Hygie	ne measures	:	Handle in accordance with good practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and	
Cond	itions for safe storage	:	Keep container tightly closed in place. Store in accordance with local re	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis	
Hexamethylene-1,6- diisocyanate homopolymer	28182-81-2	TWA	0.02 mg/m3 (NCO)	AU OEL	
	Further inform	nation: Sensitise	r	·	
		STEL	0.07 mg/m3 (NCO)	AU OEL	
Appropriate engineering controls:Use adequate ventilation and/or engineering controls to pre- vent exposure to vapours.					
Personal protective equipm	ent				
Respiratory protection	Respirator se exposure lev	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.			
Hand protection	approved sta	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-			

Recommended: Butyl rubber/nitrile rubber gloves.

Follow AS/NZS 1337.1

essary.

Sikaflex[®]-292i



Version 2.0	Revision Date: 21.01.2025		SDS Number: 000000607756	Date of last issue: 18.09.2021 Date of first issue: 18.09.2021
		Contaminated gloves should be removed.		emoved.
Eye protection		:	Safety glasses	
Skin and body protection		:	Protective clothing (e.g. safety shoes, long-sleeved working clothing, long trousers) Follow AS 2210:3	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	paste
Colour	:	various
Odour	:	odourless
Odour Threshold	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	> 101 °C (214 °F) (Method: closed cup)
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	0.01 hPa
Relative vapour density	:	No data available
Density	:	ca. 1.3 g/cm3 (20 °C (68 °F))

Sikaflex[®]-292i



Versic 2.0	on Revision Date: 21.01.2025		SDS Number: 000000607756	Date of last issue: 18.09.2021 Date of first issue: 18.09.2021
:	Solubility(ies) Water solubility	:	insoluble	
	Solubility in other solvents	:	No data available	
-	Partition coefficient: n- octanol/water	:	No data available	
,	Auto-ignition temperature	:	No data available	
I	Decomposition temperature	:	No data available	
Ň	Viscosity Viscosity, dynamic	:	Not applicable	
	Viscosity, kinematic	:	Not applicable	
I	Explosive properties	:	No data available	
(Oxidizing properties	:	No data available	
	Volatile organic compounds	:	Directive 2010/75/EU of 24 Nove emissions (integrated pollution pr Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	see section 7.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

Sikaflex[®]-292i



ersion .0	Revision Date: 21.01.2025	SDS Number: 000000607756	Date of last issue: 18.09.2021 Date of first issue: 18.09.2021
SECTION 1	11. TOXICOLOGICAL	INFORMATION	
	toxicity assified due to lack of	data.	
	onents:		
Hexan		vanate homopolymer: : LD50 Oral (Rat): > 2,500	mg/kg
Acute	inhalation toxicity	: LC50: 1.5 mg/l Exposure time: 4 h Test atmosphere: dust/m Method: Expert judgemen	
Acute	dermal toxicity	: LD50 Dermal (Rat): > 2,0)00 mg/kg
	ner LI (Isophoroned oral toxicity	ialdimine): : LD50 Oral (Rat): > 2,000	mg/kg
Acute	dermal toxicity	: LD50 Dermal (Rabbit): >	2,000 mg/kg
	corrosion/irritation assified due to lack of	data.	
	us eye damage/eye ir assified due to lack of		
Respi	ratory or skin sensiti	sation	
	e nsitisation ause an allergic skin re	eaction.	
	ratory sensitisation assified due to lack of	data.	
Chron	ic toxicity		
	cell mutagenicity assified due to lack of	data.	
	nogenicity assified due to lack of	data.	
-	ductive toxicity assified due to lack of	data.	
	- single exposure	data.	
	- repeated exposure assified due to lack of	data	

Sikaflex[®]-292i



/ersion 2.0	Revision Date: 21.01.2025	SDS Number: 000000607756	Date of last issue: 18.09.2021 Date of first issue: 18.09.2021
-	ation toxicity assified due to lack of data	а.	
SECTION 1	12. ECOLOGICAL INFOR	MATION	
Ecoto	xicity		
<u>Comp</u>	onents:		
	N,N"-(methylenedi-4,1-pl ty to fish	h enylene)bis[N'-butyl-: LC50 (Brachydanio rerio (Exposure time: 96 h	zebrafish)): > 250 mg/l
	ty to daphnia and other : c invertebrates	EC50 (Daphnia magna (W Exposure time: 48 h	/ater flea)): > 100 mg/l
Toxicit plants	ty to algae/aquatic :	EC50 (Raphidocelis subca 100 mg/l Exposure time: 72 h	apitata (freshwater green alga)): >
	ner LI (Isophoronediald ty to fish	l imine): LC50 (Fish): 87.2 mg/l Exposure time: 96 h	
	ty to daphnia and other : c invertebrates	EC50 (Daphnia (water flea Exposure time: 48 h	a)): > 100 mg/l
Toxicit plants	, , ,	EC50 (Desmodesmus sub Exposure time: 72 h	ospicatus (green algae)): 180.4 mg/l
Reacti ysilan		nylene diisocyanate, oligor	mers with Mercaptopropyltrimethox-
		LC50 (Brachydanio rerio (Exposure time: 96 h Method: OECD Test Guid	· · · · · ·
	ty to daphnia and other : c invertebrates	EC50 (Daphnia magna (W Exposure time: 48 h Method: OECD Test Guid	
Toxicit plants	ty to algae/aquatic :	EC50 (Pseudokirchneriella Exposure time: 72 h Method: OECD Test Guid	a subcapitata (algae)): > 100 mg/l leline 201
	stence and degradability ta available		
	cumulative potential ta available		
	i ty in soil ta available		

Sikaflex[®]-292i



Version 2.0	Revision Date: 21.01.2025		SDS Number: 000000607756	Date of last issue: 18.09.2021 Date of first issue: 18.09.2021
Other	r adverse effects			
<u>Produ</u> Additi matio	ional ecological infor-	:	There is no data available for this	s product.
SECTION	13. DISPOSAL CONS	IDER	ATIONS	
-	osal methods e from residues	:	Send to a licensed waste manag	jement company.
			Do not contaminate ponds, wate cal or used container.	rways or ditches with chemi-
Conta	aminated packaging	:	Empty remaining contents. Dispose of as unused product.	

Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR		
UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo	:	Not applicable
aircraft)		
Packing instruction (passen-	:	Not applicable
ger aircraft)		
IMDG-Code		
UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Sikaflex[®]-292i



Version 2.0	Revision Date: 21.01.2025		SDS Number: 000000607756	Date of last issue: 18.09.2021 Date of first issue: 18.09.2021
Natio	nal Regulations			
ADG				
UN n	umber	:	Not applicable	
Prope	er shipping name	:	Not applicable	
Class	-	:	Not applicable	
	idiary risk	:	Not applicable	
	ing group	:	Not applicable	
Labe		:	Not applicable	
Hazc	hem Code	:	Not applicable	
Speci	al precautions for use	r		
Not ap	oplicable			
·				
SECTION	15. REGULATORY INF	ORN	ATION	
Safet	y, health and environm	enta	al regulations/legislation s	pecific for the substance or mixture
	peutic Goods (Poisons ard) Instrument	:		r allocated (Please use the original cific uses, specific conditions or pply for this chemical)

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable
Prohibition/Licensing Requirements	:	There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.

The components of this product are reported in the following inventories:

AIIC	: Low volume exemption
------	------------------------

SECTION 16. OTHER INFORMATION

Revision Date	:	21.01.2025

Date format	:	dd.mm.yyyy

Full text of other abbreviations

AU OEL	:	Australia. Workplace Exposure Standards for Airborne Con- taminants.
AU OEL / TWA	:	Exposure standard - time weighted average
AU OEL / STEL	:	Exposure standard - short term exposure limit
ADG	:	Australian Dangerous Goods Code.
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level

Sikaflex[®]-292i



Version 2.0	Revision Date: 21.01.2025		SDS Number: 000000607756	Date of last issue: 18.09.2021 Date of first issue: 18.09.2021	
EC50 GHS IATA IMDG		:	 Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods 		
LD50		:	Median lethal dosis (the amo once, which causes the death test animals)	unt of a material, given all at h of 50% (one half) of a group of	
LC50		:	Median lethal concentration (concentrations of the chemical in nimals during the observation	
MARPC	DL	:	• •	he Prevention of Pollution from the Protocol of 1978	
OEL		:	Occupational Exposure Limit		
PBT		:	Persistent, bioaccumulative a	and toxic	
PNEC		:	Predicted no effect concentra		
REACH		:	and of the Council of 18 Dece istration, Evaluation, Authoris	D6 of the European Parliament ember 2006 concerning the Reg- sation and Restriction of Chemi- t European Chemicals Agency	
SVHC		:	Substances of Very High Cor	ncern	
vPvB		:	Very persistent and very bioa	accumulative	

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN