Sikafloor[®]-414 Feather



Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2021
4.0	10.05.2022	100000027019	Date of first issue: 29.06.2020

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	Sikafloor [®] -414 Feather
Product code	: 10000027019
Manufacturer or supplier's o	details
Company	 Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164
Telephone	: +61 2 9725 11 45
Telefax	: +61 2 9725 33 30
Emergency telephone num- ber	: +61 1800 033 111
Recommended use of the c	hemical and restrictions on use
Product use	: Mortar

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
Skin sensitisation	:	Category 1
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage.
Precautionary statements	:	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions.
		Prevention:
		P261 Avoid breathing dust. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace.

Sikafloor[®]-414 Feather



Version 4.0	Revision Date: 10.05.2022	SDS Number: 100000027019	Date of last issue: 20.07.2021 Date of first issue: 29.06.2020	
		P280 Wear protective glov	es/ eye protection/ face protection.	
		 Response: P302 + P352 IF ON SKIN: Wash with plenty of water. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously v water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it bef reuse. 		
		Disposal: P501 Dispose of contents/ disposal plant.	container to an approved waste	
Other	hazards which do not	result in classification		

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Cement, portland, chemicals	65997-15-1	>= 10 -< 20
calcium sulfate	7778-18-9	>= 10 -< 30
Limestone	1317-65-3	< 10
Perlite, expanded	93763-70-3	< 10
Fumes, silica	69012-64-2	< 10

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.

2/9

Sikafloor[®]-414 Feather



Version 4.0	Revision Date: 10.05.2022		SDS Number: 100000027019	Date of last issue: 20.07.2021 Date of first issue: 29.06.2020	
lf swal	llowed	:	Clean mouth with water and dr Do not give milk or alcoholic be Never give anything by mouth Obtain medical attention.	everages.	
Most important symptoms and effects, both acute and delayed		:	 irritant effects sensitising effects Allergic reactions Excessive lachrymation Dermatitis See Section 11 for more detailed information on health effects and symptoms. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. 		
Notes	to physician	:	Treat symptomatically.		

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth- ods	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
Methods and materials for containment and cleaning up	:	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against	:	Avoid dust formation.
fire and explosion		Provide appropriate exhaust ventilation at places where dust
		is formed.

Sikafloor[®]-414 Feather



Version 4.0	Revision Date: 10.05.2022		SDS Number: 100000027019	Date of last issue: 20.07.2021 Date of first issue: 29.06.2020		
Advice on safe handling		:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products			
Hygie	ene measures	:	Handle in accordance with go practice. When using do not eat or drin When using do not smoke. Wash hands before breaks a			
Cond	itions for safe storage	:	Keep container tightly closed place. Store in accordance with loca	-		
	er information on stor- tability	:	Keep in a dry place. No decomposition if stored a	nd applied as directed.		

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

	-					
Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis		
Cement, portland, chemicals	65997-15-1	TWA	10 mg/m3	AU OEL		
calcium sulfate	7778-18-9	TWA	10 mg/m3	AU OEL		
		ation: This value < 1% crystalline	is for inhalable dust silica	containing no		
Limestone	1317-65-3	TWA	10 mg/m3 (Calcium car- bonate)	AU OEL		
	Further information: This value is for inhalable dust containing no asbestos and < 1% crystalline silica					
Perlite, expanded	93763-70-3	TWA (Dust)	10 mg/m3	AU OEL		
Fumes, silica	69012-64-2	TWA (Res-	2 mg/m3	AU OEL		
	Further information: Containing no asbestos and < 1% crystalline silica					
Appropriate engineering controls						
Beneficial constructions and the second						

Personal protective equipment

Sikafloor[®]-414 Feather



Version 4.0	Revision Date: 10.05.2022	SDS Number: 100000027019		Date of last issue: 20.07.2021 Date of first issue: 29.06.2020	
Respiratory protection		:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. particulate filter P		
Hand protection		:	 Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handlin chemical products if a risk assessment indicates this is necessary. Follow AS/NZS 1337.1 Recommended: Butyl rubber, PVC, cotton gloves 		
Eye	protection	:	Safety glasses		
Skir	n and body protection	:	Protective clothing (e.g. safety clothing, long trousers) Follow AS 2210:3	shoes, long-sleeved working	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	grey
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/range / Freezing	:	No data available
point Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	ca. 1 g/cm3 (20 °C (68 °F))

Sikafloor[®]-414 Feather



Version 4.0	Revision Date: 10.05.2022		SDS Number: 100000027019	Date of last issue: 20.07.2021 Date of first issue: 29.06.2020
v S Part	bility(ies) Vater solubility Solubility in other solvents ition coefficient: n- nol/water	::	immiscible No data available No data available	
	p-ignition temperature	:	No data available	
Decomposition temperature		:	No data available	
V	osity /iscosity, dynamic /iscosity, kinematic	:	No data available No data available	
	osive properties	:	No data available	
Oxic	lizing properties	:	No data available	
Vola	tile organic compounds	:	Directive 2010/75/EU of 24 Nove emissions (integrated pollution pr Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability :		The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	see section 7.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

calcium sulfate:		
Acute oral toxicity	:	LD50 Oral (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Sikafloor[®]-414 Feather



/ersion 4.0	Revision Date: 10.05.2022	SDS Number: 100000027019	Date of last issue: 20.07.2021 Date of first issue: 29.06.2020
	u s eye damage/eye irritat es serious eye damage.	ion	
Respi	ratory or skin sensitisati	on	
	sensitisation ause an allergic skin reacti	on.	
-	ratory sensitisation assified based on available	e information.	
Chror	nic toxicity		
	cell mutagenicity assified based on available	e information.	
	nogenicity assified based on available	information.	
-	oductive toxicity assified based on available	e information.	
	- single exposure assified based on available	information.	
	- repeated exposure assified based on available	information.	
-	ation toxicity assified based on available	information.	
SECTION	12. ECOLOGICAL INFOR	MATION	
Ecoto No da	xicity ta available		
	stence and degradability ta available		
	cumulative potential ta available		
	ity in soil ta available		
Other	adverse effects		
<u>Produ</u> Additio matior	onal ecological infor-	There is no data available f	or this product.

Sikafloor[®]-414 Feather



Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2021
4.0	10.05.2022	10000027019	Date of first issue: 29.06.2020

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

National Regulations

ADG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

Safety, health and environ	mental regulations/legislation specific for the substance or mixture
	Numerican state of the second state of the

Standard for the Uniform : No poison schedule Scheduling of Medicines and Poisons	number allocated
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	Not applicable
Prohibition/Licensing Requirements	: There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.

Sikafloor[®]-414 Feather



Version 4.0	Revision Date: 10.05.2022		SDS Number: 100000027019	Date of last issue: 20.07.2021 Date of first issue: 29.06.2020
The c	omponents of this pro	oduct	are reported in the follow	ing inventories:
AIIC		: (On the inventory, or in com	pliance with the inventory
SECTION	16. OTHER INFORMA	TION		
	ion Date format		10.05.2022 Id.mm.yyyy	
Full te	ext of other abbreviat			
AU OI		: /	Australia. Workplace Expos aminants.	ure Standards for Airborne Con-
AU OI ADG ADR	EL / TWA	: E : / : E	Exposure standard - time w Australian Dangerous Gooc European Agreement conce	ls Code. erning the International Carriage of
CAS DNEL		: (: [Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level	
EC50 GHS		: (Half maximal effective conc Globally Harmonized Syste	m
IATA IMDG LD50		 International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all once, which causes the death of 50% (one half) of a group of the second sec		for Dangerous Goods ount of a material, given all at
LC50		: N a		(concentrations of the chemical in animals during the observation
MARF	POL	: İ		the Prevention of Pollution from the Protocol of 1978
OEL PBT		: (: F	Decupational Exposure Lim Persistent, bioaccumulative	it and toxic
PNEC REAC		: F a i	and of the Council of 18 De stration, Evaluation, Author	ration 006 of the European Parliament cember 2006 concerning the Reg- isation and Restriction of Chemi- a European Chemicals Agency
SVHC vPvB	;	: 5	Substances of Very High Co /ery persistent and very bio	oncern

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN