Sikaflex[®] Fillet



Version	Revision Date: 21.01.2025	SDS Number:	Date of last issue: 19.04.2022
3.0		000000606764	Date of first issue: 23.06.2016

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	Sikaflex [®] Fillet
Manufacturer or supplier's d	eta	ils
Company	:	Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164
Telephone	:	+61 2 9725 11 45
Emergency telephone number	:	+61 1800 033 111
Telefax	:	+61 2 9725 33 30

Recommended use of the chemical and restrictions on use

Product use	:	Adhesive
-------------	---	----------

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	:	Category 4
GHS label elements Hazard pictograms Signal word	:	None Warning
Hazard statements	:	H227 Combustible liquid.
Precautionary statements	:	Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 Wear protective gloves/ protective clothing/ eye protec- tion/ face protection/ hearing protection.
		Response: P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
		Storage: P403 Store in a well-ventilated place.
		Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Sikaflex[®] Fillet



Version	Revision Date:	SDS Number:	Date of last issue: 19.04.2022
3.0	21.01.2025	00000606764	Date of first issue: 23.06.2016

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Urea,N,N"-(methylenedi-4,1-phenylene)bis[N'- butyl-	77703-56-1	>= 2.5 -< 10
xylene	1330-20-7	>= 0.25 -< 2.5
4,4'-methylenediphenyl diisocyanate	101-68-8	0 -< 1

SECTION 4. FIRST AID MEASURES

General advice	:	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	No known significant effects or hazards. See Section 11 for more detailed information on health effects and symptoms.
Notes to physician	:	Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Carbon dioxide (CO2)
Unsuitable extinguishing media	:	Water
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth-	:	Standard procedure for chemical fires.

Sikaflex[®] Fillet



Version 3.0	Revision Date: 21.01.2025		SDS Number: 000000606764	Date of last issue: 19.04.2022 Date of first issue: 23.06.2016			
			In the event of fire, wear self-contained breathing apparatus.				
SECTION	6. ACCIDENTAL RELE	AS	E MEASURES				
tive e	onal precautions, protec- quipment and emer- / procedures	:	For personal protection see	section 8.			
Enviro	onmental precautions	:	No special environmental pr	recautions required.			
	Methods and materials for containment and cleaning up		Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.				
SECTION	7. HANDLING AND ST	OR	AGE				
	e on protection against nd explosion	:	Normal measures for preven	ntive fire protection.			
Advic	e on safe handling	:	Do not get in eyes, on skin, For personal protection see Follow standard hygiene me products				
Hygie	ne measures	:	Handle in accordance with g practice. When using do not eat or dr When using do not smoke. Wash hands before breaks				
Condi	Conditions for safe storage		Store in original container. Keep in a well-ventilated pla Observe label precautions. Store in accordance with loc	ace.			

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis	
xylene	1330-20-7	STEL	150 ppm 655 mg/m3	AU OEL	
		TWA	80 ppm 350 mg/m3	AU OEL	
4,4'-methylenediphenyl diiso- cyanate	101-68-8	TWA	0.02 mg/m3 (NCO)	AU OEL	
	Further information: Category 2 (Carc. 2) Suspected human car-				

Sikaflex[®] Fillet



ersion 0	sion Revision Date: 21.01.2025			SDS Number: 000000606764		Date of last issue: 19.04.2022 Date of first issue: 23.06.2016		
I		cin	cinogen, Sensitiser					
				TEL	0.07 mg/n (NCO)	n3	AU (DEL
Biolog	gical occupational	exposure	limits					
Comp	onents	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissi concentr		Basis
xylene	3	1330-20-7		Urine	End of 1.5 g/g creat- shift (As inine soon as possible after ex- posure ceases)		reat-	
contro		Ve	se adequate ve nt exposure to		/or engineer	ing contro	ols to p	ore-
	nal protective equ ratory protection	: In Re ex	case of inadec espirator select posure levels, orking limits of	ion must be the hazards	based on kr of the produ	nown or ar	nticipa	
Hand	protection	ap ch es Fo Re	nemical-resista proved standa emical product sary. blow AS/NZS 1 ecommended: pontaminated glo	rd should be ts if a risk ass 337.1 Butyl rubber/	worn at all t sessment in nitrile rubbe	times whe dicates the r gloves.	n han	dling
Eye pi	rotection	: Sa	afety glasses					
Skin a	nd body protection	clo Fo	otective clothir othing, long tro Illow AS 2210: otective clothir	users) 3			work	ing

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	paste
Colour	:	various
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/ range / Freez- ing point	:	No data available
		4 / 10

Sikaflex[®] Fillet



Version 3.0	Revision Date: 21.01.2025		SDS Number: 000000606764	Date of last issue: 19.04.2022 Date of first issue: 23.06.2016
Boilin	Boiling point/boiling range		No data available	
Flash	Flash point		ca. 70 °C (158 °F) (Method: closed cup)	
Evapo	oration rate	:	No data available	
Flamr	mability (solid, gas)	:	No data available	
	r explosion limit / Upper nability limit	:	No data available	
	r explosion limit / Lower nability limit	:	No data available	
Vapo	ur pressure	:	0.01 hPa	
Relati	ve vapour density	:	No data available	
Densi	ty	:	ca. 1.33 g/cm3 (20 °C (68 °F))	
	ility(ies) ater solubility	:	No data available	
Sc	lubility in other solvents	:	No data available	
	on coefficient: n-	:	No data available	
	ol/water ignition temperature	:	No data available	
Deco	mposition temperature	:	No data available	
Visco Vis	sity scosity, dynamic	:	> 20.5 Pa.s	
Vis	scosity, kinematic	:	> 20.5 mm2/s (40 °C (104 °F))	
Explo	sive properties	:	No data available	
Oxidiz	zing properties	:	No data available	
Volati	le organic compounds	:	Directive 2010/75/EU of 24 Nove emissions (integrated pollution pr Volatile organic compounds (VO	evention and control)

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.	
Chemical stability	:	The product is chemically stable.	
Possibility of hazardous reac-	:	No hazards to be specially mentioned.	
5 / 10			

Sikaflex[®] Fillet



/ersion 8.0	Revision Date: 21.01.2025		SDS Number: 000000606764	Date of last issue: 19.04.2022 Date of first issue: 23.06.2016		
tions						
Condi	tions to avoid	:	No data available			
Incom	patible materials	:	see section 7.			
	Hazardous decomposition products		No hazardous decomposition products are known.			
SECTION	11. TOXICOLOGICAL	INFC	DRMATION			
	t oxicity assified due to lack of d	ata.				
	onents:					
xylen Acute	e: oral toxicity	:	LD50 Oral (Rat): 3,523 mg	/kg		
	ethylenediphenyl diis oral toxicity	ocya :	anate: LD50 Oral (Rat): > 5,000 n Method: OECD Test Guide			
Acute	inhalation toxicity	:	LC50: 1.5 mg/l Exposure time: 4 h Test atmosphere: dust/mis Method: Expert judgement			
	corrosion/irritation assified due to lack of d	ata.				
	u s eye damage/eye irr assified due to lack of d		on			
Respi	ratory or skin sensitis	atio	n			
	sensitisation assified due to lack of d	ata.				
-	ratory sensitisation assified due to lack of d	ata.				
Chror	nic toxicity					
	cell mutagenicity assified due to lack of d	ata.				
	n ogenicity assified due to lack of d	ata.				
	ductive toxicity assified due to lack of d	ata.				
			6 / 10			

Sikaflex[®] Fillet



ersion .0	Revision Date: 21.01.2025		SDS Number: 000000606764	Date of last issue: 19.04.2022 Date of first issue: 23.06.2016	
	- single exposure assified due to lack of da	ıta.			
	- repeated exposure assified due to lack of da	ıta.			
-	ation toxicity assified due to lack of da	ıta.			
ECTION	12. ECOLOGICAL INFO	RMA	ATION		
Ecoto	xicity				
Urea,I	o onents: N ,N''-(methylenedi-4,1- ty to fish	: L	ylene)bis[N'-butyl-: _C50 (Brachydanio rerio (ze Exposure time: 96 h	ebrafish)): > 250 mg/l	
	ty to daphnia and other c invertebrates		EC50 (Daphnia magna (Wa Exposure time: 48 h	ter flea)): > 100 mg/l	
Toxici plants	ty to algae/aquatic		: EC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l Exposure time: 72 h		
xylen Toxici icity)	e: ty to fish (Chronic tox-		NOEC (Oncorhynchus myk Exposure time: 56 d	iss (rainbow trout)): > 1.3 mg/l	
	ty to daphnia and other c invertebrates (Chron- city)		NOEC (Daphnia (water flea Exposure time: 7 d)): 1.17 mg/l	
	stence and degradabilit ta available	ty			
	cumulative potential ta available				
	ity in soil ta available				
Other	adverse effects				
<u>Produ</u> Additio matior	onal ecological infor-	: -	There is no data available f	or this product.	

Disposal methods

Waste from residues : Send to a licensed waste management company.

Sikaflex[®] Fillet



Version 3.0	Revision Date: 21.01.2025	SDS Number: 000000606764	Date of last issue: 19.04.2022 Date of first issue: 23.06.2016
		Do not contaminate pono cal or used container.	ds, waterways or ditches with chemi-
Contaminated packaging		: Empty remaining conten Dispose of as unused pr	
		Do not re-use empty con Do not burn, or use a cu	tainers. tting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR UN/ID No. Proper shipping name Class Subsidiary risk Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
IMDG-Code UN number Proper shipping name Class Subsidiary risk Packing group Labels EmS Code Marine pollutant	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG		
UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Hazchem Code	:	Not applicable

Special precautions for user

Not applicable

Sikaflex[®] Fillet



ersion .0	Revision Date: 21.01.2025	SDS Number: 000000606764	Date of last issue: 19.04.2022 Date of first issue: 23.06.2016
SECTION 1	15. REGULATORY INI	ORMATION	
Safety	/ health and environr	nental regulations/legislation	specific for the substance or mixture
	peutic Goods (Poisons		er allocated (Please use the original
	ard) Instrument		ecific uses, specific conditions or
	ational Chemical Weap lules of Toxic Chemical		Not applicable
	ition/Licensing Require	ements : T a r g t	There is no applicable prohibition, authorisation and restricted use equirements, including for carcino- gens referred to in Schedule 10 of he model WHS Act and Regula- ions.
The co AICS	omponents of this pro	oduct are reported in the follow : On the inventory, or in con	-
7.000			
SECTION 1	16. OTHER INFORMA	ΤΙΟΝ	
Revision Date for	on Date	: 21.01.2025 : dd.mm.yyyy	
	ext of other abbreviati		
			in Indiana (REI)
ACGIH AU OE		 ACGIH - Biological Exposit Australia. Workplace Expo taminants. 	sure Standards for Airborne Con-
AU OE	EL / TWA	: Exposure standard - time v	weighted average
	EL / TWA EL / STEL	: Exposure standard - time v : Exposure standard - short	term exposure limit
AU OE ADG		Exposure standard - shortAustralian Dangerous Goo	term exposure limit ods Code.
AU OE		 Exposure standard - short Australian Dangerous Goo European Agreement cond 	term exposure limit ods Code. cerning the International Carriage of
AU OE ADG ADR		 Exposure standard - short Australian Dangerous Goo European Agreement cond Dangerous Goods by Road 	term exposure limit ods Code. cerning the International Carriage of d
AU OE ADG	EL / STEL	 Exposure standard - short Australian Dangerous Goo European Agreement cond 	term exposure limit ods Code. cerning the International Carriage of d
AU OE ADG ADR CAS	EL / STEL	 Exposure standard - short Australian Dangerous Goo European Agreement cond Dangerous Goods by Road Chemical Abstracts Servic 	term exposure limit ods Code. cerning the International Carriage of d e
AU OE ADG ADR CAS DNEL EC50 GHS	EL / STEL	 Exposure standard - short Australian Dangerous Good European Agreement cond Dangerous Goods by Road Chemical Abstracts Servic Derived no-effect level Half maximal effective con Globally Harmonized Systemeter 	term exposure limit ods Code. cerning the International Carriage of d e centration em
AU OE ADG ADR CAS DNEL EC50 GHS IATA	EL / STEL	 Exposure standard - short Australian Dangerous Good European Agreement cond Dangerous Goods by Road Chemical Abstracts Servic Derived no-effect level Half maximal effective con Globally Harmonized Systet International Air Transport 	term exposure limit ods Code. cerning the International Carriage of d e centration em Association
AU OE ADG ADR CAS DNEL EC50 GHS IATA IMDG	EL / STEL	 Exposure standard - short Australian Dangerous Good European Agreement condor Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective con Globally Harmonized Systet International Air Transport International Maritime Cod 	term exposure limit ods Code. cerning the International Carriage of d e centration em Association le for Dangerous Goods
AU OE ADG ADR CAS DNEL EC50 GHS IATA	EL / STEL	 Exposure standard - short Australian Dangerous Goo European Agreement cond Dangerous Goods by Road Chemical Abstracts Servic Derived no-effect level Half maximal effective con Globally Harmonized Syste International Air Transport International Maritime Cod Median lethal dosis (the ar once, which causes the de 	term exposure limit ods Code. cerning the International Carriage of d e centration em Association
AU OE ADG ADR CAS DNEL EC50 GHS IATA IMDG	EL / STEL	 Exposure standard - short Australian Dangerous Good European Agreement cond Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective con Globally Harmonized Syste International Air Transport International Maritime Cod Median lethal dosis (the ar once, which causes the de test animals) Median lethal concentratio air that kills 50% of the test 	term exposure limit ods Code. cerning the International Carriage of d e centration em Association e for Dangerous Goods mount of a material, given all at
AU OE ADG ADR CAS DNEL EC50 GHS IATA IMDG LD50	EL / STEL	 Exposure standard - short Australian Dangerous Good European Agreement cond Dangerous Goods by Road Chemical Abstracts Servic Derived no-effect level Half maximal effective con Globally Harmonized Syste International Air Transport International Maritime Cod Median lethal dosis (the ar once, which causes the de test animals) Median lethal concentratio air that kills 50% of the test period) International Convention for 	term exposure limit ods Code. cerning the International Carriage of d e centration em Association le for Dangerous Goods nount of a material, given all at eath of 50% (one half) of a group of n (concentrations of the chemical in t animals during the observation or the Prevention of Pollution from
AU OE ADG ADR CAS DNEL EC50 GHS IATA IMDG LD50 LC50	EL / STEL	 Exposure standard - short Australian Dangerous Good European Agreement cond Dangerous Goods by Road Chemical Abstracts Servic Derived no-effect level Half maximal effective con Globally Harmonized Syste International Air Transport International Maritime Cod Median lethal dosis (the ar once, which causes the de test animals) Median lethal concentratio air that kills 50% of the test period) 	term exposure limit ods Code. cerning the International Carriage of d e centration em Association e for Dangerous Goods mount of a material, given all at eath of 50% (one half) of a group of n (concentrations of the chemical in t animals during the observation or the Prevention of Pollution from y the Protocol of 1978

Sikaflex[®] Fillet



Version 3.0	Revision Date: 21.01.2025	SDS Number: 000000606764	Date of last issue: 19.04.2022 Date of first issue: 23.06.2016	
PNEC REACH		 Predicted no effect concentration Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency 		
SVHC vPvB		 Substances of Very High Concern Very persistent and very bioaccumulative 		

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN