Sika FerroGard-903+



2.0 27.00.000			
3.0 27.06.202	22 100000	0009072 Date of	first issue: 27.07.2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	Sika FerroGard-903+
Product code	: 10000009072
Manufacturer or supplier's o	details
Company	: Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164
Telephone	: +61 2 9725 11 45
Telefax	: +61 2 9725 33 30
Emergency telephone num- ber	: +61 1800 033 111
Recommended use of the c	hemical and restrictions on use
Product use	: Corrosion protection

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
Short-term (acute) aquatic hazard	:	Category 3
GHS label elements		
Hazard pictograms	:	\wedge
		L R
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H318 Causes serious eye damage. H402 Harmful to aquatic life.
Precautionary statements	:	Prevention:
		P264 Wash skin thoroughly after handling.
		P273 Avoid release to the environment. P280 Wear protective gloves/ eye protection/ face protection.
		Response:
		P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with
		1/9

Sika FerroGard-903+



Version 3.0	Revision Date: 27.06.2022	SDS Number: 100000009072	Date of last issue: 14.11.2020 Date of first issue: 27.07.2015
		and easy to do. Continue r CENTER or doctor/ physic P332 + P313 If skin irritatio tion.	Remove contact lenses, if present insing. Immediately call a POISON ian. on occurs: Get medical advice/ atten- ed clothing and wash before reuse.
		Disposal:	
		P501 Dispose of contents/ disposal plant.	container to an approved waste

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

: Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
2-aminoethanol	141-43-5	>= 3 -< 5
2,2'-iminodiethanol	111-42-2	>= 1 -< 3

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	:	irritant effects Excessive lachrymation Dermatitis

Sika FerroGard-903+



Version 3.0	Revision Date: 27.06.2022		SDS Number: 10000009072	Date of last issue: 14.11.2020 Date of first issue: 27.07.2015
			See Section 11 for more det and symptoms. Causes skin irritation. Causes serious eye damage	ailed information on health effects
Notes	s to physician	:	Treat symptomatically.	
SECTION	5. FIREFIGHTING MEA	SU	RES	
Suital	ble extinguishing media	:	Use extinguishing measures cumstances and the surrour	s that are appropriate to local cir- nding environment.
Haza ucts	rdous combustion prod-	:	No hazardous combustion p	roducts are known
Speci ods	fic extinguishing meth-	:	Standard procedure for cher	mical fires.
•	ial protective equipment efighters	:	In the event of fire, wear self	f-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for : containment and cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety
		3/9

Sika FerroGard-903+



Version 3.0			SDS Number: 100000009072	Date of last issue: 14.11.2020 Date of first issue: 27.07.2015	
		Whe Whe	ctice. en using do not eat or drink. en using do not smoke. sh hands before breaks and at	the end of workday.	
Conditions for safe storage		plac Con kept	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with local regulations.		

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis		
2-aminoethanol	141-43-5	TWA	3 ppm 7.5 mg/m3	AU OEL		
		STEL	6 ppm 15 mg/m3	AU OEL		
2,2'-iminodiethanol	111-42-2	TWA	3 ppm 13 mg/m3	AU OEL		
Appropriate engineering : Use adequate ventilation and/or engineering controls to pre-						

Appropriate engineering controls	:	Use adequate ventilation and/or engineering controls to pre- vent exposure to vapours.
Personal protective equipn	nent	t
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary. Follow AS/NZS 1337.1 Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Eye protection	:	Safety goggles Wear suitable face shield.
Skin and body protection	:	Protective clothing (e.g. safety shoes, long-sleeved working clothing, long trousers) Follow AS 2210:3

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: liquid

Sika FerroGard-903+



Version 3.0	Revision Date: 27.06.2022		SDS Number: 10000009072	Date of last issue: 14.11.2020 Date of first issue: 27.07.2015
Co	lour		colourless	
		•		
	lour	:	characteristic	
Od	lour Threshold	:	No data available	
рH	I	:	ca. 10 (20 °C (68 °F)) Concentration: 100 %	
Me poi	.	:	No data available	
	iling point/boiling range	:	No data available	
Fla	ash point	:	ca. 104 °C (219 °F) (Method: closed cup)	
Ev	aporation rate	:	No data available	
Fla	ammability (solid, gas)	:	No data available	
	per explosion limit / Upper mmability limit	:	No data available	
	wer explosion limit / Lower mmability limit	:	No data available	
Va	pour pressure	:	23 hPa	
Re	lative vapour density	:	No data available	
De	nsity	:	ca. 1.055 g/cm3 (20 °C (68 °F))	
So	lubility(ies) Water solubility	:	soluble	
	Solubility in other solvents	:	No data available	
	rtition coefficient: n-	:	No data available	
	tanol/water to-ignition temperature	:	No data available	
De	composition temperature	:	No data available	
Vis	scosity Viscosity, dynamic	:	20 mPa.s (20 °C (68 °F))	
	Viscosity, kinematic	:	< 20.5 mm2/s (40 °C (104 °F))	
Ex	plosive properties	:	No data available	
Ox	idizing properties	:	No data available	

Sika FerroGard-903+



Versio 3.0	n Revision Date: 27.06.2022		SDS Number: 10000009072	Date of last issue: 14.11.2020 Date of first issue: 27.07.2015
\	Volatile organic compounds		: Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 4.95% w/w	
SECT	TION 10. STABILITY AND RE	AC	ΤΙVΙΤΥ	
F	Reactivity	:	No dangerous reaction known un	der conditions of normal use.
C	Chemical stability	:	: The product is chemically stable.	
	Possibility of hazardous reac- : tions		No hazards to be specially mentioned.	
C	Conditions to avoid	•	No data available	
h	ncompatible materials	: see section 7.		

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:		
2-aminoethanol: Acute oral toxicity	:	LD50 Oral (Rat): 1,720 mg/kg
Acute dermal toxicity	:	LD50 Dermal (Rabbit): 1,025 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Sika FerroGard-903+



Version	Revision Date: 27.06.2022	SDS Number:	Date of last issue: 14.11.2020
3.0		100000009072	Date of first issue: 27.07.2015

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

2,2'- Toxi	nponents: iminodiethanol: icity to daphnia and other atic invertebrates	:	EC50 (Daphnia magna (Water flea)): 55 mg/l Exposure time: 48 h
Toxi plan	city to algae/aquatic ts	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 75 mg/l Exposure time: 72 h
	sistence and degradabili data available	ty	
	accumulative potential data available		
	bility in soil data available		
Oth	er adverse effects		
	5	:	There is no data available for this product.
SECTIO	N 13. DISPOSAL CONSID	ER	ATIONS
Disp	oosal methods		

Waste from residues The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. Contaminated packaging Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

Sika FerroGard-903+



Version	Revision Date:	SDS Number:	Date of last issue: 14.11.2020
3.0	27.06.2022	10000009072	Date of first issue: 27.07.2015

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

National Regulations

ADG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legis Standard for the Uniform : No poison schedule Scheduling of Medicines and Poisons	•
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors Prohibition/Licensing Requirements	 Not applicable There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.

The components of this product are reported in the following inventories:			
AIIC	: On the inventory, or in compliance with the inventory		

SECTION 16. OTHER INFORMATION

Revision Date Date format	: 27.06.2022 : dd.mm.yyyy
Full text of other abb	reviations
AU OEL	: Australia. Workplace Exposure Standards for Airborne Con- taminants.

Sika FerroGard-903+



Version 3.0	Revision Date: 27.06.2022		SDS Number: 10000009072	Date of last issue: 14.11.2020 Date of first issue: 27.07.2015
AU OEL / TWA : AU OEL / STEL : ADG : ADR : CAS :		Exposure standard - time weighte Exposure standard - short term e Australian Dangerous Goods Coo European Agreement concerning Dangerous Goods by Road Chemical Abstracts Service	xposure limit de.	
DNEL		:	Derived no-effect level	
EC50	=	÷	Half maximal effective concentrat	ion
GHS		:	Globally Harmonized System	
IATA		:	International Air Transport Associ	
IMDG		:	International Maritime Code for D	
LD50		:	Median lethal dosis (the amount of once, which causes the death of stest animals)	
LC50		:	Median lethal concentration (conc air that kills 50% of the test anima period)	
MARI	POL	:	International Convention for the F Ships, 1973 as modified by the P	
OEL		:	Occupational Exposure Limit	
PBT		:	Persistent, bioaccumulative and t	oxic
PNEC		:	Predicted no effect concentration	
REAC		:	Regulation (EC) No 1907/2006 of and of the Council of 18 December istration, Evaluation, Authorisation cals (REACH), establishing a Eur	er 2006 concerning the Reg- n and Restriction of Chemi- opean Chemicals Agency
SVHC	-	:	Substances of Very High Concern	
vPvB		:	Very persistent and very bioaccur	mulative

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN