# Sika MonoTop®-412 NFG



Version Date of last issue: 22.06.2022 Revision Date: SDS Number: 100000010713 Date of first issue: 03.01.2016 24.11.2022 4.0

### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Sika MonoTop®-412 NFG

Manufacturer or supplier's details

Company Sika Australia Pty. Ltd.

55 Elizabeth Street Wetherill Park, NSW 2164

Telephone : +61 2 9725 11 45

Emergency telephone number: +61 1800 033 111

Telefax : +61 2 9725 33 30

### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Skin corrosion/irritation Category 2

Serious eye damage/eye irri-

tation

Category 1

Skin sensitisation : Category 1

Carcinogenicity (Inhalation) : Category 1A

single exposure

Specific target organ toxicity - : Category 3 (Respiratory system)

Specific target organ toxicity - : Category 2 (Lungs)

repeated exposure

(Inhalation)

## **GHS** label elements

Hazard pictograms







Signal word

Hazard statements H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation. H350 May cause cancer by inhalation.

H373 May cause damage to organs (Lungs) through prolonged

# Sika MonoTop®-412 NFG



Date of last issue: 22.06.2022 Version Revision Date: SDS Number: 100000010713 Date of first issue: 03.01.2016 4.0 24.11.2022

or repeated exposure if inhaled.

Precautionary statements

## **Prevention:**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

#### Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

## Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

## Other hazards which do not result in classification

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

| -                           |              |                       |
|-----------------------------|--------------|-----------------------|
| Chemical name               | CAS-No.      | Concentration (% w/w) |
| Cement, portland, chemicals | 65997-15-1   | >= 30 -< 60           |
| Quartz (SiO2)               | 14808-60-7   | >= 10 -< 30           |
| Anna Bay Sand               | Not Assigned | >= 10 -< 30           |

# Sika MonoTop®-412 NFG



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.06.2022

 4.0
 24.11.2022
 100000010713
 Date of first issue: 03.01.2016

| Limestone                    | 1317-65-3 | >= 10 -< 30      |
|------------------------------|-----------|------------------|
| 2,2-dimethylpropane-1,3-diol | 126-30-7  | >= 1 -< 3        |
| sodium nitrite               | 7632-00-0 | >= 0.025 -< 0.25 |

### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses.

Keep eye wide open while rinsing.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

Most important symptoms and effects, both acute and

delayed

irritant effects sensitising effects

Cough

Respiratory disorder Allergic reactions Excessive lachrymation

Dermatitis

See Section 11 for more detailed information on health effects

and symptoms. Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation. May cause cancer by inhalation.

May cause damage to organs through prolonged or repeated

exposure if inhaled.

Notes to physician : Treat symptomatically.

# **SECTION 5. FIREFIGHTING MEASURES**

# Sika MonoTop®-412 NFG



Date of last issue: 22.06.2022 Version Revision Date: SDS Number: 100000010713 24.11.2022 Date of first issue: 03.01.2016 4.0

Suitable extinguishing media Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Hazardous combustion prod- :

No hazardous combustion products are known

Specific extinguishing meth-

ods

Standard procedure for chemical fires.

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- :

gency procedures

tive equipment and emer-

Use personal protective equipment.

Avoid breathing dust.

Deny access to unprotected persons.

Environmental precautions Do not flush into surface water or sanitary sewer system.

Methods and materials for

containment and cleaning up

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

## **SECTION 7. HANDLING AND STORAGE**

Advice on protection against

fire and explosion

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Avoid exceeding the given occupational exposure limits (see Advice on safe handling

section 8).

Do not get in eyes, on skin, or on clothing. For personal protection see section 8.

Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Follow standard hygiene measures when handling chemical

products

Hygiene measures Handle in accordance with good industrial hygiene and safety

practice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

Conditions for safe storage Store in original container.

> Keep in a well-ventilated place. Observe label precautions.

# Sika MonoTop®-412 NFG



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.06.2022

 4.0
 24.11.2022
 100000010713
 Date of first issue: 03.01.2016

Store in accordance with local regulations.

Further information on stor-

Keep in a dry place.

age stability

No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

| Components                  | CAS-No.   | Value type    | Control parame-    | Basis  |  |
|-----------------------------|---|---------------|--------------------|--------|--|
|                             |   | (Form of      | ters / Permissible |        |  |
|                             |   | exposure)     | concentration      |        |  |
| Cement, portland, chemicals | 65997-15-1  | TWA           | 10 mg/m3           | AU OEL |  |
| Quartz (SiO2)               | 14808-60-7  | TWA (Res-     | 0.05 mg/m3         | AU OEL |  |
|                             |   | pirable dust) |                    |        |  |
|                             | Further information: Category 1A (Carc. 1A) Known to have car-      |               |                    |        |  |
|                             | cinogenic potential for humans                                      |               |                    |        |  |
| Limestone                   | 1317-65-3   | TWA           | 10 mg/m3           | AU OEL |  |
|                             |   |               | (Calcium car-      |        |  |
|                             |   |               | bonate)            |        |  |
|                             | Further information: This value is for inhalable dust containing no |               |                    |        |  |
|                             | asbestos and < 1% crystalline silica                                |               |                    |        |  |

Appropriate engineering

controls

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Personal protective equipment

Respiratory protection : In case of inadequate ventilation wear respiratory protection.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

particulate filter P

Hand protection : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-

essary.

Follow AS/NZS 1337.1

Recommended: Butyl rubber, PVC, cotton gloves

Eye protection : Safety glasses

Skin and body protection : Protective clothing (e.g. safety shoes, long-sleeved working

clothing, long trousers)

Follow AS 2210:3

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Colour : grey

# Sika MonoTop®-412 NFG



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.06.2022

 4.0
 24.11.2022
 100000010713
 Date of first issue: 03.01.2016

Odour : characteristic

Odour Threshold : No data available

pH : Not applicable

Melting point/range / Freezing

point

No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : ca. 2.2 g/cm3 (20 °C (68 °F))

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Explosive properties : No data available

Oxidizing properties : No data available

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)
Volatile organic compounds (VOC) content: < 0% w/w

# Sika MonoTop®-412 NFG



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.06.2022

 4.0
 24.11.2022
 100000010713
 Date of first issue: 03.01.2016

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac- :

tions

No hazards to be specially mentioned.

Conditions to avoid : No data available

Incompatible materials : see section 7.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Acute toxicity**

Not classified based on available information.

### Components:

2,2-dimethylpropane-1,3-diol:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

#### Skin corrosion/irritation

Causes skin irritation.

## Serious eye damage/eye irritation

Causes serious eye damage.

## Respiratory or skin sensitisation

## Skin sensitisation

May cause an allergic skin reaction.

## Respiratory sensitisation

Not classified based on available information.

## **Chronic toxicity**

### Germ cell mutagenicity

Not classified based on available information.

## Carcinogenicity

May cause cancer by inhalation.

## Reproductive toxicity

Not classified based on available information.

## STOT - single exposure

May cause respiratory irritation.

# Sika MonoTop®-412 NFG



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.06.2022

 4.0
 24.11.2022
 100000010713
 Date of first issue: 03.01.2016

#### STOT - repeated exposure

May cause damage to organs (Lungs) through prolonged or repeated exposure if inhaled.

### **Aspiration toxicity**

Not classified based on available information.

### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

No data available

## Persistence and degradability

No data available

### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

#### Other adverse effects

### **Product:**

Additional ecological infor-

mation

: There is no data available for this product.

### **Components:**

**Anna Bay Sand:** 

Additional ecological infor-

mation

: There is no data available for this product.

### **SECTION 13. DISPOSAL CONSIDERATIONS**

## **Disposal methods**

Waste from residues : Send to a licensed waste management company.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

### **SECTION 14. TRANSPORT INFORMATION**

## **International Regulations**

**IATA-DGR** 

UN/ID No. : Not applicable Proper shipping name : Not applicable Class : Not applicable

# Sika MonoTop®-412 NFG



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.06.2022

 4.0
 24.11.2022
 100000010713
 Date of first issue: 03.01.2016

Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen- :

ger aircraft)

Not applicable

**IMDG-Code** 

UN number or ID number Not applicable Not applicable Proper shipping name Not applicable Class Not applicable Subsidiary risk Not applicable Packing group Not applicable Labels Not applicable **EmS Code** Not applicable Marine pollutant

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**National Regulations** 

**ADG** 

UN number or ID number : Not applicable Proper shipping name : Not applicable Class : Not applicable Subsidiary risk : Not applicable Packing group : Not applicable Labels : Not applicable Hazchem Code : Not applicable

Special precautions for user

Not applicable

**SECTION 15. REGULATORY INFORMATION** 

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : Schedule 7

Scheduling of Medicines and

Poisons

International Chemical Weapons Convention (CWC)

Schedules of Toxic Chemicals and Precursors

Prohibition/Licensing Requirements

: Not applicable

There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regula-

tions.

The components of this product are reported in the following inventories:

AIIC : On the inventory, or in compliance with the inventory

# Sika MonoTop®-412 NFG



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 22.06.2022

 4.0
 24.11.2022
 100000010713
 Date of first issue: 03.01.2016

#### **SECTION 16. OTHER INFORMATION**

Revision Date : 24.11.2022 Date format : dd.mm.yyyy

Full text of other abbreviations

AU OEL : Australia. Workplace Exposure Standards for Airborne Con-

taminants.

AU OEL / TWA : Exposure standard - time weighted average

ADG : Australian Dangerous Goods Code.

ADR : European Agreement concerning the International Carriage of

Dangerous Goods by Road

CAS : Chemical Abstracts Service
DNEL : Derived no-effect level

EC50 : Half maximal effective concentration

GHS : Globally Harmonized System

IATA : International Air Transport Association

IMDG : International Maritime Code for Dangerous Goods

LD50 : Median lethal dosis (the amount of a material, given all at

once, which causes the death of 50% (one half) of a group of

test animals)

LC50 : Median lethal concentration (concentrations of the chemical in

air that kills 50% of the test animals during the observation

period)

MARPOL : International Convention for the Prevention of Pollution from

Ships, 1973 as modified by the Protocol of 1978

OEL : Occupational Exposure Limit

PBT : Persistent, bioaccumulative and toxic PNEC : Predicted no effect concentration

REACH : Regulation (EC) No 1907/2006 of the European Parliament

and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency

SVHC : Substances of Very High Concern

vPvB : Very persistent and very bioaccumulative

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version!

AU / EN