# Sikasil SG-500 CN Comp. B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 18.08.2018

 2.0
 24.11.2021
 000000607593
 Date of first issue: 18.08.2018

### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Sikasil SG-500 CN Comp. B

Product code : 000000607593

Manufacturer or supplier's details

Company : Sika Australia Pty. Ltd.

55 Elizabeth Street

Wetherill Park, NSW 2164

Telephone : +61 2 9725 11 45 Telefax : +61 2 9725 33 30 Emergency telephone num- : +61 1800 033 111

ber

Recommended use of the chemical and restrictions on use

Product use : Catalyst for 2 Comp. sealants/adhesives.

### **SECTION 2. HAZARDS IDENTIFICATION**

## **GHS Classification**

Serious eye damage/eye irri- : Category 1

tation

Skin sensitisation : Category 1

Short-term (acute) aquatic : Category 3

hazard

**GHS** label elements

Hazard pictograms :





Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H402 Harmful to aquatic life.

Precautionary statements : Prevention:

P261 Avoid breathing mist or vapours.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

# Sikasil SG-500 CN Comp. B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 18.08.2018

 2.0
 24.11.2021
 000000607593
 Date of first issue: 18.08.2018

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/ doctor.

P333 + P313 If skin irritation or rash occurs: Get medical ad-

vice/ attention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

### Other hazards which do not result in classification

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
tetraethyl silicate	78-10-4	>= 10 -< 20
N-[3-(triethoxysilyl)propyl]ethylenediamine	5089-72-5	>= 3 -< 10
trimethoxyvinylsilane	2768-02-7	>= 1 -< 10
Silicic acid (H4SiO4), tetraethyl ester, reaction products with bis(acetyloxy)dibutylstannane	93925-42-9	>= 0.2 -< 0.3

#### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses.

Keep eye wide open while rinsing.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

# Sikasil SG-500 CN Comp. B



Date of last issue: 18.08.2018 Version Revision Date: SDS Number: 000000607593 Date of first issue: 18.08.2018 2.0 24.11.2021

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

Most important symptoms and effects, both acute and

delayed

Allergic reactions **Excessive lachrymation** 

See Section 11 for more detailed information on health effects

and symptoms. sensitising effects

May cause an allergic skin reaction. Causes serious eye damage.

Notes to physician Treat symptomatically.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Hazardous combustion prod- :

ucts

No hazardous combustion products are known

Specific extinguishing meth-

Standard procedure for chemical fires.

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

tive equipment and emer-

gency procedures

Personal precautions, protec- : Use personal protective equipment. Deny access to unprotected persons.

Environmental precautions Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

### **SECTION 7. HANDLING AND STORAGE**

fire and explosion

Advice on protection against : Normal measures for preventive fire protection.

Advice on safe handling Avoid exceeding the given occupational exposure limits (see

section 8).

Do not get in eyes, on skin, or on clothing.

# Sikasil SG-500 CN Comp. B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 18.08.2018

 2.0
 24.11.2021
 000000607593
 Date of first issue: 18.08.2018

For personal protection see section 8.

Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Follow standard hygiene measures when handling chemical

products

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Store in accordance with local regulations.

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
tetraethyl silicate	78-10-4	TWA	10 ppm 85 mg/m3	AU OEL

### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
ethanol	64-17-5	TWA	1,000 ppm 1,880 mg/m3	AU OEL	
methanol	67-56-1	TWA	200 ppm 262 mg/m3	AU OEL	
	Further information: Skin absorption				
		STEL	250 ppm 328 mg/m3	AU OEL	

Appropriate engineering

controls

Use adequate ventilation and/or engineering controls to pre-

vent exposure to vapours.

Personal protective equipment

Respiratory protection : In case of inadequate ventilation wear respiratory protection.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

Hand protection : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling

# Sikasil SG-500 CN Comp. B



Revision Date: Date of last issue: 18.08.2018 Version SDS Number: 24.11.2021 000000607593 Date of first issue: 18.08.2018 2.0

chemical products if a risk assessment indicates this is nec-

essary.

Follow AS/NZS 1337.1

Recommended: Butyl rubber/nitrile rubber gloves.

Contaminated gloves should be removed.

Eye protection Safety goggles

Wear suitable face shield.

Skin and body protection Protective clothing (e.g. safety shoes, long-sleeved working

> clothing, long trousers) Follow AS 2210:3

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES** 

**Appearance** paste

Colour black

Odour very faint

Odour Threshold No data available

ca. 8 - 10 pΗ

Concentration: 100 %

Melting point/range / Freezing :

No data available

Boiling point/boiling range No data available

Flash point Not applicable

Evaporation rate No data available

Flammability (solid, gas) No data available

Burning rate > 120 s

Method: UN-Test N1

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower : No data available

flammability limit

Vapour pressure : 0.01 hPa

Relative vapour density No data available

Density ca. 1.08 g/cm3 (20 °C (68 °F))

Solubility(ies)

## Sikasil SG-500 CN Comp. B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 18.08.2018

 2.0
 24.11.2021
 000000607593
 Date of first issue: 18.08.2018

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

Auto-ignition temperature

: No data available

: No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : > 250,000 mPa.s (ca. 20 °C (68 °F))

Viscosity, kinematic :  $> 20.5 \text{ mm2/s} (40 ^{\circ}\text{C} (104 ^{\circ}\text{F}))$ 

Explosive properties : No data available

Oxidizing properties : No data available

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0.01% w/w

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac- :

tions

No hazards to be specially mentioned.

Conditions to avoid : No data available

Incompatible materials : see section 7.

Hazardous decomposition

products

ethanol methanol

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Acute toxicity**

Not classified based on available information.

### **Components:**

trimethoxyvinylsilane:

Acute oral toxicity : LD50 Oral (Rat): ca. 7,120 mg/kg

Acute inhalation toxicity : LC50: ca. 16.8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

# Sikasil SG-500 CN Comp. B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 18.08.2018

 2.0
 24.11.2021
 000000607593
 Date of first issue: 18.08.2018

Acute dermal toxicity : LD50: 3,540 mg/kg

Silicic acid (H4SiO4), tetraethyl ester, reaction products with bis(acetyloxy)dibutylstannane:

Acute oral toxicity : LD50 Oral (Rat): 1,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

**Chronic toxicity** 

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

**Aspiration toxicity** 

Not classified based on available information.

### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

**Components:** 

N-[3-(triethoxysilyl)propyl]ethylenediamine:

Toxicity to fish (Chronic tox- : LC50 (Danio rerio (zebra fish)): 597 mg/l

icity) Exposure time: 96 h

Persistence and degradability

No data available

# Sikasil SG-500 CN Comp. B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 18.08.2018

 2.0
 24.11.2021
 000000607593
 Date of first issue: 18.08.2018

**Bioaccumulative potential** 

No data available

Mobility in soil

No data available

Other adverse effects

**Product:** 

Additional ecological infor-

mation

: There is no data available for this product.

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

### **SECTION 14. TRANSPORT INFORMATION**

### **International Regulations**

**UNRTDG** 

Not regulated as a dangerous good

**IATA-DGR** 

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**National Regulations** 

**ADG** 

Not regulated as a dangerous good

## **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : No poison schedule number allocated

# Sikasil SG-500 CN Comp. B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 18.08.2018

 2.0
 24.11.2021
 000000607593
 Date of first issue: 18.08.2018

Scheduling of Medicines and

Poisons

International Chemical Weapons Convention (CWC)

Schedules of Toxic Chemicals and Precursors

Prohibition/Licensing Requirements

Not applicable

There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regula-

tions.

### The components of this product are reported in the following inventories:

AIIC : On the inventory, or in compliance with the inventory

### **SECTION 16. OTHER INFORMATION**

Revision Date : 24.11.2021 Date format : dd.mm.yyyy

Full text of other abbreviations

AU OEL : Australia. Workplace Exposure Standards for Airborne Con-

taminants.

AU OEL / TWA : Exposure standard - time weighted average AU OEL / STEL : Exposure standard - short term exposure limit

ADG : Australian Dangerous Goods Code.

ADR : European Agreement concerning the International Carriage of

Dangerous Goods by Road

CAS : Chemical Abstracts Service
DNEL : Derived no-effect level

EC50 : Half maximal effective concentration

GHS : Globally Harmonized System

IATA : International Air Transport Association

IMDG : International Maritime Code for Dangerous Goods

LD50 : Median lethal dosis (the amount of a material, given all at

once, which causes the death of 50% (one half) of a group of

test animals)

LC50 : Median lethal concentration (concentrations of the chemical in

air that kills 50% of the test animals during the observation

period)

MARPOL : International Convention for the Prevention of Pollution from

Ships, 1973 as modified by the Protocol of 1978

OEL : Occupational Exposure Limit

PBT : Persistent, bioaccumulative and toxic PNEC : Predicted no effect concentration

REACH : Regulation (EC) No 1907/2006 of the European Parliament

and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency

SVHC : Substances of Very High Concern

# Sikasil SG-500 CN Comp. B



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 18.08.2018

 2.0
 24.11.2021
 000000607593
 Date of first issue: 18.08.2018

vPvB : Very persistent and very bioaccumulative

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version!

AU / EN