SikaTop[®] Armatec[®]-110 EpoCem[®] Part B



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.02.2025	00000612911	Date of first issue: 13.02.2025

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name :		SikaTop [®] Armatec [®] -110 EpoCem [®] Part B					
Manufacturer or supplier's d	Manufacturer or supplier's details						
Company	:	Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164					
Telephone	:	+61 2 9725 11 45					
Emergency telephone number	:	+61 1800 033 111					
Telefax	:	+61 2 9725 33 30					

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Skin corrosion/irritation	:	Sub-category 1B
Serious eye damage/eye irri- tation	:	Category 1
Skin sensitisation	:	Category 1
Short-term (acute) aquatic hazard	:	Category 2
Long-term (chronic) aquatic hazard	:	Category 2
GHS label elements Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P261 Avoid breathing mist or vapours. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of

SikaTop® Armatec®-110 EpoCem® Part B



Version 1.0	Revision Date: 13.02.2025	SDS Number: 000000612911	Date of last issue: - Date of first issue: 13.02.2025
		the workplace. P273 Avoid release to the P280 Wear protective glov tion/ face protection/ heari	es/ protective clothing/ eye protec-
		induce vomiting. P303 + P361 + P353 IF OI Iy all contaminated clothing P304 + P340 + P310 IF IN and keep comfortable for k POISON CENTER/ doctor P305 + P351 + P338 + P3 water for several minutes. and easy to do. Continue r CENTER/ doctor. P333 + P313 If skin irritatio vice/ attention.	HALED: Remove person to fresh air preathing. Immediately call a
		Disposal: P501 Dispose of contents/ disposal plant.	container to an approved waste

Other hazards which do not result in classification None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
aliphatic polyamine	Not Assigned	>= 10 -< 25
2-Propenenitrile, reaction products with 3-	90530-15-7	>= 3 -< 5
amino-1,5,5-trimethylcyclohexanemethanamine		
dicyclohexylamine	101-83-7	>= 1 -< 2.5
3-aminomethyl-3,5,5-trimethylcyclohexylamine	2855-13-2	>= 1 -< 3
m-phenylenebis(methylamine)	1477-55-0	>= 1 -< 2.5
formic acid	64-18-6	< 1

SECTION 4. FIRST AID MEASURES

General advice

: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

SikaTop[®] Armatec[®]-110 EpoCem[®] Part B



Versic 1.0	on Revision Dat 13.02.2025	e:	SDS Number: 000000612911	Date of last issue: - Date of first issue: 13.02.2025
l	If inhaled		love to fresh air. consult a physician after significant exposure.	
In case of skin contact		W Im wo	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficul- ty.	
In case of eye contact		su In of Co Re	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.	
If swallowed		Do Do Ne	NOT induce vomiting. Inot give milk or alcoholic	th to an unconscious person.
Most important symptoms and effects, both acute and delayed		and co se Al De Se an Ma Ca	Health injuries may be delayed. corrosive effects sensitising effects Allergic reactions Dermatitis See Section 11 for more detailed information on health effects and symptoms. May cause an allergic skin reaction. Causes serious eye damage. Causes severe burns.	
I	Notes to physician	: Tr	eat symptomatically.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth- ods	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SikaTop[®] Armatec[®]-110 EpoCem[®] Part B



ersion)	Revision Date: 13.02.2025		SDS Number: 000000612911	Date of last issue: - Date of first issue: 13.02.2025
	al protective equipment fighters	:	In the event of fire, wear se	elf-contained breathing apparatus.
Hazch	em Code	:	2X	
	6. ACCIDENTAL RELE	ASI	EMEASURES	
tive eq	nal precautions, protec- juipment and emer- procedures	:	Use personal protective eq Deny access to unprotecte	
Enviro	nmental precautions	:		ater or sanitary sewer system. s rivers and lakes or drains inform
	ds and materials for nment and cleaning up	:	Soak up with inert absorbe acid binder, universal binder Keep in suitable, closed co	
	7. HANDLING AND STO	DR/	AGE	
	e on protection against d explosion	:	Normal measures for preve	entive fire protection.
Advice	e on safe handling	:	section 8). Do not get in eyes, on skin For personal protection see Persons with a history of si ma, allergies, chronic or re not be employed in any pro used. Smoking, eating and drinki plication area.	
Hygier	ne measures	:	practice. When using do not eat or o When using do not smoke.	
Condit	tions for safe storage	:	Store in original container. Keep container tightly close place.	ed in a dry and well-ventilated ned must be carefully resealed and kage.

SikaTop[®] Armatec[®]-110 EpoCem[®] Part B



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.02.2025	00000612911	Date of first issue: 13.02.2025

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
m-phenylenebis(methylamine)	1477-55-0	Peak limit	0.1 mg/m3	AU OEL
	Further inform	ation: Skin abso	rption	
formic acid	64-18-6	TWA	5 ppm 9.4 mg/m3	AU OEL
		STEL	10 ppm 19 mg/m3	AU OEL
Appropriate engineering	Use adequate vent exposure		or engineering contro	ols to pre-
Personal protective equipmer	nt			
Respiratory protection	Respirator se exposure leve	lection must be l	on wear respiratory p based on known or a of the product and the respirator.	nticipated
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary. Follow AS/NZS 1337.1 Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.			
Eye protection	Safety glasse	s		
Skin and body protection	Protective clo clothing, long Follow AS 22 Rubber apror	trousers) 10:3	/ shoes, long-sleeved	working

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	clear
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/ range / Freez- ing point	:	No data available

SikaTop[®] Armatec[®]-110 EpoCem[®] Part B



Vers 1.0	ion Revision Date: 13.02.2025		SDS Number: 000000612911	Date of last issue: - Date of first issue: 13.02.2025
	Boiling point/boiling range	:	No data available	
	Flash point	:	> 93.3 °C (> 199.9 °F) (Method: closed cup)	
	Evaporation rate	:	No data available	
	Flammability (solid, gas)	:	No data available	
	Upper explosion limit / Upper flammability limit	:	No data available	
	Lower explosion limit / Lower flammability limit	:	No data available	
	Vapour pressure	:	23 hPa	
	Relative vapour density	:	No data available	
	Density	:	1.04 g/cm3 (20 °C (68 °F))	
	Solubility(ies) Water solubility	:	No data available	
	Solubility in other solvents	:	No data available	
	Partition coefficient: n- octanol/water	:	No data available	
	Auto-ignition temperature	:	No data available	
	Decomposition temperature	:	No data available	
	Viscosity Viscosity, dynamic	:	No data available	
	Viscosity, kinematic	:	> 7 mm2/s (40 °C (104 °F))	
	Explosive properties	:	No data available	
	Oxidizing properties	:	No data available	
	Volatile organic compounds	:	Directive 2010/75/EU of 24 Nove livestock rearing emissions (integ and control) Volatile organic compounds (VOC	rated pollution prevention

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: N	lo dangerous reaction known under conditions of normal use.
Chemical stability	: Т	he product is chemically stable.

SikaTop® Armatec®-110 EpoCem® Part B



Versio 1.0	n Revision Date: 13.02.2025		SDS Number: 000000612911	Date of last issue: - Date of first issue: 13.02.2025
	Possibility of hazardous reac- ions	:	Stable under recommended stora	age conditions.
C	Conditions to avoid	:	No data available	
h	ncompatible materials	:	see section 7.	
	Hazardous decomposition products	:	No hazardous decomposition pro	ducts are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity Not classified due to lack of data.						
Components:						
3-aminomethyl-3,5,5-trimet Acute oral toxicity	hylc :					
Acute inhalation toxicity	:	LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist				
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 - 5,000 mg/kg				
m-phenylenebis(methylam Acute oral toxicity	ine): :	: LD50 Oral (Rat): 930 mg/kg				
Acute inhalation toxicity	:	LC50 (Rat): 1.34 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: Corrosive to the respiratory tract.				
Acute dermal toxicity	:	LD50 Dermal (Rat): > 3,100 mg/kg				
formic acid: Acute oral toxicity	:	LD50 Oral (Rat): 730 mg/kg				
Acute inhalation toxicity	:	LC50 (Rat): 7.4 mg/l Exposure time: 4 h Test atmosphere: vapour				
		Assessment: Corrosive to the respiratory tract.				

Skin corrosion/irritation

Causes severe burns.

Serious eye damage/eye irritation

Causes serious eye damage.

SikaTop[®] Armatec[®]-110 EpoCem[®] Part B



Version 1.0	Revision Date: 13.02.2025	SDS Number: 000000612911	Date of last issue: - Date of first issue: 13.02.2025
Resp	iratory or skin sensitisati	on	
Skin	sensitisation		
May o	cause an allergic skin react	ion.	
-	iratory sensitisation lassified due to lack of data	l.	
Chro	nic toxicity		
	n cell mutagenicity lassified due to lack of data	ι.	
	i nogenicity lassified due to lack of data	ı.	
•	oductive toxicity lassified due to lack of data	ı.	
	Γ - single exposure lassified due to lack of data	ı.	
	F - repeated exposure lassified due to lack of data		
Aspir	ration toxicity lassified due to lack of data		

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:	
3-aminomethyl-3,5,5-trimethylc	yclohexylamine:
Toxicity to algae/aquatic : plants	ErC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l Exposure time: 72 h
	NOEC (Desmodesmus subspicatus (green algae)): 1.5 mg/l Exposure time: 72 h
m-phenylenebis(methylamine):	
Toxicity to fish :	LC50 (Oryzias latipes (Japanese medaka)): > 10 - 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l Exposure time: 48 h
Dereistance and degradability	
Persistence and degradability	
No data available	
Bioaccumulative potential	
No data available	
	0/11

SikaTop® Armatec®-110 EpoCem® Part B



Version 1.0	Revision Date: 13.02.2025		SDS Number: 000000612911	Date of last issue: - Date of first issue: 13.02.2025
	ity in soil ta available			
	adverse effects			
<u>Produ</u>	<u>uct:</u>			
Addition mation	onal ecological infor- n	:	An environmental hazard ca unprofessional handling or Toxic to aquatic life with lon	•

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	:	Send to a licensed waste management company.
		The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemi- cal or used container.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product.
		Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)	:	UN 2735 Amines, liquid, corrosive, n.o.s. 8 II Corrosive 855 851
IMDG-Code UN number Proper shipping name Class Packing group Labels EmS Code Marine pollutant	:	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. 8 II 8 F-A, S-B no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SikaTop® Armatec®-110 EpoCem® Part B



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.02.2025	000000612911	Date of first issue: 13.02.2025

National Regulations

ADG		
UN number	:	UN 2735
Proper shipping name	:	AMINES, LIQUID, CORROSIVE, N.O.S.
Class	:	8
Packing group	:	II
Labels	:	8
Hazchem Code	:	2X
Environmentally hazardous	:	no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard) Instrument specific us		e original publication to check for ditions or threshold limits that might
International Chemical Weapons Convention	(CWC) : N	Not applicable
Schedules of Toxic Chemicals and Precursor	S	
Prohibition/Licensing Requirements	a r g tl	There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of he model WHS Act and Regula- ions.

The components of this product are reported in the following inventories:

AIIC : Listed introduction

SECTION 16. OTHER INFORMATION

Revision Date Date of last issue Date format	13.02.2025 dd.mm.yyyy	
Full text of other abbreviation		
AU OEL	Australia. Workplace Exposure Standards for Ai aminants.	rborne Con-
AU OEL / TWA AU OEL / STEL AU OEL / Peak limit ADG ADR	Exposure standard - time weighted average Exposure standard - short term exposure limit Exposure standard - peak Australian Dangerous Goods Code. European Agreement concerning the Internatior	al Carriage of

SikaTop[®] Armatec[®]-110 EpoCem[®] Part B



Version 1.0	Revision Date: 13.02.2025		SDS Number: 000000612911	Date of last issue: - Date of first issue: 13.02.2025	
			Dangerous Goods by Road		
CAS			Chemical Abstracts Service		
DNEL		:	Derived no-effect level		
EC50		:	Half maximal effective concentration		
GHS		:	Globally Harmonized System		
IATA		:	International Air Transport Association		
IMDG		:	International Maritime Code for Dangerous Goods		
LD50		:	Median lethal dosis (the amount of a material, given all at		
			once, which causes the death of s	50% (one half) of a group of	
			test animals)		
LC50		:	Median lethal concentration (conc	centrations of the chemical in	
			air that kills 50% of the test anima	Is during the observation	
			period)		
MARPOL		:	International Convention for the P		
			Ships, 1973 as modified by the Pi	rotocol of 1978	
OEL		:	Occupational Exposure Limit		
PBT		:	Persistent, bioaccumulative and toxic		
PNEC		:	Predicted no effect concentration		
REACH			Regulation (EC) No 1907/2006 of		
			and of the Council of 18 December		
			istration, Evaluation, Authorisation		
0.410			cals (REACH), establishing a Eur		
SVHC			Substances of Very High Concerr		
vPvB			Very persistent and very bioaccur	nulative	

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN