SikaTack[®] PRO



Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2018
	05.04.2022	10000008065	Date of first issue: 20.02.2018
2.0	03.04.2022	10000008003	Date 01 III St 1850e. 20.02.2010

: 10000008065

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : SikaTack[®] PRO

Product code

Manufacturer or supplier's details

Company	: Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164
Telephone Telefax Emergency telephone num- ber	: +61 2 9725 11 45 : +61 2 9725 33 30
Recommended use of the c	hemical and restrictions on use
Product use	: Sealant/adhesive

......

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
4,4'-methylenediphenyl diisocyanate	101-68-8	0 -< 1
Hexamethylene-1,6-diisocyanate homopolymer	28182-81-2	0 -< 1

SECTION 4. FIRST AID MEASURES

General advice	:	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Flush eyes with water as a precaution.

SikaTack[®] PRO



Versi 2.0	on Revision Da 05.04.2022	ite:	SDS Number: 10000008065	Date of last issue: 20.02.2018 Date of first issue: 20.02.2018
			Remove contact lenses. Keep eye wide open while r	insing.
	If swallowed		Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.	
	Most important symptoms and effects, both acute and delayed		No known significant effects or hazards. See Section 11 for more detailed information on health effects and symptoms.	
	Notes to physician	:	Treat symptomatically.	
SEC	TION 5. FIREFIGHTIN	IG MEASU	RES	
	Suitable extinguishing	media :	Use extinguishing measures cumstances and the surrout	s that are appropriate to local cir- nding environment.
	Hazardous combustion ucts	n prod- :	No hazardous combustion p	products are known
	Specific extinguishing ods	meth- :	Standard procedure for che	mical fires.
	Special protective equ for firefighters	ipment :	In the event of fire, wear se	lf-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	•	For personal protection see section 8.
Environmental precautions	:	No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products
Hygiene measures	:	When using do not eat or drink. When using do not smoke.

SikaTack[®] PRO



Version 2.0	Revision Date: 05.04.2022		SDS Number: 10000008065	Date of last issue: 20.02.2018 Date of first issue: 20.02.2018
Cond	itions for safe storage	:	Keep container tightly close place. Store in accordance with lo	ed in a dry and well-ventilated cal regulations.
Mate	rials to avoid	:	No special restrictions on s	torage with other products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
4,4'-methylenediphenyl diiso- cyanate	101-68-8	TWA	0.02 mg/m3 (NCO)	AU OEL
	Further inform cinogen, Sens		2 (Carc. 2) Suspecte	d human car-
		STEL	0.07 mg/m3 (NCO)	AU OEL
Hexamethylene-1,6- diisocyanate homopolymer	28182-81-2	TWA	0.02 mg/m3 (NCO)	AU OEL
	Further inform	ation: Sensitiser	-	
		STEL	0.07 mg/m3 (NCO)	AU OEL
Appropriate engineering controls	vent exposur		/or engineering contro	ols to pre-
Personal protective equipme	nt			
Respiratory protection	Respirator se exposure lev	election must be	ion wear respiratory based on known or a of the product and th respirator.	nticipated
Hand protection	approved sta chemical pro- essary. Follow AS/NZ Recommend	ndard should be ducts if a risk as ZS 1337.1	us gloves complying v worn at all times whe sessment indicates th nitrile rubber gloves. be removed.	en handling
Eye protection	: Safety glasse	es		
Skin and body protection	: Protective clo clothing, long Follow AS 22	trousers)	y shoes, long-sleeved	d working

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

: paste

SikaTack[®] PRO

_



Versi 2.0	on Revision Date: 05.04.2022		SDS Number: 10000008065	Date of last issue: 20.02.2018 Date of first issue: 20.02.2018
	Colour	:	black	
	Odour	:	very faint	
	Odour Threshold	:	No data available	
	рН	:	Not applicable substance/mixtu	re is non-soluble (in water)
	Melting point/range / Freezing	:	No data available	
	point Boiling point/boiling range	:	No data available	
	Flash point	:	> 101 °C (214 °F) (Method: closed cup)	
	Evaporation rate	:	No data available	
	Flammability (solid, gas)	:	No data available	
	Upper explosion limit / Upper flammability limit	:	No data available	
	Lower explosion limit / Lower flammability limit	:	No data available	
	Vapour pressure	:	0.01 hPa	
	Relative vapour density	:	No data available	
	Density	:	ca. 1.26 g/cm3 (20 °C (68 °F))	
	Solubility(ies) Water solubility	:	insoluble	
	Solubility in other solvents	:	No data available	
	Partition coefficient: n-	:	No data available	
	octanol/water Auto-ignition temperature	:	No data available	
	Decomposition temperature	:	No data available	
	Viscosity Viscosity, dynamic	:	Not applicable	
	Viscosity, kinematic	:	Not applicable	
	Explosive properties	:	No data available	
	Oxidizing properties	:	No data available	
	Volatile organic compounds	:	Directive 2010/75/EU of 24 Nov	rember 2010 on industrial

SikaTack[®] PRO



Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2018
2.0	05.04.2022	10000008065	Date of first issue: 20.02.2018

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0.01% w/w

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	see section 7.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

<u>Components:</u> 4 4'-methylenedinhenyl diisocyanate:

Acute oral toxicity		LD50 Oral (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50: 1.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement

Hexamethylene-1,6-diisocyanate homopolymer:

Acute oral toxicity	:	LD50 Oral (Rat): > 2,500 mg/kg
Acute inhalation toxicity	:	LC50: 1.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement
Acute dermal toxicity	:	LD50 Dermal (Rat): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

SikaTack[®] PRO



Version 2.0	Revision Date: 05.04.2022	SDS Number: 10000008065	Date of last issue: 20.02.2018 Date of first issue: 20.02.2018
Resp	iratory or skin sensitisat	ion	
Skin	sensitisation		
Not c	lassified based on availabl	e information.	
Resp	iratory sensitisation		
Not c	lassified based on availabl	e information.	
Chro	nic toxicity		
Germ	n cell mutagenicity		
Not c	lassified based on availabl	e information.	
Carci	inogenicity		
Not c	lassified based on availabl	e information.	
-	oductive toxicity		
	lassified based on availabl	e information.	
	Г - single exposure	- in f	
	lassified based on availabl	e information.	
	F - repeated exposure lassified based on available	e information	
	ration toxicity		
-	lassified based on availabl	e information.	
	12. ECOLOGICAL INFOR		
SECTION			
Ecot	oxicity		
No da	ata available		
Persi	istence and degradability	,	
No da	ata available		
	ccumulative potential		
	ata available		
	lity in soil		
No da	ata available		

Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal.

SikaTack[®] PRO



Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2018
2.0	05.04.2022	10000008065	Date of first issue: 20.02.2018

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

National Regulations

ADG Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture Standard for the Uniform : No poison schedule number allocated Scheduling of Medicines and Poisons					
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	: Not applicable				
Prohibition/Licensing Requirements	: There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.				
The components of this product are reported in the following inventories:					
AIIC : On the inventory, or in compliance with the inventory					

SECTION 16. OTHER INFORMATION

Revision Date Date format	: 05.04.2022 : dd.mm.yyyy			
Full text of other abbreviations				
AU OEL	: Australia. Workplace Exposure Standards for Airborne Con-			

SikaTack[®] PRO



AU OEL / TWA: Exposure standard - time weighted averageAU OEL / STEL: Exposure standard - short term exposure limitADG: Australian Dangerous Goods Code.ADR: European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS: Chemical Abstracts ServiceDNEL: Derived no-effect levelEC50: Half maximal effective concentrationGHS: Globally Harmonized SystemIATA: International Air Transport AssociationIMDG: International Maritime Code for Dangerous GoodsLD50: Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50: Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure Limit PBTPBT: Persistent, bioaccumulative and toxic PNECPNEC: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC: Substances of Very High Concern vPvBVery persistent and very bioaccumulative	Version 2.0	Revision Date: 05.04.2022		SDS Number: 10000008065	Date of last issue: 20.02.2018 Date of first issue: 20.02.2018	
AU OEL / TWA:Exposure standard - time weighted averageAU OEL / STEL:Exposure standard - short term exposure limitADG:Australian Dangerous Goods Code.ADR:European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Predicted no effect concentrationREACH:Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC:Substances of Very High Concern				taminanta		
AU OEL / STEL: Exposure standard - short term exposure limitADG: Australian Dangerous Goods Code.ADR: European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS: Chemical Abstracts ServiceDNEL: Derived no-effect levelEC50: Half maximal effective concentrationGHS: Globally Harmonized SystemIATA: International Air Transport AssociationIMDG: International Maritime Code for Dangerous GoodsLD50: Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure LimitPBT: Predicted no effect concentrationREACH: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC: Substances of Very High Concern		/ T\A/A			d average	
ADG: Australian Dangerous Goods Code.ADR: European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS: Chemical Abstracts ServiceDNEL: Derived no-effect levelEC50: Half maximal effective concentrationGHS: Globally Harmonized SystemIATA: International Air Transport AssociationIMDG: International Maritime Code for Dangerous GoodsLD50: Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50: International Concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure Limit PBTPBT: Predicted no effect concentration and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC: Substances of Very High Concern			:			
ADR:European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentration and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC:Substances of Very High Concern		/ SILL	:			
Dangerous Goods by RoadCAS: Chemical Abstracts ServiceDNEL: Derived no-effect levelEC50: Half maximal effective concentrationGHS: Globally Harmonized SystemIATA: International Air Transport AssociationIMDG: International Maritime Code for Dangerous GoodsLD50: Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50: Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure LimitPBT: Presistent, bioaccumulative and toxicPNEC: Predicted no effect on of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC: Substances of Very High Concern			:			
CAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentration and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC:Substances of Very High Concern	ADIN		•		the international Carriage of	
DNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC:Substances of Very High Concern	CAS					
EC50: Half maximal effective concentrationGHS: Globally Harmonized SystemIATA: International Air Transport AssociationIMDG: International Maritime Code for Dangerous GoodsLD50: Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50: Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure Limit PBTPBT: Predicted no effect concentration REACHREACH: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC: Substances of Very High Concern			:	-		
GHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC:Substances of Very High Concern			:		ion	
 IATA : International Air Transport Association IMDG : International Maritime Code for Dangerous Goods LD50 : Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals) LC50 : Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period) MARPOL : International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978 OEL : Occupational Exposure Limit PBT : Persistent, bioaccumulative and toxic PNEC : Predicted no effect concentration REACH : Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency SVHC : Substances of Very High Concern 			:			
IMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentrationREACH:Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC:Substances of Very High Concern					ation	
LD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentrationREACH:Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC:Substances of Very High Concern			÷			
LC50Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOLInternational Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OELOccupational Exposure LimitPBTPersistent, bioaccumulative and toxicPNECPredicted no effect concentrationREACHRegulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC:Substances of Very High Concern	-		÷			
air that kills 50% of the test animals during the observation period)MARPOLInternational Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OELOccupational Exposure LimitPBTPersistent, bioaccumulative and toxicPNECPredicted no effect concentration REACHREACHRegulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHCSubstances of Very High Concern				once, which causes the death of s		
MARPOL: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure LimitPBT: Persistent, bioaccumulative and toxicPNEC: Predicted no effect concentrationREACH: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC: Substances of Very High Concern	LC50		•	air that kills 50% of the test animals during the observation		
OELShips, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure LimitPBT: Persistent, bioaccumulative and toxicPNEC: Predicted no effect concentrationREACH: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC: Substances of Very High Concern				· /		
OEL: Occupational Exposure LimitPBT: Persistent, bioaccumulative and toxicPNEC: Predicted no effect concentrationREACH: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC: Substances of Very High Concern	MARPO	L	:	-		
PBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentrationREACH:Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC:Substances of Very High Concern					rotocol of 1978	
PNEC:Predicted no effect concentrationREACH:Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC:Substances of Very High Concern			:			
REACH: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals AgencySVHC: Substances of Very High Concern			:		oxic	
and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency SVHC : Substances of Very High Concern	= .		:			
SVHC : Substances of Very High Concern	REACH		:	and of the Council of 18 December	er 2006 concerning the Reg-	
vPvB : Very persistent and very bioaccumulative	-		:			
	vPvB		:	Very persistent and very bioaccur	nulative	

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN