## Sikasil<sup>®</sup>-Pool



			Date of last issue: 18.04.2022
2.0 22.01.	2025	00000600622	Date of first issue: 18.04.2022

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sikasil®-Pool

#### Manufacturer or supplier's details

Company	:	Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164
Telephone	:	+61 2 9725 11 45
Emergency telephone number	:	+61 1800 033 111
Telefax	:	+61 2 9725 33 30

#### Recommended use of the chemical and restrictions on use

Product use	: Sealing system
-------------	------------------

### SECTION 2. HAZARDS IDENTIFICATION

#### **GHS Classification**

Not a hazardous substance or mixture.

#### **GHS** label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

#### Other hazards which do not result in classification

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
2-Pentandione, O,O',O"-	37859-55-5	< 10
(methylsilylidyne)trioxime		
Silsesquioxanes, 3-aminopropyl Me, ethoxy-	128446-60-6	< 10
terminated		
3-aminopropyltriethoxysilane	919-30-2	< 1
2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1	>= 0.0003 -< 0.0025

#### **SECTION 4. FIRST AID MEASURES**

General advice : No hazards which require special first aid measures.

# Sikasil<sup>®</sup>-Pool



Version 2.0	Revision Date: 22.01.2025		SDS Number: 000000600622	Date of last issue: 18.04.2022 Date of first issue: 18.04.2022
lf inhal	led	:	Move to fresh air. Consult a physician after significa	nt exposure.
In case	e of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.		water.
In case	e of eye contact	: Flush eyes with water as a precaution. Remove contact lenses. Keep eye wide open while rinsing.		
lf swal	lowed	:	: Clean mouth with water and drink afterwards plenty of wate Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.	
	mportant symptoms fects, both acute and d	:	No known significant effects or ha See Section 11 for more detailed and symptoms.	
Notes	to physician	:	Treat symptomatically.	

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Carbon dioxide (CO2) Dry powder Water spray jet Alcohol-resistant foam
		Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
		No hazardous combustion products are known
Specific extinguishing meth- ods	:	Standard procedure for chemical fires.
	:	In the event of fire, wear self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	For personal protection see section 8.
Environmental precautions	:	No special environmental precautions required.

# Sikasil<sup>®</sup>-Pool



Version 2.0	Revision Date: 22.01.2025		SDS Number: 000000600622	Date of last issue: 18.04.2022 Date of first issue: 18.04.2022
	Methods and materials for containment and cleaning up		Wipe up with absorbent ma Keep in suitable, closed cor	
SECTION	7. HANDLING AND ST	OR	AGE	
	e on protection against nd explosion	:	Normal measures for preve	ntive fire protection.
Advic	e on safe handling	:	Do not get in eyes, on skin, For personal protection see Follow standard hygiene me products	
	ne measures	:	<ul> <li>Handle in accordance with good industrial hygiene and sa practice.</li> <li>When using do not eat or drink.</li> <li>When using do not smoke.</li> <li>Wash hands before breaks and at the end of workday.</li> </ul>	
Condi	itions for safe storage	:	Keep container tightly close place. Store in accordance with lo	d in a dry and well-ventilated cal regulations.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
methanol	67-56-1	TWA	200 ppm 262 mg/m3	AU OEL
	Further infor	mation: Skin abso	orption	
		STEL	250 ppm 328 mg/m3	AU OEL
ethanol	64-17-5	TWA	1,000 ppm 1,880 mg/m3	AU OEL
Appropriate engineering controls	•	ate ventilation and ure to vapours.	l/or engineering contro	ols to pre-
Personal protective equipm	ent			
Respiratory protection Hand protection	Respirators exposure le working lim : Chemical-re	evels, the hazards its of the selected esistant, imperviou	based on known or a of the product and the	e safe vith an
	••	oducts if a risk as	sessment indicates th	•
		3/9		

# Sikasil<sup>®</sup>-Pool



Version 2.0	Revision Date: 22.01.2025		SDS Number: 000000600622	Date of last issue: 18.04.2022 Date of first issue: 18.04.2022
			essary. Follow AS/NZS 1337.1 Recommended: Butyl rubbe Contaminated gloves should	
Еуе рі	rotection	:	Safety glasses	
Skin a	nd body protection	:	Protective clothing (e.g. safe clothing, long trousers) Follow AS 2210:3	ety shoes, long-sleeved working

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	paste
Colour	:	various
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Melting point/ range	:	Not applicable
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	0.001 hPa
Relative vapour density	:	No data available
Density	:	ca. 1.03 g/cm3 (20 °C (68 °F))
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available

# Sikasil<sup>®</sup>-Pool



Version 2.0	Revision Date: 22.01.2025		SDS Number: 000000600622	Date of last issue: 18.04.2022 Date of first issue: 18.04.2022
Auto	-ignition temperature	:	No data available	
Deco	omposition temperature	:	No data available	
Visco V	osity iscosity, dynamic	:	No data available	
V	iscosity, kinematic	:	> 20.5 mm2/s ( 40 °C (104 °F))	
Explo	osive properties	:	No data available	
Oxid	izing properties	:	No data available	
Vola	tile organic compounds	:	Directive 2010/75/EU of 24 Nove emissions (integrated pollution p Not applicable	

### SECTION 10. STABILITY AND REACTIVITY

1

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	Stable under recommended storage conditions.
Conditions to avoid	:	Heat
		Do not expose to temperatures above: 150 °C This product may release the following: Formaldehyde
Incompatible materials	:	see section 7.
Hazardous decomposition products	:	2-Pentanone, oxime
Hazardous decomposition products	:	methanol 2-Pentanone, oxime ethanol

### SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

Not classified due to lack of data.

### Components:

2-Pentandione, O,O',O"-(methylsilylidyne)trioxime:Acute oral toxicity: LD50 Oral (Rat): 1,234 mg/kg

# Sikasil<sup>®</sup>-Pool



Version 2.0	Revision Date: 22.01.2025	SDS Number: 000000600622	Date of last issue: 18.04.2022 Date of first issue: 18.04.2022
	inopropyltriethoxysilane: e oral toxicity :	LD50 Oral (Rat): 1,490 mg/k	g
-	corrosion/irritation lassified due to lack of data	I.	
	ous eye damage/eye irrita lassified due to lack of data		
Resp	iratory or skin sensitisat	on	
	sensitisation lassified due to lack of data	I.	
-	<b>iratory sensitisation</b> lassified due to lack of data	ι.	
Chro	nic toxicity		
	n cell mutagenicity lassified due to lack of data	ı.	
	<b>inogenicity</b> lassified due to lack of data	I.	
-	oductive toxicity lassified due to lack of data	l.	
	<b>F - single exposure</b> lassified due to lack of data	l.	
	<b>F - repeated exposure</b> lassified due to lack of data	l.	
-	ration toxicity lassified due to lack of data	ı.	

### SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Components: 2-Pentandione, O,O',O"-(me Toxicity to daphnia and other aquatic invertebrates		<b>Isilylidyne)trioxime:</b> EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 54 mg/l Exposure time: 72 h
<b>2-octyl-2H-isothiazole-3-one</b> M-Factor (Acute aquatic tox- icity) M-Factor (Chronic aquatic	•	•

# Sikasil<sup>®</sup>-Pool



Version 2.0	Revision Date: 22.01.2025		SDS Number: 000000600622	Date of last issue: 18.04.2022 Date of first issue: 18.04.2022
toxicit	y)			
	stence and degradabi ata available	lity		
	ccumulative potential			
	l <b>ity in soil</b> Ita available			
Other	r adverse effects			
<u>Produ</u> Additi matio	onal ecological infor-	: Th	nere is no data available f	or this product.
SECTION	13. DISPOSAL CONS	DERAT	IONS	
Dispo	osal methods			
Waste	e from residues	: Se	end to a licensed waste m	nanagement company.
			o not contaminate ponds, Il or used container.	waterways or ditches with chemi-
Conta	minated packaging	: Er	mpty remaining contents.	

•	Empty remaining contents.
	Dispose of as unused product.

Do not re-use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

IATA-DGR UN/ID No. Proper shipping name Class Subsidiary risk Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)	:	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
IMDG-Code UN number Proper shipping name Class Subsidiary risk Packing group Labels	:	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable

# Sikasil<sup>®</sup>-Pool



Vers 2.0	sion	Revision Date: 22.01.2025		SDS Number: 00000060062		Date of last issue: 18.04.2022 Date of first issue: 18.04.2022
	EmS Code Marine pollutant <b>Transport in bulk according</b> Not applicable for product as s <b>National Regulations</b>		g to A		DL 73/78 ar	nd the IBC Code
	Class Subsidia Packing Labels Hazche	shipping name ary risk group m Code <b>precautions for use</b>	: : : :	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable		
SECTION 15. REGULATORY INFORMATION         Safety, health and environmental regulations/legislation specific for the substance or m         Therapeutic Goods (Poisons Standard) Instrument       No poison schedule number allocated (Please use the origin publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)         International Chemical Weapons Convention (CWC)       : Not applicable         Schedules of Toxic Chemicals and Precursors       : dioctyltin oxide						Illocated (Please use the original ic uses, specific conditions or oly for this chemical) applicable tyltin oxide
	The components of this product are reported AIIC : On the invento			•	latio and <b>ie followin</b>	er to model WHS Act and Regu- ns for prohibition, authorisation restricted use. g inventories: ance with the inventory

### SECTION 16. OTHER INFORMATION

Revision Date Date format <b>Full text of other abbreviat</b> i	:	22.01.2025 dd.mm.yyyy
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Con- taminants.
AU OEL / TWA AU OEL / STEL ADG ADR	:	Exposure standard - time weighted average Exposure standard - short term exposure limit Australian Dangerous Goods Code. European Agreement concerning the International Carriage of
		8/9

# Sikasil<sup>®</sup>-Pool



Version 2.0	Revision Date: 22.01.2025		SDS Number: 000000600622	Date of last issue: 18.04.2022 Date of first issue: 18.04.2022	
CAS DNEL EC50 GHS IATA		:	Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentrat Globally Harmonized System International Air Transport Associ		
IMDG LD50			International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)		
LC50		:	Median lethal concentration (conc air that kills 50% of the test anima period)		
MARPC	)L	:	International Convention for the P Ships, 1973 as modified by the P		
OEL PBT PNEC		:	Occupational Exposure Limit Persistent, bioaccumulative and to Predicted no effect concentration		
REACH		:	Regulation (EC) No 1907/2006 of and of the Council of 18 December istration, Evaluation, Authorisation cals (REACH), establishing a Eur	er 2006 concerning the Reg- n and Restriction of Chemi- opean Chemicals Agency	
SVHC vPvB		:	Substances of Very High Concerr Very persistent and very bioaccur		

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN