SikaBond[®] SprayFix



Version	Revision Date: 14.01.2025	SDS Number:	Date of last issue: 14.01.2025
5.0		000000620255	Date of first issue: 09.05.2018

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	SikaBond [®] SprayFix					
Manufacturer or supplier's details							
Company	:	Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164					
Telephone	:	+61 2 9725 11 45					
Emergency telephone number	:	+61 1800 033 111					
Telefax	:	+61 2 9725 33 30					

Recommended use of the chemical and restrictions on use

Product use	: Se	alant/adhesive
-------------	------	----------------

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Aerosols		Category 1
Skin corrosion/irritation	:	Category 2
Reproductive toxicity	:	Category 2
Specific target organ toxicity - single exposure	:	Category 3 (Central nervous system)
Long-term (chronic) aquatic hazard	:	Category 2
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	 H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated. H315 Causes skin irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child. H411 Toxic to aquatic life with long lasting effects.

SikaBond[®] SprayFix



Version 5.0	Revision Date: 14.01.2025	SDS Number: 000000620255	Date of last issue: 14.01.2025 Date of first issue: 09.05.2018
Preca	utionary statements	and understood. P210 Keep away from heat and other ignition sources. P211 Do not spray on an of P251 Do not pierce or burn P261 Avoid breathing mist. P264 Wash skin thoroughly P271 Use only outdoors or P273 Avoid release to the e	I safety precautions have been read t, hot surfaces, sparks, open flames No smoking. pen flame or other ignition source. , even after use. v after handling. in a well-ventilated area. environment. es/ protective clothing/ eye protec-
		and keep comfortable for bi doctor if you feel unwell. P308 + P313 IF exposed or attention. P332 + P313 If skin irritatio tion.	Wash with plenty of water. HALED: Remove person to fresh air reathing. Call a POISON CENTER/ r concerned: Get medical advice/ n occurs: Get medical advice/ atten- aminated clothing and wash it before
		tightly closed. P405 Store locked up.	II-ventilated place. Keep container sunlight. Do not expose to tempera- 2 °F.
		Disposal:	container to an approved waste

Other hazards which do not result in classification None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Hydrocarbons, C7, n-alkanes, isoalkanes, cy-	64742-49-0	>= 30 -< 60
clics dimethyl ether	115-10-6	>= 30 -< 60
		00 00

SikaBond[®] SprayFix



Version 5.0	Revision Date: 14.01.2025		SDS Number: 000000620255	Date of last issue: 14.01.2025 Date of first issue: 09.05.2018		
n-hex	ane		110-54-3	>= 0.25 -< 2.5		
SECTION	4. FIRST AID MEASUR	ES				
General advice		:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.			
lf inha	led	:	Move to fresh air.			
In cas	In case of skin contact		Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.			
In cas	In case of eye contact		Remove contact lenses. Keep eye wide open while rinsing If eye irritation persists, consult a			
lf swa	If swallowed :		Clean mouth with water and drink Do not give milk or alcoholic beve Never give anything by mouth to a Obtain medical attention.	erages.		
	mportant symptoms ffects, both acute and ed	:	irritant effects Dermatitis Loss of balance Vertigo See Section 11 for more detailed and symptoms. Causes skin irritation. May cause drowsiness or dizzine Suspected of damaging fertility or	SS.		
Notes	to physician	:	Treat symptomatically.			

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray jet Dry powder Foam Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known

SikaBond[®] SprayFix



Versio 5.0	on Revision Date: 14.01.2025		SDS Number: 000000620255	Date of last issue: 14.01.2025 Date of first issue: 09.05.2018
	Specific extinguishing meth- ods	:	Use water spray to cool unopen Collect contaminated fire exting must not be discharged into dra Fire residues and contaminated be disposed of in accordance w	uishing water separately. This ins. I fire extinguishing water must
	Special protective equipment for firefighters	:	In the event of fire, wear self-co	ntained breathing apparatus.
	Hazchem Code	:	2YE	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Use explosion-proof equipment. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Do not spray on a naked flame or any incandescent material. Take precautionary measures against electrostatic discharg- es.	
Advice on safe handling	:	Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Take precautionary measures against static discharge. Open drum carefully as content may be under pressure. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Follow standard hygiene measures when handling chemical products	
Hygiene measures Conditions for safe storage	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force	
4 / 11			

SikaBond[®] SprayFix



Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	TWA	900 mg/m3	AU OEL
dimethyl ether	115-10-6	STEL	500 ppm 950 mg/m3	AU OEL
		TWA	400 ppm 760 mg/m3	AU OEL
n-hexane	110-54-3	TWA	20 ppm 72 mg/m3	AU OEL

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
n-hexane	110-54-3	2,5- Hexanedi- one	Urine	End of shift	0.5 mg/l	ACGIH BEI
Appropriate engineering controls:Use adequate ventilation and/or engine vent exposure to vapours.					ing controls to p	ore-
Personal protective equ	ipment					
Respiratory protection	Re exp	spirator selecti	on must be l he hazards o	pased on kn of the produ	piratory protect own or anticipa ct and the safe	
Hand protection	apj che ess	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary. Follow AS/NZS 1337.1				
Eye protection	: Sa	Safety glasses				
Skin and body protection	clo Fol	Protective clothing (e.g. safety shoes, long-sleeved working clothing, long trousers) Follow AS 2210:3 Protective clothing needs to be made of cotton.				ng

SikaBond[®] SprayFix



Version	Revision Date:	SDS Number:	Date of last issue: 14.01.2025
5.0	14.01.2025	000000620255	Date of first issue: 09.05.2018

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	No data available
Odour	:	solvent-like
Odour Threshold	:	No data available
рН	:	No data available
Melting point/ range / Freez-	:	No data available
ing point Boiling point/boiling range	:	No data available
Flash point	:	41 °C (106 °F) (Method: closed cup)
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	7.4 %(V)
Lower explosion limit / Lower flammability limit	:	1.1 %(V)
Vapour pressure	:	5100 hPa
Relative vapour density	:	No data available
Density	:	ca. 0.66 g/cm3 (ca. 20 °C (68 °F))
Solubility(ies) Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	> 7 mm2/s (40 °C (104 °F))
Explosive properties	:	No data available
		6/11

SikaBond[®] SprayFix



Versic 5.0	on Revision Date: 14.01.2025		SDS Number: 000000620255	Date of last issue: 14.01.2025 Date of first issue: 09.05.2018
(Oxidizing properties	:	No data available	
	Volatile organic compounds	:	Directive 2010/75/EU of 24 Nove emissions (integrated pollution pr Volatile organic compounds (VO	revention and control)
SEC	TION 10. STABILITY AND RE	AC	ΤΙVΙΤΥ	
I	Reactivity	:	No dangerous reaction known un	der conditions of normal use.
(Chemical stability	:	The product is chemically stable.	
	Possibility of hazardous reac- tions	:	Stable under recommended stora	age conditions.
(Conditions to avoid	:	Heat, flames and sparks.	
I	Incompatible materials	:	see section 7.	

: No hazardous decomposition products are known.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Hazardous decomposition

Causes skin irritation.

Serious eye damage/eye irritation

Not classified due to lack of data.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Chronic toxicity

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

SikaBond[®] SprayFix



Version	Revision Date:	SDS Number:	Date of last issue: 14.01.2025
5.0	14.01.2025	000000620255	Date of first issue: 09.05.2018

Product:

Reproductive toxicity - As- : Suspected human reproductive toxicant sessment

STOT - single exposure

May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor- mation	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
		Toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Send to a licensed waste management company.
		The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemi- cal or used container.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product.
		Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SikaBond[®] SprayFix



VersionRevision Date:5.014.01.2025

SDS Number: 000000620255

Date of last issue: 14.01.2025 Date of first issue: 09.05.2018

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)	:	UN 1950 Aerosols, flammable 2.1 Not assigned by regulation Flammable Gas 203
IMDG-Code UN number Proper shipping name Class Packing group Labels EmS Code Marine pollutant	:	UN 1950 AEROSOLS 2.1 Not assigned by regulation 2.1 F-D, S-U no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number	:	UN 1950
Proper shipping name	:	AEROSOLS
Class	:	2.1
Packing group	:	Not assigned by regulation
Labels	:	2.1
Hazchem Code	:	2YE
Environmentally hazardous	:	no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons Standard) Instrument	:	No poison schedule number allocated (Please use the original publication to check for specific uses, specific conditions or
		threshold limits that might apply for this chemical)

International Chemical Weapons Convention (CWC) : Not applicable

SikaBond[®] SprayFix



/ersion 5.0	Revision Date: 14.01.2025	SDS Number: 000000620255	Date of last issue: 14.01.2025 Date of first issue: 09.05.2018
	dules of Toxic Chemicals bition/Licensing Requiren		: There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.
	components of this proc	duct are reported in the f	ollowing inventories:
AIIC		: Listed introduction	
AICS		: On the inventory, or in	n compliance with the inventory
Revisi	16. OTHER INFORMAT	: 14.01.2025	
Date f	format	: dd.mm.yyyy	
Full te ACGII AU OI		: ACGIH - Biological Ex	posure Indices (BEI) Exposure Standards for Airborne Con-
	EL / TWA EL / STEL	: Australian Dangerous	short term exposure limit Goods Code. concerning the International Carriage of Road

AU OEL / TWA AU OEL / STEL ADG ADR	:	Exposure standard - time weighted average Exposure standard - short term exposure limit Australian Dangerous Goods Code. European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL		Occupational Exposure Limit
PBT	÷	Persistent, bioaccumulative and toxic
PNEC	÷	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
SVHC	:	and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

SikaBond[®] SprayFix



Version	Revision Date:	SDS Number:	Date of last issue: 14.01.2025
5.0	14.01.2025	00000620255	Date of first issue: 09.05.2018

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN