# Sikaflex<sup>®</sup>-291



Version 4.0	Revision Date: 12.05.2025		SDS Number: 000000601552	Date of last issue: 27.03.2023 Date of first issue: 21.12.2015
SECTION	1. PRODUCT AND COM	PA	NY IDENTIFICATION	
Produ	ict name	:	Sikaflex <sup>®</sup> -291	
Manu	facturer or supplier's de	etai	ls	
Comp	pany	:	Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164	
Telep	hone	:	+61 2 9725 11 45	
Emerç	gency telephone number	:	+61 1800 033 111	
Telefa	ах	:	+61 2 9725 33 30	
Reco	mmended use of the ch	em	ical and restrictions on use	
Produ	ict use	:	Sealant/adhesive	
SECTION	2. HAZARDS IDENTIFIC	:AT	ION	
GHS	Classification			
Flamn	nable liquids	:	Category 4	
	fic target organ toxicity - ted exposure (Inhala-	:	Category 2 (Central nervous systemeters)	em)

### **GHS** label elements

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H227 Combustible liquid. H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.
Precautionary statements	:	<b>Prevention:</b> P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P260 Do not breathe mist or vapours. P280 Wear protective gloves/ protective clothing/ eye protec- tion/ face protection/ hearing protection.

# Sikaflex<sup>®</sup>-291



Version 4.0	Revision Date: 12.05.2025	SDS Number: 000000601552	Date of last issue: 27.03.2023 Date of first issue: 21.12.2015
		<b>Response:</b> P314 Get medical advice/ P370 + P378 In case of fire alcohol-resistant foam to e	e: Use dry sand, dry chemical or
		<b>Storage:</b> P403 Store in a well-ventila	ated place.
		Disposal:	
		P501 Dispose of contents/ disposal plant.	container to an approved waste
Other	hazards which do not	result in classification	

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

## Components

Chemical name	CAS-No.	Concentration (% w/w)
Urea,N,N"-(methylenedi-4,1-phenylene)bis[N'-	77703-56-1	>= 2.5 -< 10
butyl-		
xylene	1330-20-7	>= 0.25 -< 2.5
Stoddard solvent	8052-41-3	>= 1 -< 2.5
4,4'-methylenediphenyl diisocyanate	101-68-8	0 -< 1

### **SECTION 4. FIRST AID MEASURES**

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages.
		2/11

# Sikaflex<sup>®</sup>-291



Version 4.0			SDS Number:Date of last issue: 27.03.20000000601552Date of first issue: 21.12.20				
			Never give anything by mo	uth to an unconscious person.			
	t important symptoms effects, both acute and yed	:	and symptoms.	s or hazards. etailed information on health effects ans through prolonged or repeated			
Note	s to physician	:	Treat symptomatically.				

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Carbon dioxide (CO2)
Unsuitable extinguishing media	:	Water
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth- ods	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions	:	Try to prevent the material from entering drains or water courses. No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against : Normal measures for preventive fire protection.

# Sikaflex<sup>®</sup>-291



Version 4.0	Revision Date: 12.05.2025		SDS Number: 000000601552	Date of last issue: 27.03.2023 Date of first issue: 21.12.2015
fire a	and explosion			
Advice on safe handling		:	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products	
Hyg	iene measures	:	Handle in accordance with go practice. When using do not eat or drin When using do not smoke. Wash hands before breaks a	
Con	ditions for safe storage	:	Store in original container. Keep in a well-ventilated plac Observe label precautions. Store in accordance with loca	

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis			
xylene	1330-20-7	STEL	150 ppm 655 mg/m3	AU OEL			
		TWA	80 ppm 350 mg/m3	AU OEL			
Stoddard solvent	8052-41-3	TWA	790 mg/m3	AU OEL			
		Further information: Category 1B (Carc. 1B) Presumed to have carcinogenic potential for humans					
4,4'-methylenediphenyl diiso- cyanate	101-68-8	TWA	0.02 mg/m3 (NCO)	AU OEL			
	Further information: Category 2 (Carc. 2) Suspected human carcinogen, Sensitiser						
		STEL	0.07 mg/m3 (NCO)	AU OEL			

## **Biological occupational exposure limits**

Components	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
xylene	1330-20-7	Methylhip- puric acids	Urine	End of shift (As soon as possible	1.5 g/g creat- inine	ACGIH BEI

# Sikaflex<sup>®</sup>-291



Versi 4.0	on Revision Date: 12.05.2025		SDS Number: 000000601552	2		f last issue: 2 f first issue: 2		
					after ex- posure ceases)			
	Appropriate engineering controls	:	Use adequate vent vent exposure to va		or engineeri	ng controls to	o pre-	
	Personal protective equipme	ent						
	Respiratory protection	:	In case of inadequa Respirator selection exposure levels, the working limits of the	n must be ba e hazards o	ased on kn f the produc	own or antici	pated	
	Hand protection	:	Chemical-resistant, approved standard chemical products essary. Follow AS/NZS 133 Recommended: Bu Contaminated glove	should be v if a risk asse 37.1 ityl rubber/n	vorn at all ti essment inc	mes when ha licates this is	andling	
	Eye protection	:	Safety glasses					
	Skin and body protection	:	Protective clothing clothing, long trous Follow AS 2210:3 Protective clothing	ers)		-	rking	

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	paste
Colour	:	various
Odour	:	characteristic
Odour Threshold	:	No data available
	-	
рН	:	Not applicable
pH Melting point/ range / Freez- ing point		
' Melting point/ range / Freez-		

# Sikaflex<sup>®</sup>-291



/ersion I.0	Revision Date: 12.05.2025		SDS Number: 000000601552	Date of last issue: 27.03.2023 Date of first issue: 21.12.2015
Flash	point	:	ca. 64.6 °C (148.3 °F) (Method: closed cup)	
Evapo	oration rate	:	No data available	
Flamr	mability (solid, gas)	:	No data available	
	r explosion limit / Upper nability limit	:	No data available	
	r explosion limit / Lower nability limit	:	No data available	
Vapo	ur pressure	:	0.01 hPa	
Relati	ive vapour density	:	No data available	
Densi	ity	:	1.26 g/cm3 (23 °C (73 °F))	
	ility(ies) ater solubility	:	insoluble	
Sc	olubility in other solvents	:	No data available	
	ion coefficient: n- ol/water	:	No data available	
Auto-i	ignition temperature	:	No data available	
Decor	mposition temperature	:	No data available	
Visco Vis	sity scosity, dynamic	:	No data available	
Vis	scosity, kinematic	:	ca. > 20.5 mm2/s ( 40 °C (1	104 °F))
Explo	sive properties	:	No data available	
Oxidiz	zing properties	:	No data available	
Volati	le organic compounds	:		November 2010 on industrial and (integrated pollution prevention s (VOC) content: 4.1% w/w

## SECTION 10. STABILITY AND REACTIVITY

Reactivity

: No dangerous reaction known under conditions of normal use.

# Sikaflex<sup>®</sup>-291



Versi 4.0	on Revision Date: 12.05.2025		SDS Number: 000000601552	Date of last issue: 27.03.2023 Date of first issue: 21.12.2015
	Chemical stability	:	The product is chemically stable.	
	Possibility of hazardous reac- tions	:	No hazards to be specially mention	oned.
	Conditions to avoid	:	No data available	
	Incompatible materials	:	see section 7.	
	Hazardous decomposition products	:	No hazardous decomposition pro	ducts are known.

## SECTION 11. TOXICOLOGICAL INFORMATION

Acute	toxicity
-------	----------

Not classified due to lack of data.

<u>Components:</u> xylene: Acute oral toxicity	:	LD50 Oral (Rat): 3,523 mg/kg			
4,4'-methylenediphenyl diise					
Acute oral toxicity	:	LD50 Oral (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401			
Acute inhalation toxicity	:	LC50: 1.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement			
Skin corrosion/irritation					
Not classified due to lack of da	Not classified due to lack of data.				
Serious eye damage/eye irri	tati	on			
Not classified due to lack of data.					
Respiratory or skin sensitisation					
Skin sensitisation					
Not classified due to lack of data.					
Respiratory sensitisation					
Not classified due to lack of da	ata.				

# Sikaflex<sup>®</sup>-291



Chron	12.05.2025	SDS Number: 000000601552	Date of last issue: 27.03.2023 Date of first issue: 21.12.2015
	ic toxicity		
	cell mutagenicity assified due to lack of da	ata.	
	n <b>ogenicity</b> assified due to lack of da	ıta.	
-	ductive toxicity assified due to lack of da	ata.	
	- single exposure assified due to lack of da	ata.	
		(Central nervous system)	through prolonged or repeated exposure if
-	ation toxicity assified due to lack of da	ata	
ECTION <sup>2</sup>	12. ECOLOGICAL INFO	RMATION	
Ecoto	xicity		
<u>Comp</u>	onents:		
	<b>N,N''-(methylenedi-4,1-</b> ty to fish	phenylene)bis[N'-butyl-: : LC50 (Brachydanio re Exposure time: 96 h	erio (zebrafish)): > 250 mg/l
	ty to daphnia and other c invertebrates	: EC50 (Daphnia magn Exposure time: 48 h	na (Water flea)): > 100 mg/l
aquati	ty to algae/aquatic	: EC50 (Raphidocelis s 100 mg/l Exposure time: 72 h	subcapitata (freshwater green alga)): >
aquati Toxicit plants <b>xylene</b>	ty to algae/aquatic	100 mg/l Exposure time: 72 h	subcapitata (freshwater green alga)): > s mykiss (rainbow trout)): > 1.3 mg/l
aquati Toxicit plants <b>xylene</b> Toxicit icity) Toxicit	ty to algae/aquatic e: ty to fish (Chronic tox- ty to daphnia and other c invertebrates (Chron-	100 mg/l Exposure time: 72 h : NOEC (Oncorhynchus	s mykiss (rainbow trout)): > 1.3 mg/l

Bioaccumulative potential

No data available

# Mobility in soil

No data available

# Sikaflex<sup>®</sup>-291



Revision Date: 12.05.2025	SDS Number: 000000601552	
adverse effects		
<u>uct:</u>		
onal ecological infor- n	: There is no data av	ailable for this product.
13. DISPOSAL CONS	DERATIONS	
osal methods		
e from residues	: Send to a licensed	waste management company.
	Do not contaminate cal or used containe	e ponds, waterways or ditches with chemi- er.
minated packaging	: Empty remaining co Dispose of as unus	
	12.05.2025 adverse effects Ict: onal ecological infor- n 13. DISPOSAL CONSI osal methods e from residues	12.05.2025 00000601552   adverse effects   Int: Interview   int: Interview

Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

## **SECTION 14. TRANSPORT INFORMATION**

## International Regulations

IATA-DGR UN/ID No. Proper shipping name Class Subsidiary risk Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
IMDG-Code UN number Proper shipping name Class Subsidiary risk Packing group Labels EmS Code Marine pollutant	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable

# Sikaflex<sup>®</sup>-291



	Version 4.0	Revision Date: 12.05.2025	SDS Number: 000000601552	Date of last issue: 27.03.2023 Date of first issue: 21.12.2015
--	----------------	---------------------------	-----------------------------	---

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **National Regulations**

## ADG

UN number	: Not applicable	
Proper shipping name	: Not applicable	
Class	: Not applicable	
Subsidiary risk	: Not applicable	
Packing group	: Not applicable	
Labels	: Not applicable	
Hazchem Code	: Not applicable	

#### Special precautions for user

Not applicable

### **SECTION 15. REGULATORY INFORMATION**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard) Instrument publication to	hedule number allocated (Please use the original o check for specific uses, specific conditions or its that might apply for this chemical)
International Chemical Weapons Convention (C	WC) : Not applicable
Schedules of Toxic Chemicals and Precursors	
Prohibition/Licensing Requirements	: There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.

#### The components of this product are reported in the following inventories:

AIIC	: On the inventory, or in compliance with the inventory
------	---

#### **SECTION 16. OTHER INFORMATION**

	Revision Date	:	12.05.2025			
	Date of last issue	:	27.03.2023			
	Date format	:	dd.mm.yyyy			
Full text of other abbreviations						
	ACGIH BEI AU OEL	:	ACGIH - Biological Exposure Indices (BEI) Australia. Workplace Exposure Standards for Airborne Con- taminants.			
	AU OEL / TWA	:	Exposure standard - time weighted average			
	10 / 11					

# Sikaflex<sup>®</sup>-291



	Revision Date: 12.05.2025	SDS Number: 000000601552	Date of last issue: 27.03.2023 Date of first issue: 21.12.2015
AU OEL / S ADG ADR	STEL :	Exposure standard - short term ex Australian Dangerous Goods Code European Agreement concerning	e.
CAS DNEL	:	Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level	
EC50 GHS IATA		Half maximal effective concentration Globally Harmonized System International Air Transport Associa	ation
IMDG LD50	:	International Maritime Code for Da Median lethal dosis (the amount of once, which causes the death of 5 text asimple)	f a material, given all at
LC50	:	test animals) Median lethal concentration (conce air that kills 50% of the test animal period)	
MARPOL	:	International Convention for the Pr Ships, 1973 as modified by the Pre	
OEL PBT PNEC REACH		Occupational Exposure Limit Persistent, bioaccumulative and to Predicted no effect concentration Regulation (EC) No 1907/2006 of and of the Council of 18 Decembe istration, Evaluation, Authorisation cals (REACH), establishing a Euro	oxic the European Parliament r 2006 concerning the Reg- and Restriction of Chemi-
SVHC vPvB	:	Substances of Very High Concern Very persistent and very bioaccurr	

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN