

# SAFETY DATA SHEET

## Sikagard 62 AU Part A



Version  
2.0

Revision Date:  
21.09.2021

SDS Number:  
000000612790

Date of last issue: 11.07.2021  
Date of first issue: 11.07.2021

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sikagard 62 AU Part A

Product code : 000000612790

#### Manufacturer or supplier's details

Company : Sika Australia Pty. Ltd.  
55 Elizabeth Street  
Wetherill Park, NSW 2164

Telephone : +61 2 9725 11 45

Telefax : +61 2 9725 33 30

Emergency telephone number : +61 1800 033 111

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 2A

Skin sensitisation : Category 1

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 2

#### GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P261 Avoid breathing mist or vapours.  
P264 Wash skin thoroughly after handling.  
P272 Contaminated work clothing should not be allowed out of the workplace.

# SAFETY DATA SHEET

## Sikagard 62 AU Part A



Version  
2.0

Revision Date:  
21.09.2021

SDS Number:  
000000612790

Date of last issue: 11.07.2021  
Date of first issue: 11.07.2021

P273 Avoid release to the environment.  
P280 Wear protective gloves/ eye protection/ face protection.

### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight $\leq 700$ )	25068-38-6	$\geq 30$ -< 60
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	68609-97-2	$\geq 1$ -< 10
xylene	1330-20-7	0 -< 10
N,N'-ethane-1,2-diyIbis(12-hydroxyoctadecan-1-amide)	123-26-2	0 -< 1
reaction product: bisphenol F-(epichlorhydrin) epoxy resin (number average molecular weight $\leq 700$ )	9003-36-5	0 -< 1

## SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.  
Consult a physician after significant exposure.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
If symptoms persist, call a physician.

# SAFETY DATA SHEET

## Sikagard 62 AU Part A



Version 2.0	Revision Date: 21.09.2021	SDS Number: 000000612790	Date of last issue: 11.07.2021 Date of first issue: 11.07.2021
----------------	------------------------------	-----------------------------	---

---

- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
Obtain medical attention.
- Most important symptoms and effects, both acute and delayed : irritant effects  
sensitising effects  
Allergic reactions  
Excessive lachrymation  
Dermatitis  
See Section 11 for more detailed information on health effects and symptoms.  
Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye irritation.
- Notes to physician : Treat symptomatically.

---

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
- Hazchem Code : •3Z

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Deny access to unprotected persons.

# SAFETY DATA SHEET

## Sikagard 62 AU Part A



Version 2.0      Revision Date: 21.09.2021      SDS Number: 000000612790      Date of last issue: 11.07.2021  
Date of first issue: 11.07.2021

- Environmental precautions : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Avoid exceeding the given occupational exposure limits (see section 8).  
Do not get in eyes, on skin, or on clothing.  
For personal protection see section 8.  
Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Smoking, eating and drinking should be prohibited in the application area.  
Follow standard hygiene measures when handling chemical products
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Store in accordance with local regulations.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
xylene	1330-20-7	STEL	150 ppm 655 mg/m <sup>3</sup>	AU OEL
		TWA	80 ppm 350 mg/m <sup>3</sup>	AU OEL

# SAFETY DATA SHEET

## Sikagard 62 AU Part A



Version  
2.0

Revision Date:  
21.09.2021

SDS Number:  
000000612790

Date of last issue: 11.07.2021  
Date of first issue: 11.07.2021

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
xylene	1330-20-7	Methylhippuric acids	Urine	End of shift (As soon as possible after exposure ceases)	1.5 g/g creatinine	ACGIH BEI

**Appropriate engineering controls** : Use adequate ventilation and/or engineering controls to prevent exposure to vapours.

### Personal protective equipment

**Respiratory protection** : In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.  
Follow AS/NZS 1337.1  
Recommended: Butyl rubber/nitrile rubber gloves.  
Contaminated gloves should be removed.

**Eye protection** : Safety glasses

**Skin and body protection** : Protective clothing (e.g. safety shoes, long-sleeved working clothing, long trousers)  
Follow AS 2210:3

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : liquid

**Colour** : off-white

**Odour** : characteristic

**Odour Threshold** : No data available

**pH** : Not applicable

**Melting point/range / Freezing point** : No data available

**Boiling point/boiling range** : No data available

**Flash point** : No data available

# SAFETY DATA SHEET

## Sikagard 62 AU Part A



Version 2.0	Revision Date: 21.09.2021	SDS Number: 000000612790	Date of last issue: 11.07.2021 Date of first issue: 11.07.2021
----------------	------------------------------	-----------------------------	---

Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	0.01 hPa
Relative vapour density	:	No data available
Density	:	1.46 g/cm <sup>3</sup> (20 °C (68 °F))
Solubility(ies)	:	
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	> 7 mm <sup>2</sup> /s (40 °C (104 °F))
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Volatile organic compounds	:	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 3.7% w/w

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reactions	:	Stable under recommended storage conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	see section 7.

# SAFETY DATA SHEET

## Sikagard 62 AU Part A



Version  
2.0

Revision Date:  
21.09.2021

SDS Number:  
000000612790

Date of last issue: 11.07.2021  
Date of first issue: 11.07.2021

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Components:

**reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight  $\leq$  700):**

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 20,000 mg/kg

#### **xylene:**

Acute oral toxicity : LD50 Oral (Rat): 3,523 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): 1,700 mg/kg

#### **Skin corrosion/irritation**

Causes skin irritation.

#### **Serious eye damage/eye irritation**

Causes serious eye irritation.

#### **Respiratory or skin sensitisation**

##### **Skin sensitisation**

May cause an allergic skin reaction.

##### **Respiratory sensitisation**

Not classified based on available information.

#### **Chronic toxicity**

##### **Germ cell mutagenicity**

Not classified based on available information.

##### **Carcinogenicity**

Not classified based on available information.

##### **Reproductive toxicity**

Not classified based on available information.

##### **STOT - single exposure**

Not classified based on available information.

##### **STOT - repeated exposure**

Not classified based on available information.

##### **Aspiration toxicity**

Not classified based on available information.

# SAFETY DATA SHEET

## Sikagard 62 AU Part A



Version  
2.0

Revision Date:  
21.09.2021

SDS Number:  
000000612790

Date of last issue: 11.07.2021  
Date of first issue: 11.07.2021

---

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

**reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight  $\leq$  700):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1.8 mg/l  
aquatic invertebrates Exposure time: 48 h

##### **xylene:**

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): 2.2  
plants mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox- : NOEC (Oncorhynchus mykiss (rainbow trout)): > 1.3 mg/l  
icity) Exposure time: 56 d

Toxicity to daphnia and other : NOEC (Daphnia (water flea)): 1.17 mg/l  
aquatic invertebrates (Chron- Exposure time: 7 d  
ic toxicity)

#### **Persistence and degradability**

No data available

#### **Bioaccumulative potential**

No data available

#### **Mobility in soil**

No data available

#### **Other adverse effects**

##### Product:

Additional ecological infor- : Toxic to aquatic life with long lasting effects.  
mation

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water  
courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemi-  
cal or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.



# SAFETY DATA SHEET

## Sikagard 62 AU Part A



Version  
2.0

Revision Date:  
21.09.2021

SDS Number:  
000000612790

Date of last issue: 11.07.2021  
Date of first issue: 11.07.2021

Do not re-use empty containers.

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

---

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964

##### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : no

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### ADG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
Class : 9  
Packing group : III  
Labels : 9  
Hazchem Code : •3Z

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

### SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

# SAFETY DATA SHEET

## Sikagard 62 AU Part A



Version 2.0      Revision Date: 21.09.2021      SDS Number: 000000612790      Date of last issue: 11.07.2021  
Date of first issue: 11.07.2021

---

|| Standard for the Uniform      :    Schedule 5  
|| Scheduling of Medicines and  
|| Poisons

International Chemical Weapons Convention (CWC)      :    Not applicable  
Schedules of Toxic Chemicals and Precursors  
Prohibition/Licensing Requirements      :    There is no applicable prohibition,  
authorisation and restricted use  
requirements, including for carcino-  
gens referred to in Schedule 10 of  
the model WHS Act and Regula-  
tions.

### The components of this product are reported in the following inventories:

|| AIIC      :    On the inventory, or in compliance with the inventory

---

## SECTION 16. OTHER INFORMATION

Revision Date      :    21.09.2021  
Date format      :    dd.mm.yyyy

### Full text of other abbreviations

ACGIH BEI      :    ACGIH - Biological Exposure Indices (BEI)  
AU OEL      :    Australia. Workplace Exposure Standards for Airborne Con-  
taminants.  
AU OEL / TWA      :    Exposure standard - time weighted average  
AU OEL / STEL      :    Exposure standard - short term exposure limit  
ADG      :    Australian Dangerous Goods Code.  
ADR      :    European Agreement concerning the International Carriage of  
Dangerous Goods by Road  
CAS      :    Chemical Abstracts Service  
DNEL      :    Derived no-effect level  
EC50      :    Half maximal effective concentration  
GHS      :    Globally Harmonized System  
IATA      :    International Air Transport Association  
IMDG      :    International Maritime Code for Dangerous Goods  
LD50      :    Median lethal dose (the amount of a material, given all at  
once, which causes the death of 50% (one half) of a group of  
test animals)  
LC50      :    Median lethal concentration (concentrations of the chemical in  
air that kills 50% of the test animals during the observation  
period)  
MARPOL      :    International Convention for the Prevention of Pollution from  
Ships, 1973 as modified by the Protocol of 1978  
OEL      :    Occupational Exposure Limit  
PBT      :    Persistent, bioaccumulative and toxic  
PNEC      :    Predicted no effect concentration  
REACH      :    Regulation (EC) No 1907/2006 of the European Parliament  
and of the Council of 18 December 2006 concerning the Reg-  
istration, Evaluation, Authorisation and Restriction of Chemi-  
cals (REACH), establishing a European Chemicals Agency

# SAFETY DATA SHEET

## Sikagard 62 AU Part A



Version  
2.0

Revision Date:  
21.09.2021

SDS Number:  
000000612790

Date of last issue: 11.07.2021  
Date of first issue: 11.07.2021

---

SVHC : Substances of Very High Concern  
vPvB : Very persistent and very bioaccumulative

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: [aus.sika.com](http://aus.sika.com)

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

|| Changes as compared to previous version !

AU / EN