



BUILD, PROTECT, FINISH AND REPAIR WITH SIKA

SIKA PRODUCT GUIDE
2026

BUILDING TRUST



Adhesives 4

- ▶ Glues
- ▶ Construction Adhesives: Rigid & Elastic
- ▶ Chemical Anchoring: Polyester & Epoxy

Sealants 10

- ▶ Silicone Sealants
- ▶ Acrylic Sealants
- ▶ Polyurethane Sealants

Gap Fillers 14

- ▶ Polyethylene foam rod and space filler
- ▶ Expanding Foams
- ▶ Plaster Fillers

Fire Rated

- ▶ Sealants; Polyurethane, Silicone and Acrylic
- ▶ Expanding Foam

Industry 20

- ▶ Automotive & Marine
- ▶ Heavy duty
- ▶ Glazing

Surface Preparation 22

- ▶ Primers & Cleaners

Accessories 24

- ▶ Caulking & Foam Guns
- ▶ Nozzles & Sleeves
- ▶ Hand Wipes

Wood Floor Bonding 28

- ▶ Adhesives
- ▶ Primers

Floor Preparation 30

- ▶ Screeds & primers

Floor Levelling 32

- ▶ Cementitious & Cement composite
- ▶ Polymer modified

Waterproofing 36

- ▶ Internal wet areas & undertile polyurethane
- ▶ External bituminous & cementitious

Floor & Tile 38

- ▶ Tile Adhesives
- ▶ Sanitized Grouts
- ▶ Cleaners & Additives

Structural Grouts 44

- ▶ Cementitious:
General Purpose, High Strength, and Deep Pour

Concrete Repair 46

- ▶ Renders
- ▶ Epoxy & Cementitious

Additive 50

- ▶ Chemical additives

Useful Tools 52

- ▶ Consumption Calculator
- ▶ Pretreatment Charts



SikaBond® PVA

Interior & exterior wood working glue

A cross linked waterbased adhesive suitable for interior and exterior applications. It is an ideal product for bonding a wide range of timber components including tongue and groove, solid timber, laminated flooring and most porous substrates. The tough permanent bond makes it ideal for trades, carpenters and DIY.

APPLICATIONS & SUBSTRATES

- Timber & plywood
- MDF boards
- Particle boards
- Solid timber & laminates

COLOURS



White

PACKAGING

500 ml, 1 L or 5 L



SikaBond® SprayFix

Multipurpose, high strength spray adhesive

A multipurpose, high performance, fast drying, mist spray adhesive designed to bond various materials, used for both temporary light and lasting high strength bonding applications.

APPLICATIONS & SUBSTRATES

- Felts & fabrics
- Paper & cardboard
- Metals & foams
- Cork & Rubber
- Most plastics
- Most plastic
- Fiberglass
- Timber, plywood & particle board

COLOURS



Opaque
Off White

PACKAGING

350 g



SikaBond® TechGrip

High strength multipurpose polyurethane glue

A high strength multipurpose, polyurethane glue that provides a strong bond to most common substrates and is ideal for woodworking to bond hard wood, soft wood and project work. Its low foaming technology allows the adhesive to fill gaps and penetrate the substrate for a secure strong bond.

APPLICATIONS & SUBSTRATES

- Wood & stone
- Metals & glass
- Concrete & ceramic
- Brick & masonry

COLOURS



Brown

PACKAGING

125 g, 500 g



Sika® Showerbond

Solvent based gun grade wallboard adhesive

A solvent based, fast grab, heat and water resistant adhesive, specifically formulated for bonding acrylic plastic shower linings to unpainted gypsum plasterboard, fibre cement wall linings and timber.

APPLICATIONS & SUBSTRATES

- Acrylic plastic shower linings to wall linings

COLOURS



Green

PACKAGING

300 ml CTG



SikaBond®-105 ContactFix

Premium contact adhesive

A premium contact adhesive that has been formulated to meet varied needs for lamination and fabrication. This adhesive is fast drying and forms a strong bond that is heat and water resistant.

APPLICATIONS & SUBSTRATES

- Timber, MDF & particleboard
- Rubber sheets, plastic laminates fabric/cloth/polyester backed vinyl
- Concrete, glass & metal sheets

COLOURS



Light
Amber

PACKAGING

500 ml, 1 L, 4 L



Sikaflex®-11 FC+

Multipurpose elastic adhesive and joint sealant

A 1-part, multipurpose elastic adhesive and joint sealant with very good application properties which bonds and seals most construction material substrates. Internal and external use.

APPLICATIONS & SUBSTRATES

- Concrete & masonry
- Reconstituted or cast stone
- Ceramic & wood
- Metal & glass
- A sealant to seal vertical & horizontal joints

COLOURS



White



Concrete
Grey



Black

PACKAGING

300 ml CTG 600 ml SSG





SikaBond®-142 Instant Nails

High strength multipurpose adhesive

A non slump, high strength construction adhesive for use on a wide variety of substrates. It can be used as a one way liquid adhesive, or a two way contact adhesive.

APPLICATIONS & SUBSTRATES

- Floor & wall panels
- Timber, particleboard, MDF & plywood
- Aluminium, iron & steel
- Concrete, cement sheeting, fibreglass & masonry

COLOURS



Beige

PACKAGING

300G CTG, 3PK, 12PK TRADE PACK



Sikaflex®-111 Stick & Seal

Flexible adhesive and sealant

A 1-part, multipurpose adhesive and sealant with a very broad adhesion and sealing profile, suitable for common construction materials for interior and exterior use.

APPLICATIONS & SUBSTRATES

- Masonry, concrete and bricks
- Ceramic and porcelain
- Wood, metal and glass
- PVC, PA, PET plastics
- Expanded & extruded polystyrene

COLOURS



White



Concrete Grey



Black

PACKAGING

290 ml CTG



SikaBond® Instant Nails Fast

Fast cure multipurpose construction adhesive

A premium, water based, multi purpose construction adhesive providing good initial grab and high bond strength.

APPLICATIONS & SUBSTRATES

- Fixing polystyrene wall panels
- Replacing loose wall tiles
- Skirtings, architraves & trims
- Bonding particleboard, plywood, fibre cement and strip flooring to joists & panels to wall studs

COLOURS



White

PACKAGING

430 g



Sikaflex®-112 Crystal Clear

Transparent adhesive and sealant

A 1-part, multipurpose transparent adhesive and sealant with good initial grab which bonds and seals, suitable for common construction materials for interior and exterior use.

APPLICATIONS & SUBSTRATES

- Adhesive & sealant around bonded components
- Concrete & masonry
- Ceramic & porcelain
- Wood and PVC
- Metals and glass

COLOURS



Transparent

PACKAGING

290 ml CTG



SikaBond®-145 SuperGrip

Premium construction adhesive with fast build up of strength

A premium, one-component polyurethane construction adhesive with good initial grab and high early strength. A versatile general purpose construction adhesive suitable for bonding common construction materials for interior and exterior use.

APPLICATIONS & SUBSTRATES

- Wood, LOSP timber & MDF
- Concrete, metal & brick

COLOURS



White

PACKAGING

310 ml CTG



SikaBond®-115 MaxTack

Interior high grab adhesive

A 1-part construction adhesive with high initial grab, suitable for bonding common construction materials for interior and sheltered exterior use.

APPLICATIONS & SUBSTRATES

- Skirting boards, trims & architraves
- Wooden frames, battens & mouldings
- Aluminium & skin panels
- Polystyrene mouldings & panels
- Concrete, mortar & fibre cement

COLOURS



Off White

PACKAGING

100 g FOIL , 290 ml CTG





Sika Anchorfix®-1

Fast curing styrene free chemical anchoring adhesive

A solvent and styrene free based, two-component polyester anchoring adhesive.

APPLICATIONS & SUBSTRATES


- Rebars / reinforcing steel
- Threaded rods
- Bolts & special fastening systems
- Concrete, hollow & solid masonry
- Hard natural stone & solid rock*

* Test by first applying to a sample area

PACKAGING

300 ml CTG

COLOURS



Sikaflex®-116 High Grab

High Grab Construction Adhesive

A construction adhesive with high initial grab which bonds most construction material substrates



APPLICATIONS & SUBSTRATES

- Concrete & masonry
- Most stones & ceramic
- Wood, metal & glass
- Mirrors²

PACKAGING

290 ml CTG

COLOURS



White

¹ For overhead applications or heavy items use temporary fixation and/or support until full cure.
² For mirror bonding, do not use over vinyl backing.

Sika AnchorFix®-3001

Epoxy high performance chemical anchoring adhesive

An epoxy resin based, 2-part, thixotropic, 1:1 mixing ratio, high performance anchoring adhesive. It is specifically designed for anchoring threaded rods and reinforcement bars in both cracked and un-cracked dry or damp concrete.



APPLICATIONS & SUBSTRATES

Structural work

- Rebar / steel reinforcement anchoring in new & refurbishment works
- Threaded rods
- Bolts and special fastening / fixing systems

Metalwork, carpentry

- Handrails, balustrades, railings & supports
- Window & door frames

Substrates

- Concrete (cracked & un-cracked)
- Hollow & solid masonry
- Wood
- Natural & reconstituted stone
- Solid rock

COLOURS



PACKAGING

250 ml CTG



SikaBond® FoamFix+

Low expansion, polyurethane foam adhesive for insulation and plaster boards

A 1-component, fast curing, low expansion polyurethane fixing foam with good adhesion to most construction substrates, specially designed for fixing plaster boards and insulation boards.



APPLICATIONS & SUBSTRATES

- Extruded polystyrene boards (XPS)
- Expanded polystyrene boards (EPS)
- Wood fibre boards
- Cork insulation boards
- Bituminous felt faced PUR/PIR boards

PACKAGING

750 ml CAN

COLOURS



Light Yellow

SIKA ANCHORFIX
CALCULATION SOFTWARE
DOWNLOAD THE FREE CALCULATOR





Sikasil®-702 All Purpose

1-part neutral curing all-in-one silicone sealant

A premium grade one-component neutral curing silicone sealant with good adhesion, weather-ability and elasticity for all your trade and home applications.

APPLICATIONS & SUBSTRATES

- Kitchen
- Bathrooms
- Basins
- Baths
- Toilets
- Shower Screens
- Tiled Wet Areas
- Benchtops
- Around Splashbacks
- Roofs
- Sealing windows & doors
- General interior & exterior

COLOURS



PACKAGING
300 ml CTG



COMPLIMENTARY COLOUR WITH
Davco Sanitized® Colorgrout*
SELECT COLOURS*



Sikasil® Pool Silicone

Silicone sealant for swimming pools and wet areas

A one component, neutral curing silicone sealant for use in joints around swimming pools, areas under permanent water immersion and frequently wet areas between tiles, concrete, glass and metals with high chlorine resistance.

APPLICATIONS & SUBSTRATES

- Swimming pools, spas & areas under permanent water immersion & frequently wet areas
- Concrete & tiles
- Glass & metals

COLOURS



PACKAGING

300 ml CTG, 600 ml SSG (grey only)



SikaSeal® Appliance Sealant

Temperature resistant high performance one-component RTV silicone sealant

A premium silicone rubber designed for flexible gasketing and sealing applications. It forms a flexible seal that can withstand vibration, temperature extremes, water, oil and grease without hardening, shrinking or cracking.


APPLICATIONS & SUBSTRATES

- Fridge & freezer sealing
- Oven sealing & gasketing
- Aluminium & glass
- High temperature resistance

COLOURS



PACKAGING
300 ml CTG



SikaSeal®-401 Aquarium

Premium One-component aquatic life safe silicone sealant

A premium, transparent one-component room temperature vulcanising (RTV) silicone rubber that is safe for aquatic life and designed for sealing applications in aquariums, ponds and water pumps.

APPLICATIONS & SUBSTRATES

- Fish tanks & glass
- Water pumps
- Aluminium

COLOURS



PACKAGING
75 g TUBE



SEALANTS



SikaSeal® Acrylic 100

Premium acrylic joint & gap sealant

A flexible, 1-part, water based acrylic joint sealant and gap filler where low demand of elongation are required, for interior use.

APPLICATIONS & SUBSTRATES

- Brick & concrete
- Plasterboard
- Windows & doors
- Ceramic tiles
- Glass, wood & aluminium
- Painted surfaces

COLOURS



White

PACKAGING

310 ml CTG



Sikaflex® PRO

Sealant for concrete and masonry facades

A 1-component, moisture-curing, elastic joint sealant.

APPLICATIONS & SUBSTRATES

Designed for movement and connection joints in concrete and masonry facades.

PACKAGING

300 ml CTG
600 ml SSG

COLOURS



White



Grey



Black



Dark Grey



Sandstone



Japan
Beige



Brick Red



Off White



Pale
Brown



Redwood



Dark Amber



SikaSeal® Super 200

Multipurpose gap sealant

A 1-part sealant, designed with all the benefits of a gap sealant and silicone sealant in one.

APPLICATIONS & SUBSTRATES

- For sealing small indoor connection joints in substrates such as brick, concrete, plaster, ceramics and timber
- Small Indoor connection joints around windows, window sills, walls and ceilings

COLOURS



White
(Dries
Translucent)

PACKAGING

300 ml CTG



SikaHyflex® -250 Facade

A one component, moisture-curing, low-modulus elastic joint sealant

Designed for the elastic joint sealing and waterproofing of movement and connection joints in building envelopes. Due to its very low modulus, also suitable for EIFS Facades.

APPLICATIONS & SUBSTRATES

- Concrete
- Masonry
- EIFS Facades

COLOURS



Black



White



Grey

PACKAGING

600 ml SSG



SikaSeal® 300

Glass & Weather Seal

A neutral-curing silicone sealant with outstanding UV resistance

A neutral-curing silicone sealant with a high movement capability and excellent adhesion to a wide range of substrates.

APPLICATIONS & SUBSTRATES

- Glass & Aluminium
- Panels(ACP) & Plastics
- Metals & Wood
- Coated & painted metals

COLOURS



Transparent

PACKAGING

300 ml CTG



SikaSwell® S-2

Polyurethane hydrophilic swellable sealant

A 1-part polyurethane hydrophilic sealant which swells in contact with water to seal all types of construction joints and penetrations in concrete.

APPLICATIONS & SUBSTRATES

- Construction joints
- Pipe and steel work penetrations through walls and floor slabs

COLOURS



Oxide
Red

PACKAGING

600 ml SSG



Sika® Abelrod

Closed cell polyethylene foam rod

An exceptionally strong and lightweight closed cell, polyethylene foam rod expansion joint and space filler.



APPLICATIONS & SUBSTRATES

- Concrete & masonry substrates between precast concrete panels
- Interior walls
- Sealing skylights
- Curtain wall construction

COLOURS



White

PACKAGING

6mm x 50m 13mm x 50m
10mm x 50m 20mm x 50m



Sika Boom® AP

Multi-purpose polyurethane, high yield expanding foam

A 1-component, fast curing polyurethane foam suitable for use with the can held in any position.



APPLICATIONS & SUBSTRATES

- Window & door frames
- Pipe entries & air conditioning vents
- Roller blind housings

COLOURS



Light Yellow

PACKAGING

500 ml CAN
750 ml CAN



Sika® Abelflex

Expansion joint and space filler (zip rolls)

A flexible, lightweight, closed cell, cross-linked, polyethylene foam expansion joint and space filler.



APPLICATIONS & SUBSTRATES

- Ideal as a gap filler & bond breaker
- Floor and wall expansion joints
 - Filling systems for roads, motorways, bridges

COLOURS



Black

ABELFLEX HANDY PACK

10mm x 50mm x 25m
10mm x 75mm x 25m
10mm x 100mm x 25m
10mm x 150mm x 25m



ABELFLEX ZIP

10mm x 50mm x 25m
10mm x 75mm x 25m
10mm x 100mm x 25m



Sika Boom® G

Highly expansive, gun applied polyurethane fixing foam

A one-component, fast curing, gun applied polyurethane foam with a very high expansion rate. Gun application assist with consumption control and applicator comfort.



APPLICATIONS & SUBSTRATES

- Window & door frames
- Air conditioning vents
- Roller blind housings


COLOURS



Light Yellow

PACKAGING

750 ml CAN



Sika Boom® Cleaner

Cleaner for Sika Boom® application guns

An active cleaner for cleaning Sika Boom® application guns and fresh Sika Boom® residue from surfaces.



APPLICATIONS & SUBSTRATES

Removes fresh, uncured polyurethane foam residue from equipment and other surfaces, as well as cleaning & removing grease from contaminated substrates

COLOURS



Transparent

PACKAGING

500 ml CAN





Sika Boom®-420 Fire

FIRE RESISTANT POLYURETHANE FOAM

Sika®Boom®-420 Fire is a one-component, fast curing, polyurethane expanding foam for internal use.

Fire rated up to 3 hours in accordance with AS1530.4. The unique combi-valve allows the application by dispenser gun or nozzle.



Enquiry?
Contact us by
scanning the
QR Code.



Sika® Filler-101

Ready to use water based fine surface and joint filler

Ready to use water based fine surface and joint filler.

APPLICATIONS & SUBSTRATES

- Suitable for indoor filling work on plaster boards, fabrics, old wallpapers, etc.

COLOURS



PACKAGING

250 ml/400 ml TUBE, 5 L PAIL



Sika® Filler-105

Ready to use water based thick layer surface filler

This water based filler is suitable for indoor filling and repair where thicker filling capability is required.

APPLICATIONS & SUBSTRATES

- Suitable for indoor filling & repair where thicker filling capability are needed
- A finer grade filler should be used for finishing surfaces before painting

COLOURS



PACKAGING

250 ml/400 ml TUBE, 5 L PAIL



Sika® Filler-107

General purpose surface filler for use in wet areas

A water based, ready to use general purpose surface and joint filler intended for use in wet areas.

APPLICATIONS & SUBSTRATES

- Suitable for interior surface filling work on plaster, woven fabrics, old wallpapers in wet environments such as kitchens and bathrooms

COLOURS



PACKAGING

250 ml/400 ml TUBE



Sika® Firerate

Fire rated acrylic joint sealant

An intumescent fire rated, 1-component, acrylic joint sealant. Fire rated up to 4 hours in accordance with AS1530.4. It has a movement capability of $\pm 20\%$, designed for fire rated movement and connection joints on porous & non-porous substrates in internal applications.

APPLICATIONS & SUBSTRATES

- Fire rated linear seals
- Movement & connection joints
- Porous & non porous substrates
- Sandable & paintable

COLOURS



PACKAGING

300 ml CTG, 600 ml SSG



Sikasil®-670 Fire

Fire rated neutral cure silicone joint sealant

A fire rated, 1-component, moisture-curing, low-modulus elastic joint sealant for linear seals. Fire rated up to 4 hours in accordance with AS1530.4. It has a movement capability of $\pm 35\%$, good adhesion to substrates and excellent weather resistance.

APPLICATIONS & SUBSTRATES

- Fire rated movement joints
- Fire rated connection joints on porous & non-porous substrates
- Internal & external use

COLOURS



PACKAGING

300 ml CTG, 600 ml SSG



Sika Boom® 420 Fire

Fire rated polyethylene foam

A one-component, fast curing, polyurethane expanding foam for internal use. Fire rated up to 3 hours in accordance with AS1530.4. The unique combi-valve allows the application by dispenser gun or nozzle.

APPLICATIONS & SUBSTRATES

- Fire rated linear joints in concrete
- Safety valve for extended shelf life
- Cured foam can be cut, trimmed and sanded

COLOURS



PACKAGING

750 ml CAN



Sikaflex®-400 Fire

Fire rated moisture curing polyurethane joint sealant

1-part, flexible, moisture-curing, polyurethane elastic joint sealant. Fire rated up to 4 hours in accordance with AS 1530.4. It has movement capability $\pm 35\%$.

APPLICATIONS & SUBSTRATES

- Fire rated movement joints
- Fire rated connection joints
- Penetrations on porous & non-porous substrates
- Internal & external use

COLOURS



PACKAGING

600 ml SSG





Sikaflex®-221

Multi-purpose adhesive/sealant with a wide range


A multi-purpose 1-component polyurethane adhesive/sealant that bonds well to a wide variety of substrates like metals, metal primers and paint coatings (2-component systems), ceramic materials and plastics.

APPLICATIONS & SUBSTRATES

- Metals, metal primers & Paint coatings (2C systems)
- NSF-approved for incidental food contact
- Potable water approved (meets AS4020 requirements)

PACKAGING
310 ml CTG, 600 ml SSG

COLOURS



Sikaflex®-258

Primerless windscreen adhesive

A primerless windscreen adhesive, this product is cold applied and provides long open time to ensure safe application.

APPLICATIONS & SUBSTRATES

- Automotive glass replacement
- Direct-glazing applications
- Mobile or in-house installations

PACKAGING
310 ml CTG

COLOURS



Sikaflex®-227

1-component fast skinning sealant


A 1-component polyurethane sealant designed for car body sealing. It cures on exposure to atmospheric moisture. It adheres well to a wide variety of substrates.

APPLICATIONS & SUBSTRATES

- Metal primers
- Paint coatings
- Painted plastics & plastics

PACKAGING
310 ml CTG, 150 ml TUBE

COLOURS



Sikaflex®-521 UV

Isocyanate-free, weathering-resistant sealant

A weathering-resistant, 1-component Silane Terminated Polymer (STP) sealant that cures on exposure to atmospheric humidity. This multipurpose product is suitable for internal and external sealing applications.

APPLICATIONS & SUBSTRATES

- Timber
- Metals
- Metal primers
- Paint coatings (2-part systems)
- Ceramic materials and plastics.

PACKAGING
300 ml CTG, 600 ml SSG

COLOURS



Sikaflex® 252

High strength, structural grade polyurethane adhesive sealant


Elastic adhesive for vehicle assembly bonding.

APPLICATIONS & SUBSTRATES

- Timber
- Metals (aluminium/sheet metal)
- Metal primers
- Paint coatings
- Electrically non-conductive

PACKAGING
300 ml CTG, 600 ml SSG

COLOURS



Sikaflex®-291

Multifunctional adhesive sealant for marine applications

A non-sag 1-component polyurethane sealant specifically developed for the marine market. It is ideally suited for making elastic, vibration resistant joint seals.

APPLICATIONS & SUBSTRATES

- Marine construction like wood
- Metals & metal primers
- Paint coatings
- Ceramic materials
- Plastics

PACKAGING
310 ml CTG, 150 ml TUBE

COLOURS





Sika® Colma Cleaner

Solvent-based cleaning agent for substrates & tools

A grease-free solvent specially formulated for the pre-cleaning of bond surfaces and cleaning of tools & equipment.

APPLICATIONS & SUBSTRATES

- Cleaning of tools and equipment light metals, alloys, steel & stainless steel.
- Fast & easy to use

COLOURS



Transparent

PACKAGING

1 L CAN



Sika® Primer-215

Non-pigmented, solvent-based primer for plastics and wood

A solvent-based colourless to slightly yellow primer, specifically formulated for the treatment of bond surfaces prior to application of 1-component polyurethane sealants.

APPLICATIONS & SUBSTRATES

- Most plastics, PVC & ABS
- Timber & wood
- GRP & epoxy resins
- Fast drying & ready to use

COLOURS



Colourless

PACKAGING

250 ml BOTTLE, 1 L BOTTLE



Sika® Primer-209 D

Pigmented, solvent based primer for paints and plastics

A solvent-based, black primer that reacts with moisture and forms a thin layer. This layer acts as a link between substrates and adhesives.

APPLICATIONS & SUBSTRATES

improve adhesion on many plastics and paints:

- GRP & epoxy resins
- PVC, ABS, PMMA, PC, PS
- Acrylics, alkyds/melamine
- Powder coatings

COLOURS



Black

PACKAGING

250 ML BOTTLE



Sika® Primer-3 N

A one component, transparent primer for porous surfaces and metal

A solvent-based, 1-component primer, designed for use with Sikaflex®, SikaHyflex®, SikaBond® and Sikasil® products on porous substrates and metals.

APPLICATIONS & SUBSTRATES

- Easy to apply
- Water repellent
- Short flash-off time

COLOURS



Transparent

PACKAGING

250 ml BOTTLE, 1 L BOTTLE



Sika® Aktivator-100

Transparent solvent-based adhesion promoter

A solvent-based colourless adhesion promoter, which reacts with moisture and deposits active groups on the substrate. These groups act as a link between substrates and primers or sealants/adhesives.

APPLICATIONS & SUBSTRATES

Enhanced adhesion on a wide variety of non-porous substrates.

COLOURS



Clear to yellow

PACKAGING

1 L CAN



Sika® Primer-206 G+P

Pigmented, solvent-based primer for various substrates

A solvent-based black primer, which reacts with moisture and forms a thin layer. This layer acts as a link between substrates and adhesives.

APPLICATIONS & SUBSTRATES

- Float glass & ceramic-coated glass
- Pre-coatings
- Painted surfaces and some plastics and metals

COLOURS



Black

PACKAGING

250 ml BOTTLE
1 L BOTTLE





Sika® Skeleton Gun

Sika WT-214 cartridge gun

Quality skeleton frame for ease of cartridge loading. Steel frame provides added strength and durability. The Gun is designed for the serious DIY customer.

FEATURES

- Easy application of sealants and adhesives
- Economical DIY caulking gun
- Dispenses cartridges



Sika® Cartridge Resealable Nozzles

Replacement nozzles for standard cartridges. Tapered nozzle forms a consistent bead for smooth application of single component sealants and adhesives.

FEATURES

- Fits most cartridges
- Re-sealable
- Easy to trim to suit joint width

PACKAGING

5 PACK



Sika® Trade Gun

Sika WT-215 cartridge gun

Designed for trade professionals, features a pivoting barrel for seamless caulking around corners, curves, and tight spaces. An instant pressure release tab prevents excess leakage. Ideal for applying high viscosity sealants and adhesives in cartridges.

FEATURES

- Dispenses cartridges
- Swivel frame for continuous beading
- Professional quality applicator
- Even force and quick pressure release



Sikaflex® Cartridge Nozzles

High quality, durable replacement Sikaflex® cartridge nozzles

FEATURES

- Easy to trim to suit joint width
- For use with Sikaflex® cartridges
- Re-usable

PACKAGING

3 PACK



Sika® Barrel Gun

Sika WT-250XL cartridge & sausage gun

Sika branded professional trade quality sausage and cartridge manual application barrel gun. Durable construction for frequent high volume use, easy trigger action, even force and instant pressure release tab to avoid excess leakage. Ideal for applying high viscosity sealants and adhesives in sausage and cartridge forms.

FEATURES

- Trade quality construction
- Easy trigger action
- Even force and quick pressure release
- For use with both sausages & cartridges



Sikaflex® Sausage Nozzles

High quality, durable replacement cone nozzles for use with barrel guns.

FEATURES

- Cone shaped for smooth application
- Easy to trim to suit joint width
- Use with Sika® Barrel Gun (WT-250XL)
- Re-usable

PACKAGING

3 PACK



Sika® Boom Nozzles

Replacement nozzles suitable for application of Sika® Boom expanding polyurethane foam.

FEATURES

- Pack of 3 nozzles
- Easy screw type installation
- Single use disposable

PACKAGING

3 PACK



Sika AnchorFix® Static Mixers / Nozzles

Sika AnchorFix® Static Mixers / Nozzles are fixed onto each AnchorFix® product to achieve the correct mixing of the 2-part cartridge anchoring adhesive and application into drilled anchoring holes.

FEATURES

- Mixing of resin
- Application into drill anchoring holes

PACKAGING

5 PACK



Sika Boom®-100 Foam Dispenser

Easy to use, comfortable application gun sprays foam quickly and control knob assists with consumption control, precise application and avoids waste. Compatible with Sika Boom® gun grade PU foam products.

FEATURES


- Controlled easy application
- Clean with Sika® Boom Cleaner for reuse.
- Ergonomic comfort grip
- Light weight & durable



Sika® AnchorFix® Perforated Sleeves

Perforated sleeves for use with threaded rod and starter bars with Sika Anchorfix 1 Chemical anchor in hollow masonry and hollow bricks

- Bag of 10 pieces



Sika® Sausage Gun Spare Kit

A spare kit to fit Sika professional quality sausage adhesive/ sealant application gun.

- Top quality construction
- Sold in single packs
- Fits sausage gun



Sika® Cleaner-350H

Sika® Cleaner-350H is a unique waterless hand-cleaning system combining both a high quality liquid hand cleaner formula and heavyduty, non-scratching, abrasive hand-cleaning towel.

- Dissolves and absorbs dirt, grease and other soil
- One step cleaning process
- Skin-friendly
- Pleasant smell

WOOD FLOOR BONDING

SikaBond® T-55(J)

Easily spread, elastic wood flooring adhesive

A 1-component, permanently elastic, high strength, polyurethane wood floor adhesive with great workability even in cold climates. Excellent trowel peak stability with footfall and sound transfer reduction.

APPLICATIONS & SUBSTRATES

- Solid, engineered timber & parquet
- Footfall-sound-dampening adhesive
- Suitable for underfloor heating
- Over existing ceramic tiles

COLOURS



Ochre

PACKAGING

600 ml SSG, 2 kg SSG, 16 kg PAIL

SikaBond®-58 Wood Floor

Low viscous wood flooring adhesive

A 1-component, solvent-free, wood flooring adhesive with good workability.

APPLICATIONS & SUBSTRATES

Designed for full surface bonding of solid and engineered wood floors and ply boards.

COLOURS



Parquet Brown

PACKAGING

600 ml SSG, 16 kg PAIL

Sikafloor®-158 W Fast Barrier

Rapid-drying hydrostatic moisture & incontinence barrier

A rapid-drying, 2-component, water based epoxy resin that chemically cures to form a permanent hydrostatic barrier.

APPLICATIONS & SUBSTRATES

- Stop rising moisture in concrete
- Stop rising moisture on green concrete
- To bind/consolidate a weakened or damaged concrete surface

COLOURS



Dries Clear

PACKAGING

2.8kg PT A & 1.4kg PT B = 4.2kg kit
12kg PT A & 6kg PT B = 18kg kit



Davco Ultraprime

Solvent based sealer



An acrylic surface primer designed to increase the bond strength of tile adhesives and waterproofing membranes.

APPLICATIONS & SUBSTRATES

- Concrete
- Common building materials
- Interior and exterior applications

COLOURS



PACKAGING

1 L JERRY CAN
5 L JERRY CAN
20 L PAIL



Sikafloor® Level Pro Primer

Synthetic pre-mixed primer, applied prior to flooring systems



Pre-mixed resin primer designed to be applied prior to cement and gypsum type products.

APPLICATIONS & SUBSTRATES

Apply to seal porous concrete.
Suitable for internal and external applications

COLOURS



PACKAGING

5 L JERRY CAN



LANKO 124 Ultraprime

Acrylic primer



An advanced acrylic based multipurpose primer used to improve the bond strength and adhesion of cementitious mortar systems.

APPLICATIONS & SUBSTRATES

- Internal and external concrete
- Timber
- Most porous building materials

COLOURS



PACKAGING

1 L JERRY CAN
5 L JERRY CAN



Sika® Eco Systems Eco Screed

A preblended cement based screed for under tile applications



A preblended cement based economical screed consisting of selected graded aggregates, portland cement and selected additives.

APPLICATIONS & SUBSTRATES

- As a bonded screed 15 - 100mm
OR unbonded 40- 100mm in a single application.
- Internal and external use.

COLOURS



PACKAGING

20KG BAG



Sikafloor®-14 Prep 'N' Prime

Solvent free, 1-component non-porous primer



A special primer with advanced adhesion properties for sound, smooth and non-absorbent substrates

APPLICATIONS & SUBSTRATES

- Ceramic & porcelain tiles
- Terrazzo
- Non-porous coatings
- Vinyl flooring

COLOURS



PACKAGING

10 L PAIL



LANKO 189 Bulk Fill Screed

A pre-mixed tile adhesive



Rapid drying screed for internal and external applications that can be poured up to 100 mm and tiled over within 24 hours.

APPLICATIONS & SUBSTRATES

- Building up concrete levels / falls in wet areas
- Shower bases
- Ramp installation
- Shopping centre floor preparation

COLOURS



PACKAGING

5 kg BAG



FLOOR LEVELLING



Sikafloor®-4020 FiberLevel

Fast drying hybrid self-levelling & smoothing compound

Our hybrid technology of low tension calcium sulphate combines with fast drying of cementitious systems

APPLICATIONS & SUBSTRATES

- Underlayment for all commercial & domestic floor coverings
- Suitable to be applied over semi-flexible substrates: soundly fixed/adhered timber, chip board, plywood or CFC sheet

PACKAGING

20 kg BAG

COLOURS



White



FLOOR LEVELLING



Sikafloor® Level Top

Cement based self-levelling & smoothing compound

A high flowing self-levelling underlayment used to level concrete substrates prior to the installation of flooring.

APPLICATIONS & SUBSTRATES

- Recommended underlayment for all commercial & residential floor coverings
- Levelling of uneven concrete
- Suitable for new or old internal concrete substrates

PACKAGING

20 kg BAG

COLOURS



Grey



Sikafloor® Level-30

High performance industrial self-levelling compound

A high performance polymer modified self-levelling compound for interior and exterior applications.

APPLICATIONS & SUBSTRATES

- Internal or external areas
- Industrial medium to heavy load (including forklift pallet truck - with impact loading)
- Commercial & residential areas

PACKAGING

20 kg BAG

COLOURS



Grey



Sikafloor® Level Ultra

Premium high-performance self-levelling & smoothing compound

A Fiber Reinforced Self Levelling Compound that can be applied on exterior or interior concrete substrates.

APPLICATIONS & SUBSTRATES

- Recommended underlayment for all Commercial & Domestic floor coverings
- Light to medium traffic areas

PACKAGING

20 kg BAG

COLOURS



Grey



LANKO 173 Floor Leveller

A subfloor underlayment

A cement based levelling compound ideal for repairing small holes, static cracks and depressions.

APPLICATIONS & SUBSTRATES

- As an underlayment prior to installation of carpet, timber, tile or vinyl floor coverings
- Over sound concrete
- Internal & external application

PACKAGING

5 kg BAG, 20 kg BAG

COLOURS



Grey



LANKO 145 Floor Leveller

An economical high build levelling & smoothing compound for internal use

An economical flooring leveller underlayment designed for high build applications from 3-75mm in a single pour.

APPLICATIONS & SUBSTRATES

- Recommended underlayment for all commercial & residential floor coverings. Levelling of uneven concrete from 3mm up to 75mm thickness.
- Suitable for new or old internal concrete substrates

PACKAGING

20 kg BAG

COLOURS



Grey



FLOOR LEVELLING



Sikafloor®-050 Ramp & Patch

High strength fast setting ramping & patching mortar

A fast setting ramping / patching mortar used for internal & external concrete surfaces

APPLICATIONS & SUBSTRATES

- Ramping/grading to create a smooth transition between two types of flooring
- Patching damaged concrete floors, stairs, & walls

COLOURS



Grey



PACKAGING

20 kg BAG



Sika® Level SkimCoat

Fast setting, cement based smoothing and finishing skim coat for internal use

A one-component, easy to use and fast drying, cementitious skim mortar ideal for the repair or reprofiling of approved subfloors.

APPLICATIONS & SUBSTRATES

- Ideal for the repair or reprofiling of concrete, approved wood subfloors, and correctly prepared ceramic or quarry tiles before the installation of Sikafloor® Levelling products, SikaTile® adhesives or final floor coverings.

COLOURS



Grey



PACKAGING

4.5 kg (4 X 4.5kg) BOX



Sika 5L Measuring Jug

A great way to measure mixing contents accurately. It consists of a lightweight plastic construction

- Measure contents accurately
- Lightweight
- Plastic construction

PACKAGING

3 PACK





Sikaflex® Fillet

Polyurethane fillet joint sealant

A one-component, fast curing, flexible fillet joint sealant for use in professional waterproofing applications.

APPLICATIONS & SUBSTRATES

- Fillet joint for movement junctions (wall to wall, wall to floor) in waterproofing installations.

COLOURS



PACKAGING
600 ml SSG



Ormonoid Bitkote No.3

Flexible water-based bitumen waterproofing membrane

A versatile multi-use product that is fast drying and can be applied by brush, roller, trowel or airless spray equipment on horizontal and vertical surfaces.

APPLICATIONS & SUBSTRATES

- Retaining walls
- Planter boxes & garden pots
- Gutter repairs
- Underside of vehicles
- Sealing of tree wounds

COLOURS



PACKAGING
1 L PAIL, 4 L PAIL, 15 L PAIL



Davco K10 PLUS


A flexible, premixed, water based polyurethane class III waterproofing membrane

A premium performance, flexible, premixed, Class III water based polyurethane waterproofing membrane.

APPLICATIONS & SUBSTRATES

- Commercial and domestic walls and floors
- Wet areas such as bathrooms, showers, terraces, balconies, roofs and walkways
- Water based and solvent free

COLOURS



PACKAGING
4 L PAIL, 20 L PAIL



Sikalastic®-1K

1- part cementitious mortar, fibre-reinforced for flexible waterproofing and concrete protection

A 1 part, crack-bridging, fibre-reinforced mortar, based on cement modified with special alkali-resistant polymers

APPLICATIONS & SUBSTRATES

- Flexible waterproofing and protection of concrete structures including tanks, basins, pipes etc.
- Waterproofing of bathrooms, showers, terraces, balconies, swimming pools

COLOURS



PACKAGING
10 kg PAIL



Davco K10 Rapid

A flexible, fast drying, Class III waterproofing membrane

A flexible, fast drying, Class III waterproofing membrane, ideal for cooler climates.

APPLICATIONS & SUBSTRATES

- Interior & exterior
- Commercial and domestic walls and floors
- Wet areas such as bathrooms, showers, terraces, balconies, roofs and walkways

COLOURS



PACKAGING
15L PAIL



Sikalastic® WPU

Elastomeric, single component, fibre reinforced, water based polyurethane membrane

A water based polyurethane waterproofing membrane.

APPLICATIONS & SUBSTRATES

- Concrete
- Sand/cement screeds
- Cement Render
- Fibrous cement sheeting
- Compressed fibre cement sheeting
- Water resistant plasterboard

COLOURS



PACKAGING
15L PAIL





Davco Supamastic

A pre-mixed tile adhesive

A ready to use premixed thin bed wall tile adhesives for internal use.

APPLICATIONS & SUBSTRATES

- Fibre cement sheet
- Plasterboard
- Ceramic tile underlay
- Rendered blockwork & brickwork

COLOURS



White



PACKAGING

4 L PAIL, 15 L PAIL



Davco Grey One Pot

A pre-mixed, flexible tile adhesive

Designed for use for domestic residential applications on wall and porous floor substrates including kitchens, bathrooms and laundries.

APPLICATIONS & SUBSTRATES

- Fibre cement sheet
- Plasterboard
- Tile Underlay
- Rendered brickwork
- Blockwork

COLOURS



Grey



PACKAGING

1 L PAIL, 4 L PAIL, 10 L PAIL



Davco Ceramacrete

A cement-based tile adhesive for rigid substrates

A cement based tile adhesive for ridged substrates equipped with patented DUST LESS technology that reduces airborne dust by up to 80% in the mixing phase

APPLICATIONS & SUBSTRATES

- Ceramic & mosaic
- Terracotta & slate
- Quarry tiles & concrete
- Cement based screeds & renders
- Rendered block or brickwork

COLOURS



Grey



PACKAGING

5 kg BAG, 20 kg BAG



Davco SMP Evo

Flexible cement based tile adhesive

A flexible, cement-based tile adhesive specifically designed for premium stone, marble and porcelain tiles.

APPLICATIONS & SUBSTRATES

- Ceramic tiles
- Porcelain tiles
- Quarry tiles
- Mosaic tiles
- Natural stone including Marble, Granite, etc

COLOURS



White



PACKAGING

5 kg BAG, 20 kg BAG



Davco Ultraflex

Cement based tile adhesive

Premium grade wall and floor cement-based tile adhesive.

APPLICATIONS & SUBSTRATES

- Cement render
- Blockwork
- Rendered brickwork
- Plasterboard
- Fibre cement sheet
- Compatible waterproofing membranes

COLOURS



Grey



PACKAGING

20 kg BAG



Davco Powder Mastic

A flexible cement based tile adhesive

A 1-component, cementitious, very rapid hardening, early strength gain concrete repair material.

APPLICATIONS & SUBSTRATES

- Compressed & fibre cement sheet
- Fully cured concrete
- Screed (cured for 7 days)
- Rendered brickwork
- Blockwork

COLOURS



White



PACKAGING

20 kg BAG

Davco Sanitized® Glue Grout

A flexible pre-mixed tile adhesive and grout



A ready to use, white, pre-mixed, flexible, thin bed, internal wall tile adhesive and grout

APPLICATIONS & SUBSTRATES

Most common substrates; cement renders, rendered brickwork and blockwork, plasterboard and fibre cement wall sheets.

COLOURS



White

PACKAGING

500 ml TUB



Davco 4 in 1 Grout Additive

Concentrated grout additive



Concentrated grout additive designed to increase the flexibility, strength and water resistance of cement-based grouts

APPLICATIONS & SUBSTRATES

- Suitable for interior & exterior domestic applications
- Ideal for submerged & high foot traffic areas, where a high degree of deformability is required

COLOURS



Dries Clear

PACKAGING

1 L JERRY CAN, 5 L JERRY CAN



Davco Sanitized® Colorgrout

A premium cementitious grout designed for use with most types of ceramic tiles and natural stone

A premium cementitious grout designed for use with most types of ceramic tiles and natural stone applications.

APPLICATIONS & SUBSTRATES

Suitable for interior and exterior applications. Commercial and domestic walls and floors including swimming pools and wet areas.

COLOURS



White 01



Cashmere 67



River Stone 04



Taupe 29



Light Grey 49



Palladium 77



Canvas 69



Mocha 64



Basalt 76



Gunmetal Grey 03



Black 02



PACKAGING

1.5 kg BAG, 5 kg BAG, 15 kg BAG

COMPLIMENTARY COLOUR WITH
Sikasil®-702 All Purpose*

SELECT COLOURS*



Davco Sanitized® Superfine White Grout

A cement-based grout with a resistance to a broad spectrum of moulds and bacteria

A ready to use, white, pre-mixed, flexible, thin bed, internal wall tile adhesive and grout

APPLICATIONS & SUBSTRATES

Commercial and domestic walls including shower, bathroom and laundry walls where a bright white grout is required.

COLOURS



Bright White



PACKAGING

1.5 kg BAG, 5 kg BAG, 20 kg BAG

Davco Easy Grout

A pre-mixed and ready to use wall & floor grout



A ready to use grout suitable for interior and undercover exterior.

APPLICATIONS & SUBSTRATES

Glossy and smooth edge tiles such as ceramic, porcelain and mosaics.

PACKAGING

2 L PAIL
4 L PAIL



COLOURS



Davco Tile & Grout Cleaner

Effectively cleans tile & grout

A specially formulated to clean tough dirt and stains from tiles and grout. Can be used to remove minor efflorescence.

APPLICATIONS & SUBSTRATES

- Ceramic
- Porcelain
- Mosaic
- Quarry & slate tiles

COLOURS



PACKAGING

1 L JERRY CAN



Davco Rejuvenation Grout

Grout colouring for use over existing grout



A ready to use grout designed to be applied over existing grout.

APPLICATIONS & SUBSTRATES


Suitable for glossy and smooth tiles only. Grout joints with at least 1 mm of depth from the existing grout surface to the top of the tile.

PACKAGING

1.7 kg PAILS



COLOURS



Davco Sanitized® Tile & Grout Sealer

Solvent based sealer

A solvent-based sealer that helps protect against stains, soiling, discoloration and efflorescence.

APPLICATIONS & SUBSTRATES

Only suitable for cement-based grouts. Can also be used over most unglazed porous ceramic tiles.

PACKAGING

500 ML CAN



COLOURS



STRUCTURAL GROUTS



SikaGrout® GP AU

General purpose, Class A pumpable, shrinkage compensated cementitious grout

A pumpable, shrinkage-compensated, flowable cementitious Class A grout with extended working time to suit local ambient temperatures.

APPLICATIONS & SUBSTRATES

- Grouting works for machine foundations, anchor bolts etc.
- Precast grouting
- Filling of cavities, gaps, recesses

PACKAGING

20 kg BAG

COLOURS



Grey



STRUCTURAL GROUTS



SikaGrout® HES

High early strength and rapid set cementitious grout

A ready mixed, high quality, Class C shrinkage compensated grout that sets rapidly with high early strength gain.

APPLICATIONS & SUBSTRATES

- Machine base plates
- Anchoring
- Starter bars
- Bridge bearing pads
- Pre-cast panel grouting
- Cavities, gaps and recesses

PACKAGING

20 kg BAG

COLOURS



Grey



SikaGrout® -212 HP AU

Dual shrinkage compensated high strength cementitious grout for applications

A cementitious, non-shrink, high performance grout that expands in two stages in both the plastic and hardened states (class A and C) to counteract the shrinkage associated with cement grouts.

APPLICATIONS & SUBSTRATES

- Machine baseplates
- Anchor bolts
- Pre-cast concrete sections
- Cavities, gaps and recesses
- High performance grouting

PACKAGING

20 kg BAG

COLOURS



Grey



LANKO 701 DuragROUT

Shrinkage compensated Class C structural grout

Shrinkage compensated in both the plastic and hardened state. High strength for precision grouting installations.

APPLICATIONS & SUBSTRATES

- Anchor bolts
- Underpinning walls
- Grouting under heavy machinery, crane rail and conveyor supports
- Under bridge bearings, concrete ducts, precast panels

PACKAGING

5 kg BAG, 20 kg BAG

COLOURS



Grey



SikaGrout® Deep Pour

Cementitious grout for deep pours up to 500mm

A ready mixed, high quality, Portland cement grout that expands in two stages (Class A and C), to counteract the shrinkage normally associated with Portland cement grouts.

APPLICATIONS & SUBSTRATES

- Mass grouting/concreting
- Machine bedplates
- Anchor bolts.
- Bridge bearing pads.
- Pre-cast concrete sections.

PACKAGING

20 kg BAG

COLOURS



Grey



LANKO 702 DurabED

Class A general purpose structural grout

Shrinkage compensated in the plastic state. High compressive and flexural strength.

APPLICATIONS & SUBSTRATES

- Under heavy machinery, column bases, bearing plates
- In fill for cavity blockwalls under precast panels, underpinning walls and conveyor supports
- Suitable for repairing minor flaws in concrete structures

PACKAGING

5 kg BAG, 20 kg BAG

COLOURS



Grey



CONCRETE REPAIR



Sika MonoTop®-352 NFG

R3 light weight, high build concrete repair mortar with corrosion inhibitor

A 1-component, polymer modified, fibre reinforced, low shrinkage light weight repair mortar with corrosion inhibitor meeting the requirement of class R3 of EN 1504-3.

APPLICATIONS & SUBSTRATES

- Repair of spalling & damaged concrete in buildings, bridges, infrastructure & superstructure works.
- Structural strengthening

PACKAGING

20 kg BAG

COLOURS



Grey



Sika MonoTop®-412 NFG

R4 structural repair mortar with corrosion inhibitor

A one component, polymer modified, fibre reinforced, low shrinkage repair mortar with corrosion inhibitor meeting the requirement of class R4 of EN 1504-3.

APPLICATIONS & SUBSTRATES

Suitable for restoration work. Repair of spalling and damaged concrete in buildings, bridges, infrastructure and superstructure works.

PACKAGING

20 kg BAG

COLOURS



Grey



SikaQuick®-2500 AU

Rapid hardening, high strength trafficable repair mortar

A 1-component, cementitious, very rapid hardening, early strength gain concrete repair material.

APPLICATIONS & SUBSTRATES

- Above & below grade on concrete
- Highway overlays and repairs
- Structural repair material for concrete roadways, parking structures, bridges, dams & ramps
- Full depth patching repairs

PACKAGING

20 kg BAG

COLOURS



Grey



Sika MonoTop®-910N

Bonding primer and reinforcement corrosion protection

A cementitious, polymer modified one-component coating material containing silica fume used as bonding primer and reinforcement corrosion protection for reinforcement.

APPLICATIONS & SUBSTRATES

- Anchor bolts
- Underpinning walls
- Grouting under heavy machinery, crane rail and conveyor supports
- Under bridge bearings, concrete ducts, precast panels

PACKAGING

10 kg BAG, 20 kg BAG

COLOURS



Grey



Davco Jetcrete

5 minute flash setting mortar

A dry mixed mortar for rapid repair of concrete, anchorage of bolts and placement of bathroom fittings.

APPLICATIONS & SUBSTRATES

- Repair of concrete damaged by natural wear
- Heat resistant concrete repairs
- Placement of bathroom fittings

PACKAGING

8 kg PAIL

COLOURS



Grey



LANKO 136

Rapid Patching Mortar
For rapid repairs of concrete and masonry

A ready-to-use polymer-modified rapid setting mortar designed for making repairs to concrete and masonry surfaces both externally and internally

APPLICATIONS & SUBSTRATES

- Patching concrete floors prior to floor levelling
- Patching brickwork and rendered walls prior to ceramic tiling

PACKAGING

5 kg BAG

COLOURS



Grey



CONCRETE REPAIR



Davco PM Render

A Polymer modified render

A polymer modified render specially formulated to adhere directly to a variety of substrates insulating polystyrene wall panels

APPLICATIONS & SUBSTRATES

- expanded and extruded polystyrene walling systems
- Blueboard
- Fibre cement sheet
- Brickwork
- Concrete

PACKAGING
20 kg BAG



COLOURS



Off White



Davco Render

A cement-based tile adhesive ideal for rigid substrates

A specifically formulated for interior and exterior applications over a variety of substrates

APPLICATIONS & SUBSTRATES

- Brickwork
- Blockwork
- AAC Blocks
- Concrete

PACKAGING
20 kg BAG



COLOURS



Off White



Sikadur®-52 AU

Low viscosity epoxy resin

A low viscosity, free flowing and fast curing injection resin and primer/coating based on a 2 component solvent free epoxy resin.

APPLICATIONS & SUBSTRATES

- Used to inject and fill cracks between 0.2 - 5 mm wide in a wide variety of constructions

PACKAGING

2KG PT A & 1KG PT B = 3KG KIT
20KG PT A & 10KG PT B = 30KG KIT
(MADE TO ORDER)



COLOURS



Pale straw



Sika® Concrete Fix

High modulus, high-strength, structural, rapid curing epoxy, smooth-paste adhesive

A 2-component, 100% solids, moisture-tolerant, high-modulus, high-strength, structural, smooth-paste epoxy adhesive.

APPLICATIONS & SUBSTRATES

- Concrete elements & blocks
- Hard natural stone
- Ceramics, fibre cement
- Mortar, Bricks, Masonry & render
- Steel, iron, aluminium & wood
- Polyester & epoxy

PACKAGING
1 L KIT




COLOURS



Concrete Grey

CONCRETE REPAIR



LANKO 311 Bricklayers Plasticiser

A plasticising additive for use in bricklayer's mortar



A plasticising additive for use in mortars and sand/cement. It improves the handling characteristics of the mortars.

APPLICATIONS & SUBSTRATES

- To plasticise mortars, renders and other sand/cement mixes
- Eliminates the need for lime
- Improving surface adhesion of renders while still wet

COLOURS



Transparent



PACKAGING

5 L JERRY CAN, 20 L PAIL

LANKO 752 Bondit

A PVA additive



A PVA additive for strengthening cement based products and adhering timber to timber.

APPLICATIONS & SUBSTRATES

- Dustproofing, priming and sealing of concrete surfaces
- Additive for sand and cement mixes for rendering
- Additive in mortars for tiling
- For binding timber to timber

COLOURS



White



PACKAGING

1 L JERRY CAN, 5 L JERRY CAN

LANKO 751 Lankolatex

Rapid-setting concrete ramping & patching mortar



A flexible SBR latex additive for cement mortar systems.

APPLICATIONS & SUBSTRATES

- Screed additive
- Render additive
- Additive in patching and repair mortars
- A bonding coat with neat cement

COLOURS



White



PACKAGING

5 L JERRY CAN

Davco Davelastic

A PVA additive



A concentrated tile adhesive additive designed to increase flexibility, strength and water resistance of cement based products.

APPLICATIONS & SUBSTRATES

- Interior and exterior applications
- In mortar and cement based tile adhesives

COLOURS



White



PACKAGING

1 L JERRY CAN, 5 L JERRY CAN

LANKO 302 Cement Accelerator

Cement accelerating additive



Clear cement accelerating additive for high early strengths of concrete and mortars.

APPLICATIONS & SUBSTRATES

- Bricklayers mortar
- Cement renders
- Concrete mixes
- Cement based tile adhesives

COLOURS



Transparent



PACKAGING

5 L PAIL

Sika® Rugasol C

Concrete surface retarder for horizontal surfaces



A liquid retarder for horizontal construction joints and surfaces for use in cooler conditions or low retardation conditions.

APPLICATIONS & SUBSTRATES

- Floor slabs
- Driveways
- Patios
- Swimming pools
- Footpaths

COLOURS



Clear Red



PACKAGING

5 L JERRY CAN, 10 L JERRY CAN



CONSUMPTION

GENERAL CONSUMPTION CALCULATIONS

JOINT SEALANTS

Joint sealant quantity calculations can be simply established once the joint dimensions are known. Eg. Width of joint, depth of joint.

For example: a 10mm wide and 30mm deep joint has to be filled. This will require a backing rod to adjust the width: depth ratio to 1:1 for joints up to 12mm wide and 2:1 for joints wider than 12mm.

Consumption wise, multiply the width x the depth to give you the millilitres / lineal metre. Eg. 10mm wide x 10mm deep = 100ml of material / lineal metre and 15mm wide x 10mm deep would require 150ml of material / lineal metres.

This calculation works for Sikaflex®, Epoxies, etc. The Elastomeric Joint Sealant guidelines TDS goes into more depth on this subject.

COATINGS

The rule is 1 litre will cover 1m² @ 1mm thickness and all of our data sheets give general information relating to consumption. Some will need to be calculated into litres from kilograms to work out easier.

Eg. If a product has an SG (specific gravity) of 1.8, this means that 1.8kg of the material is equal to 1 litre.

When a data sheet indicates 0.6kg / m² and it is a 10kg kit then you work the coverage out like this:- 10 divided by 0.6 which means a 10kg kit will cover 16.6m² (one coat). In most cases our coatings are 2 or 3 coat systems so you must also multiple this by 2 or 3 depending on coats required.

When we say 5 -7 m² / litre is the consumption, this is displayed like this because of variations in substrate absorption etc and the first coat will always be the highest consumption. For calculations it is sometimes best to pick a middle figure when a range is given eg. 6m² / litre in a 5 - 7 m² / litre consumption range.

Eg: A 14.4 Litre kit of Sikafloor® HS will cover between 72m² and 100.8m² per coat. If the material is applied heavier than the prescribed amount, obviously you will get less m² coverage than indicated and if it is rolled out thinner you will gain more coverage.

For Self Levelling floor screeds the same applies. If you are putting down a 3mm SL, then you will need 3 litres of material / m² but you must take into account the filler in these instances as you can not just apply Sikafloor 261 at that thickness without the Part C Filler. SG's for A+B+C mixes are given on the data sheets.

Finally, it is always best to advise the client of the method which you have used to work out how much he needs and have him check and accept it, because it is not ultimately our job to do these calculations and even if we do calculate them correctly, the actual amount used on the project can differ greatly due to the applicator being heavier or lighter handed on the material.

CALCULATION SUMMARY:

HOW MUCH JOINT SEALANT DO I NEED?

Multiply the width by the depth of the joint to give ml / metre of joint. Eg. 20mm wide joint and 12mm deep = 240ml / lineal metre If you are doing fillet work then the consumption will be half.

WHAT IS THE SURFACE AREA?

Multiply length by width to give surface area Eg. A concrete area 20 metres long and 15 metres wide = 300m² For odd shaped areas it is easier to cut then into smaller sections and add the areas together to give complete area.

HOW FAR WILL THE KIT COVER?

Divide the kit size kgs by the consumption kgs on the data sheet to give kgs / m² Eg. 20kg Sikafloor® 261 as a roll coat with a consumption of 0.6kg / m² will give you 33.3m² of coverage per coat.

HOW DO I CONVERT KG'S TO LITRES?

Once you know the density or SG of the product you can work it out. Divide the kit size kgs by the SG's (Specific Gravity / Density) to arrive at how many litres the kit holds. Eg. 20kg Sikafloor 261 A+B with an SG of 1.36 is calculated by dividing the 20kg by 1.36 to arrive at 14.7 litres (a 20kg Sikafloor® 261 A+B + Pigment yields 14.7 litres)

Another example is Sikabond® T55J 2kg Sausage - T55J has an SG of 1.35 so 2kg divided by 1.35 means the 2kg sausage is 1.48 litres or almost 2.5 x 600ml sausages.

Calculations are an important part of our business. Please ensure that all requirements and variables are taken into consideration when calculating on requirements and once you have arrived at your calculated answers check them again to ensure the figures stack up.

SEALING AND ADHESIVE PRE-TREATMENT CHARTS

Whether working automotive, industrial or construction projects, you are always wanting to achieve long-lasting and high performance sealing and bonding - that starts with the correct surface preparation. Proper surface preparation is critical for achieving maximum adhesion and preventing failures. Our pre-treatment charts provide comprehensive solutions for all major substrates and applications



Scan QR Code to
**ACCESS
THE CHARTS**



ADHESIVES

PRODUCT NAME	I/N	PKG	PAGE
SikaBond® PVA 5L	450729	Jerry Can	4
SikaBond® PVA 1L	450744	Bottle	4
SikaBond® PVA 500ml	450771	Bottle	4
SikaBond® TechGrip 500g	418052	Bottle	4
SikaBond® TechGrip 125g	418051	Bottle	4
SikaBond®-105 ContactFix 500ml	629136	Tin	4
SikaBond®-105 ContactFix 1L	629134	Tin	4
SikaBond®-105 ContactFix 4L	629135	Tin	4
SikaBond® SprayFix 575ml	450399	Can	5
Sikaflex®-11FC+ Black 600ml	569680	Sausage	5
Sikaflex®-11FC+ Black 300ml	641581	Cartridge	5
Sikaflex®-11FC+ Concrete Grey 600ml	569682	Sausage	5
Sikaflex®-11FC+ Concrete Grey 300ml	641582	Cartridge	5
Sikaflex®-11FC+ White 600ml	569681	Sausage	5
Sikaflex®-11FC+ White 300ml	641583	Cartridge	5
Sika® Showerbond 300ml	446506	Cartridge	5
SikaBond® Instant nails FAST 430g	503605	Cartridge	6
SikaBond®-142 Instant Nails Beige 300ml	92557	Cartridge	6
SikaBond®-142 Instant Nails 8x3pk 300ml	529469	Cartridge	6
SikaBond®-142 Instant Nails Trade Pack Beige	421582	Carton	6
SikaBond®-145 Supergrip 310ml	679446	Cartridge	6
SikaBond®-145 Supergrip Beige Trade Pack	421582	Box	6
SikaBond®-115 Max Tack 100g	694347	Tube	7
SikaBond®-115 Max Tack 290ml	694280	Cartridge	7
Sikaflex®-111 Stick & Seal Black 300ml	592240	Cartridge	7
Sikaflex®-111 Stick & Seal Concrete Grey 290ml	592241	Cartridge	7
Sikaflex®-111 Stick & Seal White 290ml	592239	Cartridge	7
Sikaflex®-112 Crystal Clear 290ml	591005	Cartridge	7
SikaBond® FoamFix+ 750ml	452662	Can	8
Sikaflex®-116 High Grab White 290ml	677798	Cartridge	8
Sika® AnchorFix-1 300ml	497844	Cartridge	9
Sika® AnchorFix-3001 250ml	661381	Cartridge	9

SEALANTS

PRODUCT NAME	I/N	PKG	PAGE
Sikasil®-702 Alabaster 300ml	692289	Cartridge	10
Sikasil®-702 Almond Ivory 300ml	692288	Cartridge	10
Sikasil®-702 Beige 300ml	692314	Cartridge	10
Sikasil®-702 Black 300ml	692312	Cartridge	10
Sikasil®-702 Blue Stone 300ml	692310	Cartridge	10
Sikasil®-702 Charcoal 300ml	692313	Cartridge	10
Sikasil®-702 Earth Grey 300ml	692287	Cartridge	10
Sikasil®-702 Grey 300ml	692284	Cartridge	10
Sikasil®-702 Mid Grey 300ml	692283	Cartridge	10
Sikasil®-702 Off White 300ml	692106	Cartridge	10
Sikasil®-702 Pewter 300ml	692286	Cartridge	10
Sikasil®-702 Taupe 300ml	692311	Cartridge	10
Sikasil®-702 Tile Grey 300ml	692285	Cartridge	10
Sikasil®-702 Transparent 300ml	677322	Cartridge	10
Sikasil®-702 White 300ml	692282	Cartridge	10
SikaSeal® Appliance Sealant Black 300ml	512147	Cartridge	11
SikaSeal®-401 Aquarium Clear 75g	510087	Tube	11
Sikasil® Pool Grey 600ml	400539	Sausage	11
Sikasil® Pool Transparent 300ml	150296	Cartridge	11
Sikasil® Pool White 300ml	150295	Cartridge	12
SikaSeal® Acrylic White 310ml	502995	Cartridge	12
SikaSeal® Super Translucent 300ml	502994	Cartridge	12
SikaSeal®-300 Glass & Weather Seal Transparent 300ml	552009	Cartridge	12
SikaHyflex®-250 Facade White 600ml	481391	Sausage	13
SikaHyflex®-250 Facade Black 600ml	481392	Sausage	13
SikaHyflex®-250 Facade Grey 600ml	481393	Sausage	13
SikaSwell® S-2 Oxide Red 600ml	642279	Sausage	13

SEALANTS

PRODUCT NAME	I/N	PKG	PAGE
Sikaflex® PRO Black 600ml	519850	Sausage	13
Sikaflex® PRO Black 310ml	520330	Cartridge	13
Sikaflex® PRO Brick Red 310ml	520454	Cartridge	13
Sikaflex® PRO Concrete Grey 600ml	519842	Sausage	13
Sikaflex® PRO Concrete Grey 310ml	519874	Cartridge	13
Sikaflex® PRO Dark Amber 600ml	520406	Sausage	13
Sikaflex® PRO Dark Grey 600ml	520315	Sausage	13
Sikaflex® PRO Japan Beige 600ml	520323	Sausage	13
Sikaflex® PRO Japan Beige 310ml	520428	Cartridge	13
Sikaflex® PRO Off-White 600ml	520351	Sausage	13
Sikaflex® PRO Pale Brown 600ml	520427	Sausage	13
Sikaflex® PRO Redwood 600ml	520450	Sausage	13
Sikaflex® PRO Sandstone 600ml	520379	Sausage	13
Sikaflex® PRO Sandstone 310ml	520405	Cartridge	13
Sikaflex® PRO White 600ml	519873	Sausage	13
Sikaflex® PRO White 310ml	520286	Cartridge	13

GAP FILLERS

PRODUCT NAME	I/N	PKG	PAGE
Abelflex® Rod filler 10MMx50M	619310	Roll	14
Abelflex® Rod filler 13MMx50M	619311	Roll	14
Abelflex® Rod filler 20MMx50M	619312	Roll	14
Abelflex® Rod filler 6MMx50M	619309	Roll	14
Abelflex® Zip 10MMx100MMx25M	621850	Roll	14
Abelflex® Zip 10MMx50MMx25M	621847	Roll	14
Abelflex® Zip 10MMx75MMx25M	621844	Roll	14
SikaBoom® Cleaner 500ml	776298	Can	15
SikaBoom® G 750ml	78109	Can	15
SikaBoom®-AP 500ml	167290	Can	15
SikaBoom®-AP 750ml	411946	Can	15
SikaFiller®-101 White 250ml	424908	Tube	17
SikaFiller®-101 White 400ml	568264	Tube	17
SikaFiller®-101 White 5L	89047	Pail	17
SikaFiller®-105 Light Grey 250ml	424907	Tube	17
SikaFiller®-105 Light Grey 400ml	568265	Tube	17
SikaFiller®-105 Light Grey 5L	89092	Pail	17
SikaFiller®-107 Blue Grey 250ml	424906	Tube	17
SikaFiller®-107 Blue Grey 400ml	568266	Tube	17

FIRE RATED

PRODUCT NAME	I/N	PKG	PAGE
Sika® Firerate Grey 600ml	92560	Sausage	18
Sika® Firerate Grey 310ml	618615	Cartridge	18
Sikasil®-670 Fire Grey 300ml	649355	Cartridge	18
SikaBoom®-420 Fire 750ml	705526	Can	19
Sikaflex®-400 Fire Grey 600ml	509357	Sausage	19

INDUSTRY

PRODUCT NAME	I/N	PKG	PAGE
Sikaflex®-221 Black 310ml	520339	Cartridge	20
Sikaflex®-221 Black 600ml	538601	Sausage	20
Sikaflex®-221 Grey 310ml	520409	Cartridge	20
Sikaflex®-221 Grey 600ml	538600	Sausage	20
Sikaflex®-221 White 310ml	520359	Cartridge	20
Sikaflex®-221 White 600ml	538599	Sausage	20
Sikaflex®-227 Black 310ml	520356	Cartridge	20
Sikaflex®-227 Black 150ml	599193	Tube	20
Sikaflex®-227 White 150ml	599192	Tube	20
Sikaflex®-227 White 310ml	520280	Cartridge	20
Sikaflex®-252 Black 600ml	7194	Sausage	20
Sikaflex®-252 Black 300ml	559105	Cartridge	20
Sikaflex®-252 White 600ml	1372	Sausage	20
Sikaflex®-252 White 300ml	559095	Cartridge	20
Sikaflex®-258 Black 310ml	682508	Cartridge	21
Sikaflex®-258 Black 600ml	682509	Sausage	21
Sikaflex®-291 Black 310ml	520964	Cartridge	21
Sikaflex®-291 Black 150ml	599200	Tube	21
Sikaflex®-291 White 150ml	599197	Tube	21
Sikaflex®-291 White 310ml	520967	Cartridge	21
Sikaflex®-521 UV White 300ml	54864	Cartridge	21
Sikaflex®-521 UV Light Grey 300ml	62139	Cartridge	21
Sikaflex®-521 UV White 600ml	61352	Sausage	21
Sikaflex®-521 UV Light Grey 600ml	70268	Sausage	21

SURFACE PREPARATION

PRODUCT NAME	I/N	PKG	PAGE
Colma Cleaner 1L	411058	Can	22
Colma Cleaner 20L	411059	Can	22
Sika® Aktivator-100 1L	117570	Bottle	22
Sika® Primer-209D 250ml	113818	Bottle	22
Sika® Primer-206 G+P 250ml	1419	Bottle	23
Sika® Primer-206 G+P 1L	113422	Bottle	23
Sika® Primer-215 250ml	1428	Bottle	23
Sika® Primer-215 1L	117571	Bottle	23
Sika® Primer-3N 250ml	114665	Bottle	23
Sika® Primer-3N 1L	122239	Bottle	23

ACCESSORIES

PRODUCT NAME	I/N	PKG	PAGE
Sika® Sausage Gun WT-250XL	668800	1 Piece	24
Sika® Skeleton Gun	411970	1 Piece	24
Sika® Trade Gun WT-215IH	182101	1 Piece	24
Cartridge Resealable Nozzle	448162	5 Pieces	25
Nozzle for 300ml Cartridge	588359	3 Pieces	25
Sikaflex® Sausage Nozzle	494957	3 Pieces	25
Nozzle for SikaBoom®	493288	3 Pieces	26
Sika® Sausage Gun Spare Kit	505399	1 Piece	26
SikaBoom® 100 Foam Dispenser Gun	755312	1 Piece	26
AnchorFix® Perforated Sleeves	530728	10 Pieces	27
Static Mixer Nozzel for Sika® AnchorFix®-1	60088	5 Pieces	27

WOOD FLOOR BONDING

PRODUCT NAME	I/N	PKG	PAGE
SikaBond® T-55 J Ochre 600ml	519858	Sausage	28
SikaBond® T-55 J Ochre 2kg	520328	Sausage	28
SikaBond® T-55 J Ochre 16kg	90364	Tin	28
SikaBond®-58 Wood Floor 600ml	478842	Sausage	28
SikaBond®-58 Wood Floor 16kg	478843	Pails	28
Sikafloor®-158W Fast Barrier(Part A+B) 18kg	620347	Pails	28
Sikafloor®-158W Fast Barrier (Part A+B) 4.2kg	693827	Pails	28

FLOOR PREPARATION

PRODUCT NAME	I/N	PKG	PAGE
Davco Ultraprime 1L	617821	Jerry can	30
Davco Ultraprime 5L	617822	Jerry can	30
Davco Ultraprime 20L	617823	Pail	30
LANKO 124 Ultraprime 1L	617824	Jerry can	30
LANKO 124 Ultraprime 5L	617825	Jerry can	30
Sikafloor®-14 Prep N Prime 10L	629126	Pail	30
Sika® Eco Systems Eco Screed 20kg	501224	Bag	31
LANKO 189 Bulk Fill Screed 5kg	619099	Bag	31
Sikafloor® Level Pro Primer 5L	480874	Jerry can	31

FLOOR LEVELLING

PRODUCT NAME	I/N	PKG	PAGE
LANKO 173 Floor Leveller 5kg	619094	Bag	32
LANKO 173 Floor Leveller 20kg	615621	Bag	32
Sikafloor® Level-30 20kg	473525	Bag	32
Sikafloor®-4020 FiberLevel 20kg	619637	Bag	32
LANKO 145 Floor Leveller 20kg	817319	Bag	33
Sikafloor® Level TOP 20kg	529468	Bag	33
Sikafloor® Level Ultra 20kg	631148	Bag	33
Sika® Jug 5L	505638	1 Piece	34
SikaLevel® SkimCoat 5kg	684037	Bag	34
Sikafloor®-050 Ramp and Patch 20kg	692996	Bag	34

WATERPROOFING

PRODUCT NAME	I/N	PKG	PAGE
Davco K10 Plus Green 4L	619367	Pail	36
Davco K10 Plus Green 20L	619365	Pail	36
Davco K10 Plus Grey 4L	619368	Pail	36
Davco K10 Plus Grey 20L	619366	Pail	36
Davco K10 Rapid 5L	618623	Pail	36
Davco K10 Rapid 15L	618624	Pail	36
Sikaflex® Fillet Concrete Grey 600ml	498335	Sausage	36
Ormonoid Bitkote No.3 1L	732381	Pail	37
Ormonoid Bitkote No.3 4L	616451	Pail	37
Ormonoid Bitkote No.3 15L	732382	Pail	37
Sikalastic® WPU grey 15L	693022	Pail	37
Sikalastic®-1K 10kg	493661	Bag	37
Sikalastic®-1K 20kg	493659	Pail	37

FLOOR & TILE

PRODUCT NAME	I/N	PKG	PAGE
Davco Ceramacrete Grey 20kg	616458	Bag	38
Davco Ceramacrete Grey 5kg	616459	Bag	38
Davco Supamastic 4L	617516	Pail	38
Davco Supamastic 15L	617517	Pail	38
Davco Ultraflex AU 20kg	618643	Bag	38
Davco Grey One Pot adhesive 1L	617779	Pail	39
Davco Grey One Pot Adhesive 4L	617810	Pail	39
Davco Grey One Pot Adhesive 10L	617811	Pail	39
Davco Powder Mastic 20kg	619262	Bag	39
Davco SMP EVO 5kg	619373	Bag	39
Davco SMP EVO 20kg	619372	Bag	39
Davco 4 in 1 Grout Additive 1L	615819	Jerry can	40
Davco 4 in 1 Grout Additive 5L	616450	Jerry can	40
Davco Sanitized Glue Grout 500ml	617813	Pail	40
Prohesive ProMaxset Plus White 20kg	605833	Bag	40
Davco Sanitized Colorgrout 01 White 1.5kg	615560	Bag	41
Davco Sanitized Colorgrout 01 White 5kg	616707	Bag	41
Davco Sanitized Colorgrout 01 White 15kg	616632	Bag	41
Davco Sanitized Colorgrout 02 Black 1.5kg	615561	Bag	41
Davco Sanitized Colorgrout 02 Black 5kg	616708	Bag	41
Davco Sanitized Colorgrout 03 Gunmetal Grey 1.5kg	615549	Bag	41
Davco Sanitized Colorgrout 03 Gunmetal Grey 5kg	616709	Bag	41
Davco Sanitized Colorgrout 03 Gunmetal Grey 15kg	616634	Bag	41
Davco Sanitized Colorgrout 04 River Stone 1.5kg	615548	Bag	41
Davco Sanitized Colorgrout 04 River Stone 5kg	616711	Bag	41
Davco Sanitized Colorgrout 04 River Stone 15kg	616635	Bag	41
Davco Sanitized Colorgrout 29 Taupe 1.5kg	615434	Bag	41
Davco Sanitized Colorgrout 29 Taupe 15kg	616637	Bag	41
Davco Sanitized Colorgrout 49 Light Grey 1.5kg	615431	Bag	41
Davco Sanitized Colorgrout 49 Light Grey 5kg	616714	Bag	41
Davco Sanitized Colorgrout 49 Light Grey 15kg	616638	Bag	41

FLOOR & TILE

PRODUCT NAME	I/N	PKG	PAGE
Davco Sanitized Colorgrout 64 Mocha 1.5kg	616600	Bag	41
Davco Sanitized Colorgrout 64 Mocha 5kg	616715	Bag	41
Davco Sanitized Colorgrout 64 Mocha 15kg	616639	Bag	41
Davco Sanitized Colorgrout 67 Cashmere 1.5kg	616601	Bag	41
Davco Sanitized Colorgrout 67 Cashmere 5kg	616716	Bag	41
Davco Sanitized Colorgrout 67 Cashmere 15kg	616660	Bag	41
Davco Sanitized Colorgrout 69 Canvas 1.5kg	616603	Bag	41
Davco Sanitized Colorgrout 69 Canvas 5kg	616718	Bag	41
Davco Sanitized Colorgrout 69 Canvas 15kg	616662	Bag	41
Davco Sanitized Colorgrout 76 Basalt 1.5kg	616623	Bag	41
Davco Sanitized Colorgrout 76 Basalt 15kg	616669	Bag	41
Davco Sanitized Colorgrout 77 Palladium 1.5kg	616625	Bag	41
Davco Sanitized Colorgrout 77 Palladium 5kg	616720	Bag	41
Davco Sanitized Colorgrout 77 Palladium 15kg	616670	Bag	41
Davco Sanitized Tile & Grout Sealer 500ml	618639	Tin	41
Davco Superfine White Grout 5kg	619251	Bag	41
Davco Superfine White Grout 1.5kg	619252	Bag	41
Davco Superfine White Grout 10kg	619250	Bucket	41
Davco Superfine White Grout 20kg	619129	Bag	41
Davco Tile & Grout Cleaner 1L	617513	Jerry can	41
Davco Easy Grout Ash Grey 2L	615575	Pail	42
Davco Easy Grout Blackest Black 2L	615578	Pail	42
Davco Easy Grout Bright White 2L	615574	Pail	42
Davco Easy Grout Bright White 4L	615564	Pail	42
Davco Easy Grout Just Beige 2L	615571	Pail	42
Davco Easy Grout Silver Fox 2L	615576	Pail	42

FLOOR & TILE

PRODUCT NAME	I/N	PKG	PAGE
Davco Rejuvenation Grout Antique Lace 1.7kg	618633	Pail	42
Davco Rejuvenation Grout Picket Fence 1.7kg	618629	Pail	42
Davco Rejuvenation Grout Platinum 1.7kg	618632	Pail	42
Davco Rejuvenation Grout Thunderbolt 1.7kg	618631	Pail	42

STRUCTURAL GROUTS

PRODUCT NAME	I/N	PKG	PAGE
SikaGrout® Deep Pour 20kg	411535	Bag	43
SikaGrout® CP AU 20kg	411964	Bag	43
SikaGrout®-212HP AU 20kg	411020	Bag	43
LANKO 701 Duragrout 20kg	619095	Bag	44
LANKO 702 Durabed 5kg	627142	Bag	44
LANKO 702 Durabed 20kg	619096	Bag	44
SikaGrout® HES 20kg	411533	Bag	44

CONCRETE REPAIR

PRODUCT NAME	I/N	PKG	PAGE
Davco Jetcrete 8kg	619291	Pail	45
Davco Jetcrete 12kg	619292	Pail	45
SikaMonoTop-352 NFG 20kg	439443	Bag	45
SikaQuick-2500 AU 20kg	411024	Bag	45
LANKO 136 Rapid Patching Mortar 5kg	619098	Bag	46
SikaMonoTop-412NFG 20kg	439355	Bag	46
SikaMonoTop-910N 10kg	442100	Bag	46
SikaMonoTop-910N 20kg	679806	Bag	46
Lanko 136 Patching Mortar 5kg	619098	Bag	47
Davco PM Render 20kg	619300	Bag	47
SikaConcreteFix 1L	470836	Pail	47
Sikadur-52 AU (A) 20kg	692326	Pail	47
Sikadur-52 AU (B) 1kg	692377	Pail	47
Sikadur-52 AU (A) 2kg	692378	Pail	47
Sikadur-52 AU (B) 10kg	692432	Pail	47
Davco Render 10kg	619371	Bag	48

ADDITIVE

PRODUCT NAME	I/N	PKG	PAGE
LANKO 302 Cement Accelerator 5L	617828	Jerry can	49
LANKO 311 Bricklayers Plasticiser 5L	617829	Jerry can	49
LANKO 311 Bricklayers Plasticiser 20L	617830	Pail	49
LANKO 751 Lankolatex 5L	615624	Jerry can	49
LANKO 751 Lankolatex 20L	615623	Pail	49
Davco Davelastic 1L	617733	Jerry can	50
Davco Davelastic 5L	617734	Jerry can	50
Davco Davelastic 20L	617735	Pail	50
LANKO 752 Bondit 1L	617737	Jerry can	50
LANKO 752 Bondit 5L	617736	Jerry can	50
SikaRugasol C 5L	480621	Jerry can	50
SikaRugasol C 10L	493043	Jerry can	50

THE BEST TRADIES TRUST SIKA



**STAY UP TO DATE
AND SUBSCRIBE
TO THE TOPIC
YOU ARE INTERESTED IN**

sika.com.au
1300 22 33 48



SikaAustralia



sika_australia



Sika Australia

BUILDING TRUST

