Sikaflex[®]-227 Tube



Version	Revision Date:	SDS Number:	Date of last issue: 08.06.2022
2.0	29.01.2025	10000034911	Date of first issue: 08.06.2022

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sikaflex®-227 Tube

Manufacturer or supplier's details

Company	:	Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164
Telephone	:	+61 2 9725 11 45
Emergency telephone number	:	+61 1800 033 111
Telefax	:	+61 2 9725 33 30

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), hydro- treated light	64742-47-8	0 -< 10
Urea,N,N"-(methylenedi-4,1-phenylene)bis[N'-	77703-56-1	>= 0.25 -< 2.5
butyl-		
4,4'-methylenediphenyl diisocyanate	101-68-8	0 -< 1

SECTION 4. FIRST AID MEASURES

General advice	: No hazards which require special first aid measures.	
If inhaled	: Move to fresh air.	
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.	

Sikaflex[®]-227 Tube



Versior 2.0	n Revision Date: 29.01.2025		SDS Number: 100000034911	Date of last issue: 08.06.2022 Date of first issue: 08.06.2022	
In case of eye contact		:	Flush eyes with water as a precaution. Remove contact lenses. Keep eye wide open while rinsing.		
If swallowed		:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.		
a	Most important symptoms and effects, both acute and delayed		No known significant effects or hazards. See Section 11 for more detailed information on health effects and symptoms.		
Ν	Notes to physician		Treat symptomatically.		
SECTION 5. FIREFIGHTING MEASURES					
S	uitable extinguishing media	:	Use extinguishing measures that cumstances and the surrounding		
	Hazardous combustion prod- : ucts		No hazardous combustion produc	ts are known	

Specific extinguishing meth-	:	Standard procedure for chemical fires.
ods		
Special protective equipment	:	In the event of fire, wear self-contained breathing apparatus.
for firefighters		

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	:	For personal protection see section 8.
Environmental precautions :	:	No special environmental precautions required.
Methods and materials for : containment and cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products

Sikaflex[®]-227 Tube



Version 2.0	Revision Date: 29.01.2025		SDS Number: 100000034911	Date of last issue: 08.06.2022 Date of first issue: 08.06.2022
Hygiene measures		:	When using do not eat or drink When using do not smoke.	
Conditions for safe storage		:	Keep container tightly closed in place. Store in accordance with local i	
Materials to avoid		:	No special restrictions on stora	ge with other products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters Components CAS-No. Value type

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis	
Distillates (petroleum), hydro- treated light	64742-47-8	TWA (Mist)	5 mg/m3	AU OEL	
4,4'-methylenediphenyl diiso- cyanate	101-68-8	TWA	0.02 mg/m3 (NCO)	AU OEL	
	Further inform cinogen, Sens		2 (Carc. 2) Suspected	d human car-	
		STEL	0.07 mg/m3 (NCO)	AU OEL	
Appropriate engineering	Use adequate vent exposure		or engineering contro	ols to pre-	
Personal protective equipmer	nt				
Respiratory protection	Respirator se exposure leve	lection must be l	ion wear respiratory p based on known or a of the product and the respirator.	nticipated	
Hand protection :	approved star chemical proc essary. Follow AS/NZ Recommende	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary. Follow AS/NZS 1337.1 Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.			
Eye protection	Safety glasse	S			
Skin and body protection	Protective clo clothing, long Follow AS 22	trousers)	y shoes, long-sleeved	l working	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: paste

Sikaflex[®]-227 Tube



Version 2.0	Revision Date: 29.01.2025		SDS Number: 100000034911	Date of last issue: 08.06.2022 Date of first issue: 08.06.2022
Colour		:	white	
Odour		:	characteristic	
Odour T	Fhreshold	:	No data available	
pН		:	Not applicable	
	point/ range / Freez-	:	No data available	
ing poin Boiling	nt point/boiling range	:	No data available	
Flash po	oint	:	ca. 99.5 °C (211.1 °F) (Method: closed cup)	
Evapora	ation rate	:	No data available	
Flamma	ability (solid, gas)	:	No data available	
	explosion limit / Upper bility limit	:	No data available	
	explosion limit / Lower bility limit	:	No data available	
Vapour	pressure	:	2 hPa	
Relative	e vapour density	:	No data available	
Density		:	ca. 1.24 g/cm3 (23 °C (73 °F))	
Solubilit Wate	ty(ies) er solubility	:	insoluble	
Solu	bility in other solvents	:	No data available	
Partitior octanol/	n coefficient: n-	:	No data available	
	nition temperature	:	No data available	
Decomp	position temperature	:	No data available	
Viscosit Visco	ty osity, dynamic	:	No data available	
Visc	osity, kinematic	:	> 20.5 mm2/s (40 °C (104 °F))	
Explosiv	ve properties	:	No data available	
Oxidizin	ng properties	:	No data available	
Volatile	organic compounds	:	Directive 2010/75/EU of 24 Nove emissions (integrated pollution pr	

Sikaflex[®]-227 Tube



Version	on Revision Date:	SDS Number:	Date of last issue: 08.06.2022
2.0	29.01.2025	100000034911	Date of first issue: 08.06.2022
		Volatile organic compound	s (VOC) content: 8.2% w/w

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	see section 7.
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Components:

4,4'-methylenediphenyl diis Acute oral toxicity	-	anate: LD50 Oral (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50: 1.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement

Skin corrosion/irritation

Not classified due to lack of data.

Components:

Distillates (petroleum), hydro- treated light: Result : Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation

Not classified due to lack of data.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Sikaflex[®]-227 Tube



Version	Revision Date:	SDS Number:	Date of last issue: 08.06.2022	
2.0	29.01.2025	100000034911	Date of first issue: 08.06.2022	

Chronic toxicity

Germ cell mutagenicity Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:	
Urea,N,N''-(methylenedi-4,1-ph Toxicity to fish :	
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic : plants	EC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l Exposure time: 72 h
Persistence and degradability	
No data available	
Bioaccumulative potential No data available	
Mobility in soil No data available	
Other adverse effects	
Product: Additional ecological infor- : mation	There is no data available for this product.

Sikaflex[®]-227 Tube



Version	Revision Date:	SDS Number:	Date of last issue: 08.06.2022
2.0	29.01.2025	10000034911	Date of first issue: 08.06.2022

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Contaminated packaging

: Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR		
UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo	:	Not applicable
aircraft)		
Packing instruction (passen-	:	Not applicable
ger aircraft)		
IMDG-Code		
UN number		Not applicable
Proper shipping name	:	Not applicable
	•	••
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable

Not applicable Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

:

:

Not applicable for product as supplied.

National Regulations

EmS Code

Marine pollutant

ADG		
UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Hazchem Code	:	Not applicable

Special precautions for user

Not applicable

Sikaflex[®]-227 Tube



resionRevision Date.029.01.2025		Date of last issue: 08.06.2022 Date of first issue: 08.06.2022
SECTION 15. REGULATO		
Safety, health and er	าvironmental regulations/legislatio	n specific for the substance or mixture
Therapeutic Goods (P Standard) Instrument	publication to check for s	nber allocated (Please use the original specific uses, specific conditions or ht apply for this chemical)
	Il Weapons Convention (CWC) : hemicals and Precursors Requirements :	Not applicable There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.
The components of t AIIC	this product are reported in the fol : On the inventory, or in c	lowing inventories: ompliance with the inventory
ECTION 16. OTHER INF	ORMATION	
Revision Date Date format	: 29.01.2025 : dd.mm.yyyy	
Full text of other abb		
AU OEL		posure Standards for Airborne Con-
AU OEL / TWA AU OEL / STEL ADG ADR		ort term exposure limit
CAS DNEL EC50	Dangerous Goods by Ro Chemical Abstracts Serv Derived no-effect level Half maximal effective co	oad vice oncentration
DNEL	 Chemical Abstracts Server Derived no-effect level Half maximal effective of Globally Harmonized Sy International Air Transport International Maritime C Median lethal dosis (the 	oad vice oncentration ⁄stem
DNEL EC50 GHS IATA IMDG	 Chemical Abstracts Server Derived no-effect level Half maximal effective constrained and the server Globally Harmonized Sy International Air Transport International Maritime C Median lethal dosis (the once, which causes the test animals) Median lethal concentrational air that kills 50% of the test animals 	oad vice oncentration vstem ort Association ode for Dangerous Goods amount of a material, given all at
DNEL EC50 GHS IATA IMDG LD50	 Chemical Abstracts Servential Derived no-effect levelting Half maximal effective of Globally Harmonized Sy International Air Transport International Maritime C Median lethal dosis (the once, which causes the test animals) Median lethal concentrational is that kills 50% of the test of test of the test of test	oad vice oncentration rstem ort Association ode for Dangerous Goods amount of a material, given all at death of 50% (one half) of a group of tion (concentrations of the chemical in est animals during the observation n for the Prevention of Pollution from

Sikaflex[®]-227 Tube



Version 2.0	Revision Date: 29.01.2025	SDS Number: 100000034911	Date of last issue: 08.06.2022 Date of first issue: 08.06.2022	
REACH		and of the Council of 18 E istration, Evaluation, Auth	/2006 of the European Parliament December 2006 concerning the Reg- porisation and Restriction of Chemi- ng a European Chemicals Agency	
SVHC vPvB	:	 Substances of Very High Concern Very persistent and very bioaccumulative 		

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN