# SikaGrout<sup>®</sup> GP AU



Vers 4.0	ion	Revision Date: 16.01.2025		SDS Number: 000000603616	Date of last issue: 17.06.2022 Date of first issue: 04.01.2016
SEC	CTION 1. P	RODUCT AND COM	PAI	NY IDENTIFICATION	
	Product n	ame	:	SikaGrout <sup>®</sup> GP AU	
	Manufact	urer or supplier's de	etai	S	
	Company		:	Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164	
	Telephone	9	:	+61 2 9725 11 45	
	Emergeno	y telephone number	:	+61 1800 033 111	
	Telefax		:	+61 2 9725 33 30	

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
Skin sensitisation	:	Category 1
Carcinogenicity (Inhalation)	:	Category 1A
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
GHS label elements Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation. H350 May cause cancer by inhalation.
Precautionary statements	:	<b>Prevention:</b> P201 Obtain special instructions before use.

# SikaGrout<sup>®</sup> GP AU



Version 4.0	Revision Date: 16.01.2025	SDS Number: 000000603616	Date of last issue: 17.06.2022 Date of first issue: 04.01.2016			
		<ul> <li>P202 Do not handle until all safety precautions have been read and understood.</li> <li>P261 Avoid breathing dust.</li> <li>P264 Wash skin thoroughly after handling.</li> <li>P271 Use only outdoors or in a well-ventilated area.</li> <li>P272 Contaminated work clothing should not be allowed out of the workplace.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.</li> </ul>				
		and keep comfortable for bre doctor if you feel unwell. P305 + P351 + P338 + P310 water for several minutes. R and easy to do. Continue rin CENTER/ doctor. P308 + P313 IF exposed or attention. P333 + P313 If skin irritation vice/ attention.	Vash with plenty of water. ALED: Remove person to fresh air eathing. Call a POISON CENTER/ D IF IN EYES: Rinse cautiously with emove contact lenses, if present using. Immediately call a POISON concerned: Get medical advice/ n or rash occurs: Get medical ad- minated clothing and wash it before			
		<b>Storage:</b> P403 + P233 Store in a well- tightly closed. P405 Store locked up.	-ventilated place. Keep container			
		Disposal:	ontainer to an approved waste			

Other hazards which do not result in classification None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 30 -< 60
Cement, portland, chemicals	65997-15-1	>= 30 -< 60
Crystalline silica	14808-60-7	>= 0.1 -< 1

#### **SECTION 4. FIRST AID MEASURES**

# SikaGrout<sup>®</sup> GP AU



Version 4.0	Revision Date: 16.01.2025		SDS Number: 000000603616	Date of last issue: 17.06.2022 Date of first issue: 04.01.2016
Gene	eral advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to	the doctor in attendance.
lf inh	aled	:	Move to fresh air. Consult a physician after signi	ificant exposure.
In ca	se of skin contact	:	Take off contaminated clothing Wash off with soap and plenty If symptoms persist, call a phy	of water.
In ca	ise of eye contact	:	sue damage and blindness.	ransport to hospital.
lf sw	allowed	:	Clean mouth with water and d Do not give milk or alcoholic b Never give anything by mouth Obtain medical attention.	
	t important symptoms effects, both acute and yed	:	sensitising effects Cough Respiratory disorder Allergic reactions Excessive lachrymation Dermatitis	n.
Note	s to physician	:	Treat symptomatically.	

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# SikaGrout<sup>®</sup> GP AU



Versi 4.0	on Revision Date: 16.01.2025		SDS Number: 000000603616	Date of last issue: 17.06.2022 Date of first issue: 04.01.2016
	Hazardous combustion prod- ucts	:	No hazardous combustion produc	ts are known
	Specific extinguishing meth- ods	:	Standard procedure for chemical f	ires.
	Special protective equipment for firefighters	:	In the event of fire, wear self-conta	ained breathing apparatus.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
Methods and materials for containment and cleaning up	:	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

#### SECTION 7. HANDLING AND STORAGE

Advice on protection against : fire and explosion	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling :	<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>
Sika 03	Do not breathe vapours/dust.
Hygiene measures :	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

# SikaGrout<sup>®</sup> GP AU



Version 4.0	Revision Date: 16.01.2025		SDS Number: 000000603616	Date of last issue: 17.06.2022 Date of first issue: 04.01.2016
Cond	itions for safe storage	:	Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local re	egulations.
	er information on stor- tability	:	Keep in a dry place. No decomposition if stored and a	applied as directed.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis	
Quartz (SiO2)	14808-60-7	TWA (Res- pirable dust)	0.05 mg/m3	AU OEL	
	Further information: Category 1A (Carc. 1A) Known to have car- cinogenic potential for humans				
Cement, portland, chemicals	65997-15-1	TWA	10 mg/m3	AU OEL	
Crystalline silica	14808-60-7	TWA (Res- pirable dust)	0.05 mg/m3	AU OEL	
	Further information: Category 1A (Carc. 1A) Known to have car- cinogenic potential for humans				

Appropriate engineering controls	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Personal protective equipm	ent	
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. particulate filter P
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary. Follow AS/NZS 1337.1 Recommended: Butyl rubber, PVC, cotton gloves
Eye protection	:	Safety glasses

# SikaGrout<sup>®</sup> GP AU



ersion D	Revision Date: 16.01.2025		SDS Number: 000000603616	Date of last issue: 17.06.2022 Date of first issue: 04.01.2016					
Skin a	nd body protection	:	Protective clothing (e.g. sat clothing, long trousers) Follow AS 2210:3	fety shoes, long-sleeved working					
	CTION 9. PHYSICAL AND CHEMICAL PROPERTIES								
Appea	rance	:	powder						
Colour		:	grey						
Odour		:	very faint						
Odour	Threshold	:	No data available						
рН		:	Not applicable						
Melting ing poi	g point/ range / Freez- int	:	No data available						
Boiling	point/boiling range	:	No data available						
Flash	point	:	Not applicable						
Evapo	ration rate	:	No data available						
Flamm	nability (solid, gas)	:	No data available						
	explosion limit / Upper ability limit	:	No data available						
	explosion limit / Lower ability limit	:	No data available						
Vapou	r pressure	:	No data available						
Relativ	ve vapour density	:	No data available						
Densit	у	:	ca. 1.8 g/cm3 (20 °C (68 °	F))					
	lity(ies) ter solubility	:	insoluble						
Sol	ubility in other solvents	:	No data available						

# SikaGrout<sup>®</sup> GP AU



Versi 4.0	on Revision Date: 16.01.2025		SDS Number: 000000603616	Date of last issue: 17.06.2022 Date of first issue: 04.01.2016
	Partition coefficient: n- octanol/water	:	No data available	
	Auto-ignition temperature	:	No data available	
	Decomposition temperature	:	No data available	
	Viscosity Viscosity, dynamic	:	No data available	
	Viscosity, kinematic	:	Not applicable	
	Explosive properties	:	No data available	
	Oxidizing properties	:	No data available	
	Volatile organic compounds	:	Directive 2010/75/EU of 24 Nove emissions (integrated pollution pr Not applicable	

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	see section 7.
Hazardous decomposition products	:	No hazardous decomposition products are known.

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified due to lack of data.

### Skin corrosion/irritation

Causes skin irritation.

# SikaGrout<sup>®</sup> GP AU



Version 4.0	Revision Date: 16.01.2025	SDS Number: 000000603616	Date of last issue: 17.06.2022 Date of first issue: 04.01.2016
	us eye damage/eye irritat	ion	
	es serious eye damage.		
Respi	iratory or skin sensitisati	on	
	sensitisation		
May c	ause an allergic skin reacti	on.	
-	ratory sensitisation		
Not cl	assified due to lack of data		
Chron	nic toxicity		
Germ	cell mutagenicity		
Not cl	assified due to lack of data		
	nogenicity		
	ause cancer by inhalation.		
-	oductive toxicity		
	assified due to lack of data		
	- single exposure ause respiratory irritation.		
	- repeated exposure		
	assified due to lack of data		
Aspir	ation toxicity		
-	assified due to lack of data		
SECTION	12. ECOLOGICAL INFOR	MATION	
Ecoto	oxicity		
No da	ta available		
Persi	stence and degradability		
No da	ta available		
	cumulative potential		
No da	ta available		
	ity in soil		
	ta available		
Other	adverse effects		
Produ	lct:		

Product:

Additional ecological infor- : There is no data available for this product. mation

### SikaGrout<sup>®</sup> GP AU



Version 4.0	Revision Date: 16.01.2025		SDS Number: 000000603616	Date of last issue: 17.06.2022 Date of first issue: 04.01.2016
SECTION 1	13. DISPOSAL CONS	IDEF	RATIONS	
•	sal methods from residues	:	Send to a licensed waste m	anagement company.
			Do not contaminate ponds, cal or used container.	waterways or ditches with chemi-
Contar	minated packaging	:	Empty remaining contents. Dispose of as unused produ	uct.
			Do not re-use empty contai	ners.

#### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

IA	TA-DGR	

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo	:	Not applicable
aircraft)		
Packing instruction (passen-	:	Not applicable
ger aircraft)		
IMDG-Code		
UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable

# Labers.Not applicableEmS Code:Not applicableMarine pollutant:Not applicable

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **National Regulations**

ADG		
UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable

# SikaGrout<sup>®</sup> GP AU



ersion .0	Revision Date: 16.01.2025		SDS Number: 000000603616		Date of last issue: 17.06.2022 Date of first issue: 04.01.2016
Packi Label	idiary risk ing group Is hem Code	: : :	Not applicable Not applicable Not applicable Not applicable		
•	al precautions for use oplicable	er			
SECTION <sup>·</sup>	15. REGULATORY INF	ORMA			
Thera	y, health and environr peutic Goods (Poisons ard) Instrument	: N pu	o poison schedule ublication to check	num for s	n specific for the substance or mixture ber allocated (Please use the original specific uses, specific conditions or at apply for this chemical)
Sched	ational Chemical Weap lules of Toxic Chemical bition/Licensing Require	s and F		:	Not applicable There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.
The c AICS	omponents of this pro		-		owing inventories: ompliance with the inventory
ECTION	16. OTHER INFORMA	TION			
Revisi	on Date	: 10	6.01.2025		
Date f	ormat	: do	d.mm.yyyy		
Full te	ext of other abbreviati	ons			
AU OE	ΞL		ustralia. Workplace minants.	: Exp	oosure Standards for Airborne Con-
ADG ADR CAS	EL / TWA	<ul> <li>Exposure standard - time weighted average</li> <li>Australian Dangerous Goods Code.</li> <li>European Agreement concerning the International Carriage of Dangerous Goods by Road</li> <li>Chemical Abstracts Service</li> </ul>			
DNEL					oncentration

# SikaGrout<sup>®</sup> GP AU



Version 4.0	Revision Date: 16.01.2025	SDS Number: 000000603616	Date of last issue: 17.06.2022 Date of first issue: 04.01.2016				
		test animals)	stration (concentrations of the chemical in				
LC50			: Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)				
MARF	POL		International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978				
OEL		: Occupational Exposu	•				
PBT		: Persistent, bioaccum	: Persistent, bioaccumulative and toxic				
PNEC	;	: Predicted no effect co	: Predicted no effect concentration				
and of the Council of 18 Dece istration, Evaluation, Authoris			1907/2006 of the European Parliament 18 December 2006 concerning the Reg- Authorisation and Restriction of Chemi- lishing a European Chemicals Agency				
SVHC vPvB	;	<ul><li>Substances of Very F</li><li>Very persistent and v</li></ul>	High Concern				

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN