Metro Mastic Adhesive



been read

| Version | Revision Date: 31.03.2022 | SDS Number: | Date of last issue: - |
|---------|---------------------------|--------------|---------------------------------|
| 1.0 | | 100000042646 | Date of first issue: 31.03.2022 |
| | | | |

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

| Product name | : Metro Mastic Adhesive |
|---------------------------------|---|
| Product code | : 100000042646 |
| Manufacturer or supplier's o | details |
| Company | : Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164 |
| Telephone | : +61 2 9725 11 45 |
| Telefax | : +61 2 9725 33 30 |
| Emergency telephone num- ber | : +61 1800 033 111 |

SECTION 2. HAZARDS IDENTIFICATION

| GHS Classification | |
|---------------------------|--|
| Skin corrosion/irritation | |

| | | • • |
|--|---|---------------------------------|
| Serious eye damage/eye irri- tation | : | Category 1 |
| Skin sensitisation | : | Category 1 |
| Carcinogenicity (Inhalation) | : | Category 1A |
| Specific target organ toxicity - single exposure | : | Category 3 (Respiratory system) |

: Category 2

| GHS label elements Hazard pictograms | | | |
|--|--|--|--|
| Signal word | : Danger | | |
| Hazard statements | H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation. H350 May cause cancer by inhalation. | | |
| Precautionary statements | Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have l and understood. P261 Avoid breathing dust. | | |

Metro Mastic Adhesive



| ersion 0 | Revision Date: 31.03.2022 | SDS Number: 100000042646 | Date of last issue: - Date of first issue: 31.03.2022 | | | |
|-------------|---------------------------|---|---|--|--|--|
| | | the workplace. | in a well-ventilated area. Nothing should not be allowed out of es/ protective clothing/ eye protec- | | | |
| | | Response: P302 + P352 IF ON SKIN: Wash with plenty of water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse. | | | | |
| | | Storage: | | | | |
| | | P403 + P233 Store in a well-ventilated place. Keep co tightly closed. P405 Store locked up. | II-ventilated place. Keep container | | | |
| | | Disposal: | | | | |
| | | P501 Dispose of contents/ disposal plant. | container to an approved waste | | | |

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

: Mixture

| Componen | ts |
|----------|----|
|----------|----|

| Chemical name | CAS-No. | Concentration (% w/w) |
|-----------------------------|------------|-----------------------|
| Quartz (SiO2) | 14808-60-7 | >= 30 -< 60 |
| Cement, portland, chemicals | 65997-15-1 | >= 20 -< 30 |
| Limestone | 1317-65-3 | < 10 |
| Quartz (SiO2) <5µm | 14808-60-7 | >= 0.1 -< 1 |

SECTION 4. FIRST AID MEASURES

General advice

: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

Metro Mastic Adhesive



| Versi 1.0 | on | Revision Date: 31.03.2022 | | SDS Number: 100000042646 | Date of last issue: - Date of first issue: 31.03.2022 | |
|--------------|---|---------------------------|---|---|--|--|
| | lf inhaled | | : | Move to fresh air. Consult a physician after significa | nt exposure. | |
| | In case of skin contact | | : | Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician. | | |
| | In case of eye contact | | : | Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing. | | |
| | If swallowed | | : | Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention. | | |
| | Most important symptoms and effects, both acute and delayed | | : | irritant effects sensitising effects Cough Respiratory disorder Allergic reactions Excessive lachrymation Dermatitis See Section 11 for more detailed and symptoms. Causes skin irritation. May cause an allergic skin reaction Causes serious eye damage. May cause respiratory irritation. May cause cancer by inhalation. | | |
| | Notes to | physician | : | Treat symptomatically. | | |

SECTION 5. FIREFIGHTING MEASURES

| Suitable extinguishing media | : | Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. |
|---|---|--|
| Hazardous combustion prod- ucts | : | No hazardous combustion products are known |
| Specific extinguishing meth- ods | : | Standard procedure for chemical fires. |
| Special protective equipment for firefighters | : | In the event of fire, wear self-contained breathing apparatus. |

Metro Mastic Adhesive



| /ersion I.0 | Revision Date: 31.03.2022 | | SDS Number: 100000042646 | Date of last issue: - Date of first issue: 31.03.2022 |
|---|---|-----|---|--|
| SECTION | 6. ACCIDENTAL RELEA | AS | E MEASURES | |
| tive e | onal precautions, protec- quipment and emer- / procedures | : | Use personal protective equ Deny access to unprotected | • |
| Enviro | onmental precautions | : | Do not flush into surface wa | ter or sanitary sewer system. |
| Methods and materials for : containment and cleaning up | | : | Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal. | |
| SECTION | 7. HANDLING AND STO | OR. | AGE | |
| | e on protection against nd explosion | : | Normal measures for prever | ntive fire protection. |
| Advic | e on safe handling | : | section 8). Do not get in eyes, on skin, For personal protection see Persons with a history of ski | occupational exposure limits (see or on clothing. |

ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Smoking, eating and drinking should be prohibited in the application area.

Follow standard hygiene measures when handling chemical products

| Hygiene measures | : | Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. |
|-----------------------------|---|---|
| Conditions for safe storage | : | Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local regulations. |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parame- ters / Permissible concentration | Basis |
|--|------------|-------------------------------------|--|--------|
| Quartz (SiO2) | 14808-60-7 | TWA (Res- pirable dust) | 0.05 mg/m3 | AU OEL |
| Further information: Category 1A (Carc. 1A) Known to have car- | | | | |



Metro Mastic Adhesive

| Vers 1.0 | ion Revision Date: 31.03.2022 | SDS Nu 1000000 | | Date of last iss Date of first iss | ue: - sue: 31.03.2022 | | |
|---|----------------------------------|---|--|--|--------------------------|--|--|
| | | cinogenic pote | ential for humans | 8 | | | |
| | Cement, portland, chemicals | 65997-15-1 | TWA | 10 mg/m3 | AU OEL | | |
| | Limestone | 1317-65-3 | TWA | 10 mg/m3 (Calcium car- bonate) | AU OEL | | |
| | | | ation: This value < 1% crystalline | e is for inhalable dust silica | containing no | | |
| | Quartz (SiO2) <5µm | 14808-60-7 | TWA (Res- pirable dust) | 0.05 mg/m3 | AU OEL | | |
| | | | Further information: Category 1A (Carc. 1A) Known to have car- cinogenic potential for humans | | | | |
| | Appropriate engineering controls | : Provide approis formed. | Provide appropriate exhaust ventilation at places where dust is formed. | | | | |
| | Personal protective equipment | | | | | | |
| Respiratory protection : In case of inadequate ventil Respirator selection must be exposure levels, the hazard working limits of the selecte | | | lection must be els, the hazards | based on known or a of the product and th | inticipated | | |
| | Hand protection | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary. Follow AS/NZS 1337.1 | | | en handling | | |
| | Eye protection | : Safety glasse | S | | | | |
| | Skin and body protection | : Protective clo clothing, long Follow AS 22 | trousers) | y shoes, long-sleeve | d working | | |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | : | solid |
|--------------------------------------|---|-------------------|
| Colour | : | off-white |
| Odour | : | No data available |
| Odour Threshold | : | No data available |
| рН | : | No data available |
| Melting point/range / Freezing point | : | No data available |
| Boiling point/boiling range | : | No data available |
| Flash point | : | No data available |
| Evaporation rate | : | No data available |

Metro Mastic Adhesive



| Versi 1.0 | on Revision Date: 31.03.2022 | | SDS Number: 100000042646 | Date of last issue: - Date of first issue: 31.03.2022 |
|--------------|---|---|---|--|
| | Flammability (solid, gas) | : | No data available | |
| | | • | | |
| | Upper explosion limit / Upper flammability limit | : | No data available | |
| | Lower explosion limit / Lower flammability limit | : | No data available | |
| | Vapour pressure | : | No data available | |
| | Relative vapour density | : | No data available | |
| | Density | : | No data available | |
| | Bulk density | : | ca. 1.2 g/m3 (23 °C (73 °F)) | |
| | Solubility(ies) Water solubility | : | No data available | |
| | Solubility in other solvents | : | No data available | |
| | Partition coefficient: n- octanol/water | : | No data available | |
| | Auto-ignition temperature | : | No data available | |
| | Decomposition temperature | : | No data available | |
| | Viscosity | | | |
| | Viscosity, dynamic | : | No data available | |
| | Viscosity, kinematic | : | No data available | |
| | Explosive properties | : | No data available | |
| | Oxidizing properties | : | No data available | |
| | Volatile organic compounds | : | Directive 2010/75/EU of 24 Nover emissions (integrated pollution pro Not applicable | |

SECTION 10. STABILITY AND REACTIVITY

| Reactivity | : | No dangerous reaction known under conditions of normal use. |
|---|---|---|
| Chemical stability | : | The product is chemically stable. |
| Possibility of hazardous reac- tions | : | No hazards to be specially mentioned. |
| Conditions to avoid | : | No data available |

Metro Mastic Adhesive



| Version 1.0 | Revision Date: 31.03.2022 | SDS Number: 100000042646 | Date of last issue: - Date of first issue: 31.03.2022 | | | | | |
|----------------|--|-----------------------------|--|--|--|--|--|--|
| Incom | patible materials | : see section 7. | | | | | | |
| SECTION | 11. TOXICOLOGICAL IN | FORMATION | | | | | | |
| | e toxicity assified based on availabl | e information. | | | | | | |
| | Skin corrosion/irritation Causes skin irritation. | | | | | | | |
| | u s eye damage/eye irrita es serious eye damage. | tion | | | | | | |
| Respi | ratory or skin sensitisat | ion | | | | | | |
| _ | sensitisation ause an allergic skin reac | tion. | | | | | | |
| - | ratory sensitisation assified based on availabl | e information. | | | | | | |
| Chror | nic toxicity | | | | | | | |
| | cell mutagenicity assified based on availabl | e information. | | | | | | |

Carcinogenicity May cause cancer by inhalation.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity No data available

Persistence and degradability No data available

Bioaccumulative potential

No data available

Metro Mastic Adhesive



| on Revision Date: 31.03.2022 | | SDS Number: 100000042646 | Date of last issue: - Date of first issue: 31.03.2022 |
|---|---|---|---|
| Mobility in soil | | | |
| Other adverse effects | | | |
| Product: Additional ecological infor- mation | : | There is no data available f | or this product. |
| TION 13. DISPOSAL CONS | DER | ATIONS | |
| Disposal methods | | | |
| Waste from residues | : | Do not contaminate ponds, cal or used container. Send to a licensed waste m | waterways or ditches with chemi- nanagement company. |
| Contaminated packaging | : | Empty remaining contents. Dispose of as unused produ Do not re-use empty contai | |
| | 31.03.2022 Mobility in soil No data available Other adverse effects Product: Additional ecological infor- mation TION 13. DISPOSAL CONS Disposal methods Waste from residues | 31.03.2022 Mobility in soil No data available Other adverse effects Product: Additional ecological infor- mation TION 13. DISPOSAL CONSIDERA Disposal methods Waste from residues | 31.03.2022 100000042646 Mobility in soil No data available Other adverse effects Product: Additional ecological infor- : There is no data available f TION 13. DISPOSAL CONSIDERATIONS Disposal methods Waste from residues : Do not contaminate ponds, cal or used container. Send to a licensed waste m Contaminated packaging : Empty remaining contents. Dispose of as unused products. |

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : No poison schedule number allocated Scheduling of Medicines and Poisons

International Chemical Weapons Convention (CWC) : Not applicable

Metro Mastic Adhesive



| Versio 1.0 | | vision Date: 03.2022 | SDS Number: 100000042646 | Date of last issue: - Date of first issue: 31.03.2022 |
|---------------|---|---|--|--|
| | | Toxic Chemicals an ensing Requiremen | | There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions. |
| | The compone AIIC | - | t are reported in the fol On the inventory, or in c | lowing inventories: ompliance with the inventory |
| SEC | TION 16. OTH | | I | |
| | Revision Date Date format | : | 31.03.2022 dd.mm.yyyy | |
| | Full text of ot | her abbreviations | | |
| | AU OEL | : | • | posure Standards for Airborne Con- |
| | AU OEL / TW/ ADG ADR CAS DNEL EC50 GHS IATA IMDG LD50 LC50 MARPOL OEL PBT PNEC REACH | A : | taminants. Exposure standard - time weighted average Australian Dangerous Goods Code. European Agreement concerning the International Carriage of Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals) Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period) International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978 Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- | |
| | SVHC vPvB | : | istration, Evaluation, Aut | thorisation and Restriction of Chemi- ing a European Chemicals Agency h Concern |

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

Metro Mastic Adhesive



Version Revision Date: 1.0 31.03.2022

SDS Number: 100000042646

Date of last issue: -Date of first issue: 31.03.2022

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN