Lanko 110 Skim Coat



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.02.2022	10000041762	Date of first issue: 20.02.2022

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Eanko 110 Skim Coat
: 100000041762
details
: Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164
: +61 2 9725 11 45
: +61 2 9725 33 30
: +61 1800 033 111

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification		Category 1
Germ cell mutagenicity	:	Category 2
Carcinogenicity (Inhalation)	:	Category 1A
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H317 May cause an allergic skin reaction. H341 Suspected of causing genetic defects. H350 May cause cancer by inhalation.
Precautionary statements	:	 Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P261 Avoid breathing dust. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
		Response: P302 + P352 IF ON SKIN: Wash with plenty of water. P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Lanko 110 Skim Coat



Version 1.0	Revision Date: 20.02.2022	SDS Number: 100000041762	Date of last issue: - Date of first issue: 20.02.2022
		P333 + P313 If skin irritatio vice/ attention.	on or rash occurs: Get medical ad- taminated clothing and wash it before
		Storage: P405 Store locked up.	
		Disposal:	

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Limestone	1317-65-3	>= 60 -<= 100
calcium sulfate	7778-18-9	< 10
2,3-epoxypropyl neodecanoate	26761-45-5	>= 1 -< 2.5
Quartz (SiO2) <5µm	14808-60-7	>= 0.1 -< 1
cristobalite	14464-46-1	>= 0.1 -< 1

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	:	sensitising effects Allergic reactions See Section 11 for more detailed information on health effects
		2/10

Lanko 110 Skim Coat



Version 1.0	Revision Date: 20.02.2022		SDS Number: 100000041762	Date of last issue: - Date of first issue: 20.02.2022
			and symptoms. May cause an allergic skin reactic Suspected of causing genetic def May cause cancer by inhalation.	
Note	s to physician	:	Treat symptomatically.	
SECTION	5. FIREFIGHTING MEA	SU	RES	
Suita	ble extinguishing media	:	Use extinguishing measures that cumstances and the surrounding	
Haza ucts	ardous combustion prod-	:	No hazardous combustion produc	ets are known
Spec ods	ific extinguishing meth-	:	Standard procedure for chemical	fires.
	cial protective equipment refighters	:	In the event of fire, wear self-cont	ained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
Environmental precautions :	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for : containment and cleaning up	:	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap-
		3 / 10

Lanko 110 Skim Coat



Version 1.0	Revision Date: 20.02.2022		SDS Number: 100000041762	Date of last issue: - Date of first issue: 20.02.2022
			plication area. Follow standard hygiene measur products	es when handling chemical
Hygie	ne measures	:	Handle in accordance with good practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and a	
Condi	tions for safe storage	:	Store in original container. Keep container tightly closed in a place. Observe label precautions. Store in accordance with local re	
Furthe age st	er information on stor- ability	:	Keep in a dry place. No decomposition if stored and a	applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components CAS-No. Value type Control parame-Basis (Form of ters / Permissible concentration exposure) 1317-65-3 TWA 10 mg/m3 AU OEL Limestone (Calcium carbonate) Further information: This value is for inhalable dust containing no asbestos and < 1% crystalline silica calcium sulfate 7778-18-9 TWA 10 mg/m3 AU OEL Further information: This value is for inhalable dust containing no asbestos and < 1% crystalline silica Quartz (SiO2) <5µm 14808-60-7 TWA (Res-AU OEL 0.05 mg/m3 pirable dust) Further information: Category 1A (Carc. 1A) Known to have carcinogenic potential for humans 0.05 mg/m3 AU OEL cristobalite 14464-46-1 TWA (Respirable dust) Further information: Category 1A (Carc. 1A) Known to have carcinogenic potential for humans Appropriate engineering Avoid dust formation. Provide appropriate exhaust ventilation at places where dust controls is formed. **Personal protective equipment** Respiratory protection In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. particulate filter P

Components with workplace control parameters

Lanko 110 Skim Coat



Versio 1.0	n Revision Date: 20.02.2022		SDS Number: 100000041762	Date of last issue: - Date of first issue: 20.02.2022
Hand protection		:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary. Follow AS/NZS 1337.1 Recommended: Butyl rubber, PVC, cotton gloves	
E	Eye protection	:	Safety glasses	
ç	Skin and body protection	:	Protective clothing (e.g. saf clothing, long trousers) Follow AS 2210:3	ety shoes, long-sleeved working

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	grey
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	ca. 1.30 g/cm3 (20 °C (68 °F))
Solubility(ies) Water solubility	:	No data available
Solubility in other solvents	:	No data available
		5 / 10

Lanko 110 Skim Coat



Version 1.0	Revision Date: 20.02.2022		SDS Number: 100000041762	Date of last issue: - Date of first issue: 20.02.2022
	tition coefficient: n- anol/water	:	No data available	
	p-ignition temperature	:	No data available	
Dec	composition temperature	:	No data available	
	cosity /iscosity, dynamic	:	No data available	
١	/iscosity, kinematic	:	No data available	
Exp	losive properties	:	No data available	
Oxi	dizing properties	:	No data available	
Vola	atile organic compounds	:	Directive 2010/75/EU of 24 Nove emissions (integrated pollution pr Volatile organic compounds (VO	revention and control)

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	see section 7.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity Not classified based on available information.

Components:		
calcium sulfate: Acute oral toxicity	: LD50 Oral (Rat): > 5,000 mg/	kg
2,3-epoxypropyl neodeca Acute oral toxicity	noate: : LD50 Oral (Rat): 9,600 mg/kg	J
Acute dermal toxicity	: LD50 Dermal (Rat): 3,800 mg	J/kg

Skin corrosion/irritation

Not classified based on available information.

Lanko 110 Skim Coat



VersionRevision Date:SDS Number:Date of last issue: -1.020.02.2022100000041762Date of first issue: 20.02.2022	2
---	---

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Chronic toxicity

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity May cause cancer by inhalation.

Reproductive toxicity Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

2,3-epoxypropyl neodecanoate:

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 3.5 mg/l Exposure time: 48 h

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product.

Lanko 110 Skim Coat



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.02.2022	10000041762	Date of first issue: 20.02.2022

mation

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	:	Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

not applicable for product as supp

National Regulations

ADG Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legis Standard for the Uniform : No poison schedul Scheduling of Medicines and Poisons	-
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors Prohibition/Licensing Requirements	 Not applicable There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.

Lanko 110 Skim Coat



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.02.2022	10000041762	Date of first issue: 20.02.2022

The components of this product are reported in the following inventories:

AIIC : Listed introduction

SECTION 16. OTHER INFORMATION

Revision Date	:	20.02.2022
Date format	:	dd.mm.yyyy
Full text of other abbreviation	ons	
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Con- taminants.
AU OEL / TWA	:	Exposure standard - time weighted average
ADG	:	Australian Dangerous Goods Code.
ADR	÷	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	÷	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

Lanko 110 Skim Coat



VersionRevision Date:SDS Number:Date of last issue: -1.020.02.2022100000041762Date of first issue: 20.02.2022

AU / EN