Sikasil[®] SG-500 CN Part B



Version 3.0	Revision Date: 21.01.2025	SDS Number: 000000607593	Date of last issue: 24.11.2021 Date of first issue: 18.08.2018
SECTION	1. PRODUCT AND COM	IPANY IDENTIFICATION	
Prod	uct name	Sikasil [®] SG-500 CN Part B	
Manı	ufacturer or supplier's d	letails	
Com	pany	: Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164	
Telep	phone	: +61 2 9725 11 45	
Eme	rgency telephone number	· : +61 1800 033 111	
Telef	ax	: +61 2 9725 33 30	

Recommended use of the chemical and restrictions on use

Product use	:	Catalyst for 2 Comp. sealants/adhesives.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Serious eye damage/eye irri- tation	:	Category 1
Skin sensitisation	:	Category 1
Short-term (acute) aquatic hazard	:	Category 3
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H402 Harmful to aquatic life.
Precautionary statements	:	Prevention: P261 Avoid breathing mist or vapours. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/ eye protection/ face protection.

Sikasil[®] SG-500 CN Part B



3.0 21.01.2025 00000607593 Date of first is:	
	sue: 18.08.2018

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
tetraethyl silicate	78-10-4	>= 10 -< 20
N-[3-(triethoxysilyl)propyl]ethylenediamine	5089-72-5	>= 3 -< 10
trimethoxyvinylsilane	2768-02-7	>= 1 -< 10
Silicic acid (H4SiO4), tetraethyl ester, reaction products with bis(acetyloxy)dibutylstannane	93925-42-9	>= 0.25 -< 0.3

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
		2 / 10

Sikasil[®] SG-500 CN Part B



Version 3.0	Revision Date: 21.01.2025	SDS Number: 000000607593	Date of last issue: 24.11.2021 Date of first issue: 18.08.2018			
If swallowed		Do not give milk or alco Never give anything by	 Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention. 			
Most important symptoms : and effects, both acute and delayed		: Allergic reactions Excessive lachrymation See Section 11 for more and symptoms. May cause an allergic s Causes serious eye dar irritant effects sensitising effects	e detailed information on health effects kin reaction.			
Notes	to physician	: Treat symptomatically.				

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth- ods	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against	:	Normal measures for preventive fire protection.
fire and explosion		

Sikasil[®] SG-500 CN Part B



Version 3.0	Revision Date: 21.01.2025	SDS Number: 000000607593	Date of last issue: 24.11.2021 Date of first issue: 18.08.2018
Advi	ce on safe handling	section 8). Do not get in eyes, on skin, For personal protection see Persons with a history of sk ma, allergies, chronic or rec not be employed in any pro- used. Smoking, eating and drinkin plication area.	
	ene measures ditions for safe storage	practice. When using do not eat or dr When using do not smoke. Wash hands before breaks	and at the end of workday. ed in a dry and well-ventilated

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
tetraethyl silicate	78-10-4	TWA	10 ppm 85 mg/m3	AU OEL

Occupational exposure limits of decomposition products

:

:

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
ethanol	64-17-5	TWA	1,000 ppm 1,880 mg/m3	AU OEL
methanol	67-56-1	TWA	200 ppm 262 mg/m3	AU OEL
	Further information: Skin absorption			
		STEL	250 ppm 328 mg/m3	AU OEL

Appropriate engineering controls

Use adequate ventilation and/or engineering controls to prevent exposure to vapours.

Personal protective equipment

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Sikasil[®] SG-500 CN Part B



Versio 3.0	on Revision Date: 21.01.2025	SDS Number:Date of last issue: 24.000000607593Date of first issue: 18.	
Hand protection		 Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when hand chemical products if a risk assessment indicates this is ne essary. Follow AS/NZS 1337.1 Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed. 	
	Eye protection	: Safety glasses	
	Skin and body protection	: Protective clothing (e.g. safety shoes, long-sleeved worki clothing, long trousers) Follow AS 2210:3	ng

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	paste
Colour	:	black
Odour	:	very faint
Odour Threshold	:	No data available
рН	:	ca. 8 - 10 Concentration: 100 %
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Burning rate	:	> 120 s Method: UN-Test N1
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	0.01 hPa
Relative vapour density	:	No data available
Density	:	ca. 1.08 g/cm3 (20 °C (68 °F))

Sikasil[®] SG-500 CN Part B



Versio 3.0	n Revision Date: 21.01.2025		SDS Number: 000000607593	Date of last issue: 24.11.2021 Date of first issue: 18.08.2018
:	Solubility(ies) Water solubility	:	No data available	
	Solubility in other solvents	:	No data available	
	Partition coefficient: n- octanol/water	:	No data available	
	Auto-ignition temperature	:	No data available	
I	Decomposition temperature	:	No data available	
,	Viscosity Viscosity, dynamic	:	> 250,000 mPa.s (ca. 20 °C (68 °	'F))
	Viscosity, kinematic	:	> 20.5 mm2/s (40 °C (104 °F))	
I	Explosive properties	:	No data available	
(Oxidizing properties	:	No data available	
	Volatile organic compounds	:	Directive 2010/75/EU of 24 Nove emissions (integrated pollution pr Volatile organic compounds (VO0	evention and control)

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	see section 7.
Hazardous decomposition products	:	ethanol methanol

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity	[data	
Components:	uata.	
trimethoxyvinylsilane: Acute oral toxicity	: LD50 Oral (Rat): ca. 7,120 mg/kg	
Acute inhalation toxicity	: LC50: ca. 16.8 mg/l	
	6 / 10	

Sikasil[®] SG-500 CN Part B



Version 3.0	Revision Date: 21.01.2025	SDS Number: 000000607593	Date of last issue: 24.11.2021 Date of first issue: 18.08.2018
		Exposure time: 4 h Test atmosphere: vapour	
Acute	dermal toxicity	: LD50: 3,540 mg/kg	
	acid (H4SiO4), tetraeth oral toxicity	yl ester, reaction products w : LD50 Oral (Rat): 1,000 mg/l	ith bis(acetyloxy)dibutylstannane: ^{kg}
	corrosion/irritation assified due to lack of dat	a.	
	u s eye damage/eye irrit a es serious eye damage.	ation	
Respi	ratory or skin sensitisa	tion	
	sensitisation ause an allergic skin read	tion.	
-	ratory sensitisation assified due to lack of dat	a.	
Chror	nic toxicity		
	cell mutagenicity assified due to lack of dat	a.	
	n ogenicity assified due to lack of dat	a.	
-	ductive toxicity assified due to lack of dat	a.	
	- single exposure assified due to lack of dat	a.	
	- repeated exposure assified due to lack of dat	a.	
-	ation toxicity assified due to lack of dat	а.	
SECTION	12. ECOLOGICAL INFO	RMATION	
Ecoto	xicity		

Components: N-[3-(triethoxysilyl)propyl]ethylenediamine: Toxicity to fish (Chronic tox-icity) icity) LC50 (Danio rerio (zebra fish)): 597 mg/l Exposure time: 96 h

Sikasil[®] SG-500 CN Part B



ersion)	Revision Date: 21.01.2025	SDS Number: 000000607593	Date of last issue: 24.11.2021 Date of first issue: 18.08.2018
	stence and degradabilit	y	
Bioac	cumulative potential ta available		
	ity in soil ta available		
Other	adverse effects		
<u>Produ</u> Additio matior	onal ecological infor-	: There is no data available fo	or this product.
ECTION	13. DISPOSAL CONSIDI	ERATIONS	
Dispo	osal methods		
-	e from residues	: Send to a licensed waste ma	anagement company.
		courses or the soil.	allowed to enter drains, water waterways or ditches with chemi-

Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR UN/ID No. Proper shipping name Class Subsidiary risk Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)		Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
IMDG-Code UN number Proper shipping name Class Subsidiary risk Packing group	:	Not applicable Not applicable Not applicable Not applicable Not applicable



Sikasil[®] SG-500 CN Part B

Version 3.0	Revision Date: 21.01.2025	SDS Number: 000000607593	Date of last issue: 24.11.2021 Date of first issue: 18.08.2018
	s Code le pollutant	Not applicableNot applicableNot applicable	
	sport in bulk according pplicable for product as	g to Annex II of MARPOL 73/78 supplied.	and the IBC Code
Natio	onal Regulations		
Prop Clas Subs Pack Labe	number per shipping name s sidiary risk king group	 Not applicable 	
-	ial precautions for use	r	
Not a	pplicable		
Safet	15. REGULATORY INI	nental regulations/legislation s	specific for the substance or mixture er allocated (Please use the original
	lard) Instrument		ecific uses, specific conditions or

International Chemical Weapons Convention (CWC)	:	Not applicable
Schedules of Toxic Chemicals and Precursors		
Prohibition/Licensing Requirements	:	There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula-

tions.

The components of this product are reported in the following inventories:AIIC: On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION : 21.01.2025 **Revision Date** Date format dd.mm.yyyy : Full text of other abbreviations AU OEL Australia. Workplace Exposure Standards for Airborne Con-: taminants. AU OEL / TWA Exposure standard - time weighted average : AU OEL / STEL Exposure standard - short term exposure limit :

Sikasil[®] SG-500 CN Part B



Version 3.0	Revision Date: 21.01.2025		SDS Number: 000000607593	Date of last issue: 24.11.2021 Date of first issue: 18.08.2018	
ADG ADR		:	Australian Dangerous Goods Code. European Agreement concerning the International Carriage of Dangerous Goods by Road		
CAS		:	Chemical Abstracts Service		
DNEL		:	Derived no-effect level		
EC50		:	Half maximal effective concer	ntration	
GHS		:	Globally Harmonized System		
IATA		:	International Air Transport As		
IMDG		:	International Maritime Code f		
LD50		:	: Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)		
LC50		:	: Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)		
MARPO	DL	: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978			
OEL		: Occupational Exposure Limit			
PBT			nd toxic		
PNEC		: Predicted no effect concentration		tion	
REACH	1	:	and of the Council of 18 Dece istration, Evaluation, Authoris	06 of the European Parliament ember 2006 concerning the Reg- ation and Restriction of Chemi- European Chemicals Agency	
SVHC		:	: Substances of Very High Concern		
vPvB		:	Very persistent and very bioa	ccumulative	

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN