Sikaflex[®]-529 Evolution



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.05.2023	10000029300	Date of first issue: 30.05.2023

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name:Sikaflex®-529 EvolutionManufacturer or supplier's detailsSika Australia Pty. Ltd.
S5 Elizabeth Street
Wetherill Park, NSW 2164Telephone:+61 2 9725 11 45Emergency telephone number:+61 1800 033 111Telefax:+61 2 9725 33 30

Recommended use of the chemical and restrictions on use

Product use : Sealant/adhesive

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Urea,N,N"-(methylenedi-4,1-phenylene)bis[N'-	77703-56-1	>= 0.25 -< 2.5
butyl-		
trimethoxyvinylsilane	2768-02-7	0 -< 1
bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	52829-07-9	>= 0.025 -< 0.25

SECTION 4. FIRST AID MEASURES

General advice	:	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.

Sikaflex[®]-529 Evolution



Version 1.0	Revision Date: 30.05.2023		SDS Number: 100000029300	Date of last issue: - Date of first issue: 30.05.2023
In case of skin contact :		:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.	
In cas	In case of eye contact		Flush eyes with water as a precaution. Remove contact lenses. Keep eye wide open while rinsing.	
lf swa	If swallowed		Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.	
	important symptoms ffects, both acute and ed	:	No known significant effects or h See Section 11 for more detailed and symptoms.	
Notes	s to physician	:	Treat symptomatically.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth- ods	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	:	For personal protection see section 8.
Environmental precautions :	:	No special environmental precautions required.
Methods and materials for : containment and cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Do not get in eyes, on skin, or on clothing.

Sikaflex[®]-529 Evolution



Version 1.0	Revision Date: 30.05.2023		SDS Number: 100000029300	Date of last issue: - Date of first issue: 30.05.2023
			For personal protection see sec Follow standard hygiene measu products	
Hygiene measures		:	Handle in accordance with good practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and	
Conditions for safe storage :		:	Keep container tightly closed in place. Store in accordance with local re	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis	
methanol	67-56-1	TŴA	200 ppm 262 mg/m3	AU OEL	
	Further infor	mation: Skin abso	orption		
		STEL	250 ppm 328 mg/m3	AU OEL	
Appropriate engineering controls	•	ite ventilation and ire to vapours.	d/or engineering contro	ols to pre-	
Personal protective equip	ment				
Respiratory protection Hand protection	Respirator s exposure le working limi	vels, the hazards ts of the selected	based on known or a of the product and th I respirator.	e safe	
·	approved st chemical pro essary. Follow AS/N Recommend	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary. Follow AS/NZS 1337.1 Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.			
Eye protection	: Safety glass	ses			
Skin and body protection	: Protective c clothing, lon		ty shoes, long-sleeved	d working	

Sikaflex[®]-529 Evolution



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.05.2023	100000029300	Date of first issue: 30.05.2023

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	paste
Colour	:	various
Odour	:	slight
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/range / Freezing	:	No data available
point Boiling point/boiling range	:	No data available
Flash point	:	103 °C (217 °F) (Method: closed cup)
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	0.01 hPa
Relative vapour density	:	No data available
Density	:	ca. 1.48 g/cm3 (20 °C (68 °F))
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n-	:	No data available
octanol/water Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	> 20.5 mm2/s (40 °C (104 °F))
Explosive properties	:	No data available

Sikaflex[®]-529 Evolution



Version 1.0	Revision Date: 30.05.2023		SDS Number: 100000029300	Date of last issue: - Date of first issue: 30.05.2023
O	xidizing properties	:	No data available	
Vo	Volatile organic compounds		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0% w/w	
SECTI	ON 10. STABILITY AND RE	AC	ΤΙVΙΤΥ	
Re	eactivity	:	No dangerous reaction known ur	nder conditions of normal use.
CI	hemical stability	:	The product is chemically stable.	
	ossibility of hazardous reac- ons	:	No hazards to be specially menti	ioned.
Co	onditions to avoid	:	No data available	
In	compatible materials	:	see section 7.	

No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

<u>Components:</u>		
trimethoxyvinylsilane: Acute oral toxicity	:	LD50 Oral (Rat): ca. 7,120 mg/kg
Acute inhalation toxicity	:	LC50: ca. 16.8 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	:	LD50: 3,540 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Sikaflex[®]-529 Evolution



Version	Revision Date: 30.05.2023	SDS Number:	Date of last issue: -
1.0		100000029300	Date of first issue: 30.05.2023

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Urea,N,N''-(methylenedi-4,1- Toxicity to fish		enylene)bis[N'-butyl-: LC50 (Brachydanio rerio (zebrafish)): > 250 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l Exposure time: 72 h

bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate:

	-	
M-Factor (Acute aquatic tox-	:	1
icity)		

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

Sikaflex[®]-529 Evolution



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.05.2023	10000029300	Date of first issue: 30.05.2023

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	:	Send to a licensed waste management company.
		Do not contaminate ponds, waterways or ditches with chemi- cal or used container.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product.
		Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR		
UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo	:	Not applicable
aircraft)		
Packing instruction (passen-	:	Not applicable
ger aircraft)		
IMDG-Code		
UN number		Not applicable
Proper shipping name		Not applicable
Class		Not applicable
elace		
Subsidiary risk	:	••
Subsidiary risk Packing group	:	Not applicable
Packing group	:	Not applicable Not applicable
Packing group Labels	:	Not applicable Not applicable Not applicable
Packing group	· · ·	Not applicable Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG		
UN number	:	Not applicable
Proper shipping name		Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Hazchem Code	:	Not applicable

Sikaflex[®]-529 Evolution



Version	Revision Date: 30.05.2023	SDS Number:	Date of last issue: -
1.0		10000029300	Date of first issue: 30.05.2023
Speci	al precautions for user		

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : No poison schedul Scheduling of Medicines and Poisons	le number allocated
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors Prohibition/Licensing Requirements	 Not applicable There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of
	the model WHS Act and Regula- tions.

The components of this product are reported in the following inventories:

AIIC

: All components are listed on the inventory, regulatory obligations/restrictions apply

SECTION 16. OTHER INFORMATION

Revision Date Date format	:	30.05.2023 dd.mm.yyyy	
Full text of other abbreviation	ons		
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Con- taminants.	
AU OEL / TWA AU OEL / STEL ADG ADR	:	Exposure standard - time weighted average Exposure standard - short term exposure limit Australian Dangerous Goods Code. European Agreement concerning the International Carriage of	
CAS DNEL EC50 GHS IATA IMDG LD50		Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)	
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation	
MARPOL	:	period) International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978	
8 / 9			

Sikaflex[®]-529 Evolution



Version 1.0	Revision Date: 30.05.2023		SDS Number: 100000029300	Date of last issue: - Date of first issue: 30.05.2023
OEL PBT PNEC REACH		:	Occupational Exposure Limit Persistent, bioaccumulative and Predicted no effect concentratio Regulation (EC) No 1907/2006 of and of the Council of 18 Deceml istration, Evaluation, Authorisatio	n of the European Parliament ber 2006 concerning the Reg-
SVHC vPvB		:	cals (REACH), establishing a Eu Substances of Very High Conce Very persistent and very bioaccu	rn

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN