# SikaForce®-7800 (B)



Version	Revision Date: 01.07.2022	SDS Number:	Date of last issue: 19.04.2021
3.0		100000005942	Date of first issue: 28.05.2015

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	: SikaForce <sup>®</sup> -7800 (B)
Product code	: 10000005942
Manufacturer or supplier's o	details
Company	: Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164
Telephone	: +61 2 9725 11 45
Telefax	: +61 2 9725 33 30
Emergency telephone num- ber	: +61 1800 033 111
Recommended use of the c	hemical and restrictions on use
Product use	: Sealant/adhesive

### **SECTION 2. HAZARDS IDENTIFICATION**

### **GHS Classification**

Acute toxicity (Inhalation)	:	Category 4
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 2A
Respiratory sensitisation	:	Category 1
Skin sensitisation	:	Category 1
Carcinogenicity	:	Category 2
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
Specific target organ toxicity - repeated exposure (Inhalation)	:	Category 2
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger

# SikaForce<sup>®</sup>-7800 (B)



Version Revision Date: 3.0 01.07.2022		SDS Number:Date of last issue: 19.04.202100000005942Date of first issue: 28.05.201			
Hazard statements		difficulties if inhaled. H335 May cause respirato H351 Suspected of causin	jic skin reaction. irritation. or asthma symptoms or breathing ory irritation. ng cancer. to organs through prolonged or re-		
Preca	utionary statements	and understood. P260 Do not breathe mist P264 Wash skin thorough P271 Use only outdoors o P272 Contaminated work the workplace.	all safety precautions have been read or vapours. ly after handling. r in a well-ventilated area. clothing should not be allowed out of /es/ protective clothing/ eye protec- ng protection.		
		<ul> <li>P304 + P340 + P312 IF IN and keep comfortable for b doctor if you feel unwell.</li> <li>P305 + P351 + P338 IF IN for several minutes. Remo easy to do. Continue rinsin P308 + P313 IF exposed of attention.</li> <li>P333 + P313 IF skin irritation vice/ attention.</li> <li>P337 + P313 If skin irritation tention.</li> <li>P342 + P311 If experiencia POISON CENTER/ doctor</li> </ul>	or concerned: Get medical advice/ on or rash occurs: Get medical ad- on persists: Get medical advice/ at- ng respiratory symptoms: Call a		
		tightly closed. P405 Store locked up. <b>Disposal:</b>	ell-ventilated place. Keep container / container to an approved waste		

# SikaForce®-7800 (B)



Version	Revision Date:	SDS Number:	Date of last issue: 19.04.2021
3.0	01.07.2022	10000005942	Date of first issue: 28.05.2015

#### Other hazards which do not result in classification

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	>= 60 -<= 100

#### SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	:	irritant effects sensitising effects Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Headache Dermatitis See Section 11 for more detailed information on health effects and symptoms. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.

# SikaForce®-7800 (B)



Version 3.0	Revision Date: 01.07.2022		SDS Number: 10000005942	Date of last issue: 19.04.2021 Date of first issue: 28.05.2015	
			May cause respiratory irrita Suspected of causing canc May cause damage to orga exposure if inhaled.		
Notes	s to physician	:	Treat symptomatically.		
SECTION	5. FIREFIGHTING MEA	SU	RES		
Suital	Suitable extinguishing media		Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.		
Haza ucts	•		No hazardous combustion products are known		
Speci ods	fic extinguishing meth-	:	Standard procedure for che	emical fires.	
•	ial protective equipment efighters	:	In the event of fire, wear se	If-contained breathing apparatus.	

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for : containment and cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

#### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> </ul>

# SikaForce®-7800 (B)



Version 3.0	Revision Date: 01.07.2022		SDS Number: 100000005942	Date of last issue: 19.04.2021 Date of first issue: 28.05.2015
				ge and/or exhaust in work rooms. asures when handling chemical
Hygiene measures		:	<ul> <li>Handle in accordance with good industrial hygiene and safety practice.</li> <li>When using do not eat or drink.</li> <li>When using do not smoke.</li> <li>Wash hands before breaks and at the end of workday.</li> </ul>	
Cor	nditions for safe storage	:	Store in original container. Keep in a well-ventilated pla Observe label precautions. Store in accordance with loc	

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	TŴA	0.02 mg/m3 (NCO)	AU OEL
	Further inform	ation: Sensitiser		
		STEL	0.07 mg/m3 (NCO)	AU OEL
		TWA	0.02 mg/m3 (NCO)	AU OEL
	Further inform cinogen, Sens		2 (Carc. 2) Suspected	d human car-
		STEL	0.07 mg/m3 (NCO)	AU OEL
Appropriate engineering : controls	Use adequate vent exposure		or engineering contro	ols to pre-
Personal protective equipmen	t			
Respiratory protection :	Respirator se exposure leve	lection must be l	on wear respiratory p based on known or all of the product and the respirator.	nticipated
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary. Follow AS/NZS 1337.1 Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.			
Eye protection :	Safety glasse	s		

5/11

### Components with workplace control parameters

# SikaForce<sup>®</sup>-7800 (B)



Versio 3.0	on Revision Date: 01.07.2022		SDS Number: 10000005942	Date of last issue: 19.04.2021 Date of first issue: 28.05.2015
	Skin and body protection	:	Protective clothing (e.g. clothing, long trousers) Follow AS 2210:3	safety shoes, long-sleeved working
SEC	TION 9. PHYSICAL AND CHE	MIC		
	Appearance	:	paste	
	Colour	:	grey	
	Odour	:	slight	
	Odour Threshold	:	No data available	
	pH	:	substance/mixture reac	ts with water
	Melting point/range / Freezing	:	No data available	
	point Boiling point/boiling range	:	No data available	
	Flash point	:	> 100 °C (212 °F) (Method: closed cup)	
	Evaporation rate	:	No data available	
	Flammability (solid, gas)	:	No data available	
	Upper explosion limit / Upper flammability limit	:	No data available	
	Lower explosion limit / Lower flammability limit	:	No data available	
	Vapour pressure	:	0.01 hPa	
	Relative vapour density	:	No data available	
	Density	:	ca. 1.23 g/cm3 (20 °C (	68 °F))
	Solubility(ies) Water solubility	:	insoluble	
	Solubility in other solvents	:	No data available	
	Partition coefficient: n-	:	No data available	
	octanol/water Auto-ignition temperature	:	No data available	
	Decomposition temperature	:	No data available	
	Viscosity			

# SikaForce®-7800 (B)



Versior 3.0	n Revision Date: 01.07.2022		SDS Number: 100000005942	Date of last issue: 19.04.2021 Date of first issue: 28.05.2015		
	Viscosity, dynamic	:	ca. 35,000 mPa.s (20 °C (68 °F))			
Viscosity, kinematic		:	> 20.5 mm2/s ( 40 °C (104 °F))			
Explosive properties		:	No data available			
Oxidizing properties		:	No data available			
Volatile organic compounds		:	: Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable			

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	see section 7.

## SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity Harmful if inhaled.	
Components: Diphenylmethanediisocyana Acute oral toxicity	<b>te, isomeres and homologues:</b> : LD50 Oral (Rat): > 10,000 mg/kg
Acute inhalation toxicity	: LC50: 1.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture is moderately toxic after short term inhalation.
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 9,400 mg/kg
Skin corrosion/irritation Causes skin irritation.	
Serious eye damage/eye irrit Causes serious eye irritation.	ation

# SikaForce<sup>®</sup>-7800 (B)



/ersion 3.0	Revision Date: 01.07.2022	SDS Number: 10000005942	Date of last issue: 19.04.2021 Date of first issue: 28.05.2015
Respi	ratory or skin sensitisat	ion	
Skin s	sensitisation		
May c	ause an allergic skin reac	tion.	
Respi	ratory sensitisation		
May c	ause allergy or asthma sy	mptoms or breathing difficultie	s if inhaled.
Chror	nic toxicity		
Germ	cell mutagenicity		
Not cla	assified based on availabl	e information.	
Carci	nogenicity		
Suspe	ected of causing cancer.		
Repro	oductive toxicity		
Not cla	assified based on availabl	e information.	
STOT	- single exposure		
May c	ause respiratory irritation.		
STOT	- repeated exposure		
May c	ause damage to organs th	nrough prolonged or repeated	exposure if inhaled.
Aspir	ation toxicity		
Not cla	assified based on availabl	e information.	

### Ecotoxicity

<u>Components:</u> Diphenylmethanediisocyan Toxicity to fish		<b>isomeres and homologues:</b> LC50 (Brachydanio rerio (zebrafish)): > 1,000 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 1,640 mg/l Exposure time: 72 h
Persistence and degradabil No data available	ity	
<b>Bioaccumulative potential</b> No data available		
<b>Mobility in soil</b> No data available		
Other adverse effects		
Product:		

## SikaForce<sup>®</sup>-7800 (B)



Version 3.0	Revision Date: 01.07.2022		SDS Number: 10000005942	Date of last issue: 19.04.2021 Date of first issue: 28.05.2015
Addition mation	onal ecological infor- า	:	There is no data available f	or this product.
SECTION	13. DISPOSAL CON	SIDER	ATIONS	
Dispo	sal methods			
Waste	from residues	:	Do not contaminate ponds, cal or used container. Send to a licensed waste m	waterways or ditches with chemi- nanagement company.

Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.
		Do not re-use empty containers.

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

**UNRTDG** Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

#### ADG

Not regulated as a dangerous good

### SECTION 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : No poison schedule Scheduling of Medicines and Poisons	e number allocated
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors Prohibition/Licensing Requirements	<ul> <li>Not applicable</li> <li>There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula-</li> </ul>

# SikaForce®-7800 (B)



ersion .0	Revision Date: 01.07.2022	SDS Number: 100000005942	Date of last issue: 19.04.2021 Date of first issue: 28.05.2015
			tions.
The co	omponents of this pr	oduct are reported in the	e following inventories:
AICS		: On the inventory, or	in compliance with the inventory
SECTION 1	16. OTHER INFORMA	TION	
	on Date	: 01.07.2022	
Date fo	ormat	: dd.mm.yyyy	
Full te	xt of other abbreviat	ions	
AU OE	EL	: Australia. Workplace taminants.	e Exposure Standards for Airborne Con-
	EL / TWA	: Exposure standard	- time weighted average
	EL / STEL		- short term exposure limit
ADG		: Australian Dangerou	
ADR		Dangerous Goods b	
CAS		: Chemical Abstracts	
DNEL		: Derived no-effect le	
EC50		: Half maximal effecti	
GHS		: Globally Harmonize	
IATA		: International Air Tra	
IMDG			ne Code for Dangerous Goods
LD50		once, which causes test animals)	(the amount of a material, given all at the death of 50% (one half) of a group of
LC50		: Median lethal conce air that kills 50% of t	ntration (concentrations of the chemical in the test animals during the observation
MARP	OL		ntion for the Prevention of Pollution from ified by the Protocol of 1978
OEL		: Occupational Expos	
PBT		: Persistent, bioaccur	
PNEC		: Predicted no effect (	
REAC	Η	: Regulation (EC) No and of the Council o istration, Evaluation	1907/2006 of the European Parliament f 18 December 2006 concerning the Reg- , Authorisation and Restriction of Chemi- blishing a European Chemicals Agency
SVHC		: Substances of Very	
vPvB		: Very persistent and	

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

## 

# SikaForce®-7800 (B)



Version Revision Date: 3.0 01.07.2022

SDS Number: 100000005942

Date of last issue: 19.04.2021 Date of first issue: 28.05.2015

Changes as compared to previous version !

AU / EN