Sika MonoTop®-4012



Version 4.0	Revision Date: 12.05.2025		SDS Number: 100000030384	Date of last issue: 19.12.2022 Date of first issue: 23.01.2020
SECTION	1. PRODUCT AND CO	MPA	NY IDENTIFICATION	
Produ	uct name	:	Sika MonoTop [®] -4012	
Manu	facturer or supplier's	deta	ils	
Comp	bany	:	Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164	
Telep	hone	:	+61 2 9725 11 45	
Emer	gency telephone numbe	er :	+61 1800 033 111	
Telefa	ax	:	+61 2 9725 33 30	

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
Skin sensitisation	:	Category 1
Carcinogenicity (Inhalation)	:	Category 1A
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	 H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation. H350 May cause cancer by inhalation.
Precautionary statements	:	Prevention:

P201 Obtain special instructions before use.

Sika MonoTop[®]-4012



Date: SDS Numb 25 100000030		ue: 19.12.2022 ue: 23.01.2020			
and understood P261 Avoid bre P264 Wash skii P271 Use only P272 Contamin the workplace. P280 Wear pro	I. athing dust. n thoroughly after handling. outdoors or in a well-ventilated are ated work clothing should not be a tective gloves/ protective clothing/	a. llowed out of			
P304 + P340 + and keep comfo doctor if you fee P305 + P351 + water for severa and easy to do. CENTER/ docto P308 + P313 IF attention. P333 + P313 If vice/ attention.	P312 IF INHALED: Remove perso ortable for breathing. Call a POISO el unwell. P338 + P310 IF IN EYES: Rinse c al minutes. Remove contact lenses Continue rinsing. Immediately call or. exposed or concerned: Get medic skin irritation or rash occurs: Get n	n to fresh air N CENTER/ autiously with , if present a POISON cal advice/ nedical ad-			
tightly closed.	P403 + P233 Store in a well-ventilated place. Keep container tightly closed.				
Disposal: P501 Dispose o disposal plant.	of contents/ container to an approve	ed waste			
	225 10000030 P202 Do not ha and understood P261 Avoid bre P264 Wash ski P271 Use only P272 Contamin the workplace. P280 Wear pro tion/ face protea Response: P302 + P352 IF P304 + P340 + and keep comfa doctor if you fee P305 + P351 + water for severs and easy to do. CENTER/ docto P308 + P313 IF attention. P333 + P313 If vice/ attention. P362 + P364 T reuse. Storage: P403 + P233 S tightly closed. P405 Store loce Disposal: P501 Dispose of disposal plant.	225 10000030384 Date of first issues P202 Do not handle until all safety precautions has and understood. P261 Avoid breathing dust. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated are P272 Contaminated work clothing should not be a the workplace. P280 Wear protective gloves/ protective clothing/ of tion/ face protection/ hearing protection. Response: P302 + P352 IF ON SKIN: Wash with plenty of wa P304 + P340 + P312 IF INHALED: Remove perso and keep comfortable for breathing. Call a POISO doctor if you feel unwell. P305 + P351 + P338 + P310 IF IN EYES: Rinse c water for several minutes. Remove contact lenses and easy to do. Continue rinsing. Immediately call CENTER/ doctor. P308 + P313 IF exposed or concerned: Get medic attention. P303 + P313 IF skin irritation or rash occurs: Get n vice/ attention. P362 + P364 Take off contaminated clothing and vice/ attention. P362 + P333 Store in a well-ventilated place. Kee tightly closed. P403 + P233 Store in a well-ventilated place. Kee tightly closed. P405 Store locked up. Disposal: P501 Dispose of contents/ container to an approver			

Other hazards which do not result in classification None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 60 -<= 100
Cement, portland, chemicals	65997-15-1	>= 20 -< 30
Limestone	1317-65-3	< 10
calcium aluminate sulfate	12005-25-3	< 1
Crystalline silica	14808-60-7	>= 0.1 -< 1

Sika MonoTop®-4012



Version 4.0	Revision Date: 12.05.2025		SDS Number: 100000030384	Date of last issue: 19.12.2022 Date of first issue: 23.01.2020		
SECTIO	N 4. FIRST AID MEASUF	RES				
Ger	General advice		Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.			
lf in	If inhaled :		Move to fresh air. Consult a physician after significant exposure.			
In c	In case of skin contact :		Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.			
In c	ase of eye contact	:	sue damage and blindness	eyes, rinse immediately with plenty advice. ng transport to hospital.		
lf sv	vallowed	:	Do not give milk or alcoholi	d drink afterwards plenty of water. c beverages. uth to an unconscious person.		
and	st important symptoms effects, both acute and ayed	:	irritant effects sensitising effects Cough Respiratory disorder Allergic reactions Excessive lachrymation Dermatitis See Section 11 for more de and symptoms. Causes skin irritation. May cause an allergic skin Causes serious eye damag May cause respiratory irrita May cause cancer by inhala	je. tion.		
Not	es to physician	:	Treat symptomatically.			

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

Sika MonoTop®-4012



Versi 4.0	on Revision Date: 12.05.2025		SDS Number: 100000030384	Date of last issue: 19.12.2022 Date of first issue: 23.01.2020
			cumstances and the surrounding e	environment.
Hazardous combustion prod- ucts		:	No hazardous combustion produc	ts are known
	Specific extinguishing meth- ods	:	Standard procedure for chemical f	ïres.
	Special protective equipment for firefighters	:	In the event of fire, wear self-conta	ained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
Methods and materials for containment and cleaning up	:	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	Do not breathe vapours/dust.
Sika 03		 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink.

Sika MonoTop®-4012



Version 4.0	Revision Date: 12.05.2025		SDS Number: 100000030384	Date of last issue: 19.12.2022 Date of first issue: 23.01.2020
			When using do not smoke. Wash hands before breaks	and at the end of workday.
Conditions for safe storage		:	Store in original container. Keep in a well-ventilated pla Observe label precautions. Store in accordance with loc	
Furthe age st	r information on stor- ability	:	Keep in a dry place. No decomposition if stored a	and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis	
Quartz (SiO2)	14808-60-7	TWA (Res- pirable dust)	0.05 mg/m3	AU OEL	
			1A (Carc. 1A) Known	to have car-	
	cinogenic pote	ntial for humans			
Cement, portland, chemicals	65997-15-1	TWA	10 mg/m3	AU OEL	
Limestone	1317-65-3	TWA	10 mg/m3	AU OEL	
			(Calcium car-		
			bonate)		
	Further information: This value is for inhalable dust containing no				
	asbestos and «	< 1% crystalline	silica		
Crystalline silica	14808-60-7	TWA (Res-	0.05 mg/m3	AU OEL	
		pirable dust)			
	Further information: Category 1A (Carc. 1A) Known to have car- cinogenic potential for humans				

Appropriate engineering : controls	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Personal protective equipmen	t
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. particulate filter P
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling

Sika MonoTop[®]-4012



Version 4.0	Revision Date: 12.05.2025		SDS Number: 100000030384	Date of last issue: 19.12.2022 Date of first issue: 23.01.2020
			chemical products if a risk a essary. Follow AS/NZS 1337.1 Recommended: Butyl rubbe	ssessment indicates this is nec- r, PVC, cotton gloves
Eye pr	otection	:	Safety glasses	
Skin and body protection		:	Protective clothing (e.g. safe clothing, long trousers) Follow AS 2210:3	ety shoes, long-sleeved working

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	grey
Odour	:	odourless
Odour Threshold	:	No data available
рН	:	> 11
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	No data available

Sika MonoTop®-4012



Vers 4.0	ion Revision Date 12.05.2025	e:	SDS Number: 100000030384	Date of last issue: 19.12.2022 Date of first issue: 23.01.2020
	Density	:	ca. 1.8 g/cm3 (20 °C (68 °F))	
	Bulk density	:	1,300 kg/m3	
	Solubility(ies) Water solubility	:	insoluble	
	Solubility in other so	lvents :	No data available	
	Partition coefficient: n- octanol/water	:	No data available	
	Auto-ignition temperatu	re :	No data available	
	Decomposition tempera	iture :	No data available	
	Viscosity Viscosity, dynamic	:	No data available	
	Viscosity, kinematic	:	No data available	
	Explosive properties	:	No data available	
	Oxidizing properties	:	No data available	
	Volatile organic compou	unds :	Directive 2010/75/EU of 24 Nor livestock rearing emissions (int and control) Volatile organic compounds (V	egrated pollution prevention

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	see section 7.
Hazardous decomposition products	:	No hazardous decomposition products are known.

Sika MonoTop[®]-4012



Version Re 4.0 12

Revision Date: 12.05.2025

SDS Number: 100000030384 Date of last issue: 19.12.2022 Date of first issue: 23.01.2020

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Chronic toxicity

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

May cause cancer by inhalation.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity Not classified due to lack of data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity No data available Persistence and degradability No data available Bioaccumulative potential No data available Mobility in soil No data available

Sika MonoTop®-4012



Version 4.0	Revision Date: 12.05.2025		SDS Number: 100000030384	Date of last issue: 19.12.2022 Date of first issue: 23.01.2020
Othe	r adverse effects			
Prod Addit matic	ional ecological infor-	:	There is no data available for	this product.
SECTION	13. DISPOSAL CONSI	DEF	RATIONS	
-	osal methods e from residues	:	Send to a licensed waste mar	nagement company.
			Do not contaminate ponds, wa cal or used container.	aterways or ditches with chemi-
Conta	aminated packaging	:	Empty remaining contents. Dispose of as unused product	t.

Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR		
UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo	:	Not applicable
aircraft)		
Packing instruction (passen-	:	Not applicable
ger aircraft)		
IMDG-Code		
UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Sika MonoTop®-4012



Version 4.0	Revision Date: 12.05.2025		SDS Number: 100000030384	Date of last issue: 19.12.2022 Date of first issue: 23.01.2020
Nat	ional Regulations			
Pro Cla Sul Pa	number oper shipping name		Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable	
Spe	zchem Code cial precautions for user applicable	:	Not applicable	
SECTIO	N 15. REGULATORY INF	ORN	ΙΑΤΙΟΝ	
Safe	ety, health and environm	enta	al regulations/legislation specif	fic for the substance or mixture
	rapeutic Goods (Poisons ndard) Instrument	:	No poison schedule number allo publication to check for specific u	uses, specific conditions or

Standard) Instrument	publication to check for	rs	pecific uses, specific conditions or
	threshold limits that mi	igh	t apply for this chemical)
International Chemical Weapons	S Convention (CWC)	:	Not applicable
Schedules of Toxic Chemicals a	nd Precursors		
Prohibition/Licensing Requireme	ents	:	There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula-

The components of this product are reported in the following inventories:

AIIC

: On the inventory, or in compliance with the inventory

tions.

SECTION 16. OTHER INFORMATION

Revision Date	:	12.05.2025			
Date of last issue	:	19.12.2022			
Date format	:	dd.mm.yyyy			
Full text of other abbreviations					
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Con- taminants.			
AU OEL / TWA ADG ADR	:	Exposure standard - time weighted average Australian Dangerous Goods Code. European Agreement concerning the International Carriage of			
CAS	:	Dangerous Goods by Road Chemical Abstracts Service			

Sika MonoTop®-4012



Version 4.0	Revision Date: 12.05.2025		SDS Number: 100000030384	Date of last issue: 19.12.2022 Date of first issue: 23.01.2020
DNEL EC50 GHS IATA IMDG		:	Derived no-effect level Half maximal effective concer Globally Harmonized System International Air Transport As International Maritime Code f	sociation
LD50		:	Median lethal dosis (the amo	5
LC50		:	Median lethal concentration (concentrations of the chemical in nimals during the observation
MARE	POL	:	. ,	he Prevention of Pollution from ne Protocol of 1978
OEL			Occupational Exposure Limit	
PBT			Persistent, bioaccumulative a	
PNEC		:	Predicted no effect concentra	Ition
REAC	CH		and of the Council of 18 Dece istration, Evaluation, Authoris	06 of the European Parliament ember 2006 concerning the Reg- ation and Restriction of Chemi- European Chemicals Agency
SVHC vPvB		:	Substances of Very High Cor Very persistent and very bioa	ncern

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN