



Version 1.0	Revision Date: 30.05.2023		SDS Number: 00000003685	Date of last issue: - Date of first issue: 30.05.2023
SECTION	1. PRODUCT AND CO	MPA	NY IDENTIFICATION	
Produ	ict name	:	SikaBiresin [®] UR305 (Bire	esin U1305) Part A
Manu	facturer or supplier's	detai	ils	
Comp	bany	:	Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164	
Telep	hone	:	+61 2 9725 11 45	
Emerg	gency telephone numbe	er :	+61 1800 033 111	
Telefa	ax	:	+61 2 9725 33 30	

Product use :	Tooling system, For professional users only.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 2B
Respiratory sensitisation	:	Category 1
Skin sensitisation	:	Category 1
Carcinogenicity	:	Category 2
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 2
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger

SAFETY DATA SHEET

SikaBiresin[®] UR305 (Biresin U1305) Part A



Version 1.0	Revision Date: 30.05.2023	SDS Number: 00000003685	Date of last issue: - Date of first issue: 30.05.2023
Hazar	d statements	difficulties if inhaled. H335 May cause respirator H351 Suspected of causing	c skin reaction. asthma symptoms or breathing y irritation. g cancer. o organs through prolonged or re-
Preca	utionary statements	Prevention:	
		and understood. P260 Do not breathe mist of P264 Wash skin thoroughly P271 Use only outdoors or P272 Contaminated work of the workplace.	I safety precautions have been read or vapours. / after handling. in a well-ventilated area. dothing should not be allowed out of es/ protective clothing/ eye protec- ing protection.
		 and keep comfortable for bidoctor if you feel unwell. P305 + P351 + P338 IF IN for several minutes. Remove easy to do. Continue rinsing P308 + P313 IF exposed of attention. P333 + P313 If skin irritation vice/ attention. P337 + P313 If eye irritation tention. P342 + P311 If experiencin POISON CENTER/ doctor. 	HALED: Remove person to fresh air reathing. Call a POISON CENTER/ EYES: Rinse cautiously with water /e contact lenses, if present and g. r concerned: Get medical advice/ n or rash occurs: Get medical ad- n persists: Get medical advice/ at- ig respiratory symptoms: Call a
		Storage: P403 + P233 Store in a we tightly closed. P405 Store locked up.	II-ventilated place. Keep container
		Disposal: P501 Dispose of contents/ disposal plant.	container to an approved waste





Version	Revision Date: 30.05.2023	SDS Number:	Date of last issue: -
1.0		00000003685	Date of first issue: 30.05.2023
Other	hazards which do not re	sult in classification	

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
4,4'-methylenediphenyl diisocyanate	101-68-8	>= 20 -< 30

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	:	irritant effects sensitising effects Asthmatic appearance Cough Respiratory disorder Allergic reactions See Section 11 for more detailed information on health effects and symptoms. Causes skin and eye irritation. May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficul- ties if inhaled. May cause respiratory irritation.

3/11



Version 1.0	Revision Date: 30.05.2023		SDS Number: 00000003685	Date of last issue: - Date of first issue: 30.05.2023
			Suspected of causing cance May cause damage to orgate exposure if inhaled.	er. ans through prolonged or repeated
Not	es to physician	:	Treat symptomatically.	
SECTIO	N 5. FIREFIGHTING MEA	SU	RES	
Sui	table extinguishing media	:	Use extinguishing measure cumstances and the surrou	es that are appropriate to local cir- inding environment.
Haz		:	No hazardous combustion	products are known
Spe ods	ecific extinguishing meth-	:	Standard procedure for che	emical fires.
	ecial protective equipment firefighters	:	In the event of fire, wear se	elf-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Avoid formation of aerosol. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth-



Version 1.0	Revision Date: 30.05.2023		SDS Number: 000000003685	Date of last issue: - Date of first issue: 30.05.2023
		not use Sm plic Fol	, allergies, chronic or recurrent be employed in any process ir d. oking, eating and drinking sho ation area. low standard hygiene measure ducts	n which this mixture is being uld be prohibited in the ap-
Hygiene measures		pra Wh Wh	ndle in accordance with good in ctice. en using do not eat or drink. en using do not smoke. sh hands before breaks and at	
Co	onditions for safe storage	Kee Cor kep Ob:	re in original container. ep in a well-ventilated place. ntainers which are opened mus it upright to prevent leakage. serve label precautions. re in accordance with local reg	·

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components 4,4'-methylenediphenyl diiso-	CAS-No. 101-68-8	Value type (Form of exposure) TWA	Control parame- ters / Permissible concentration 0.02 mg/m3	Basis AU OEL		
cyanate			(NCO)			
	Further information cinogen, Sensi		2 (Carc. 2) Suspected	human car-		
		STEL	0.07 mg/m3 (NCO)	AU OEL		
Appropriate engineering controls Use adequate ventilation and/or engineering controls to prevent exposure to vapours.						
Personal protective equipment	t					
Respiratory protection :	 In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. 					
Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Follow AS/NZS 1337.1 Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.						
	5 /	11				



Version 1.0	Revision Date: 30.05.2023		SDS Number: 00000003685	Date of last issue: - Date of first issue: 30.05.2023
Eye	e protection	:	Safety glasses	
Ski	n and body protection	:	Protective clothing (e.g. s clothing, long trousers) Follow AS 2210:3	safety shoes, long-sleeved working
SECTIO	N 9. PHYSICAL AND CHE	MIC	CAL PROPERTIES	
Арр	bearance	:	liquid	
Col	our	:	amber	
Ode	our	:	characteristic	
Ode	our Threshold	:	No data available	
pН		:	Not applicable substanc	e/mixture is non-soluble (in water)
Mel poir	lting point/range / Freezing nt	:	No data available	
Boi	ling point/boiling range	:	No data available	
Flas	sh point	:	> 101 °C (214 °F) (Method: closed cup)	
Eva	aporation rate	:	No data available	
Fla	mmability (solid, gas)	:	No data available	
	per explosion limit / Upper nmability limit	:	No data available	
	ver explosion limit / Lower nmability limit	:	No data available	
Vap	oour pressure	:	0.01 hPa	
Rel	ative vapour density	:	No data available	
Der	nsity	:	ca. 1.2 g/cm3 (20 °C (68	3 °F))

SAFETY DATA SHEET

SikaBiresin® UR305 (Biresin U1305) Part A



Versi 1.0	on Revision Date: 30.05.2023		SDS Number: 00000003685	Date of last issue: - Date of first issue: 30.05.2023
	Solubility(ies) Water solubility		insoluble	
	Solubility in other solvents	:	No data available	
	Partition coefficient: n- octanol/water		No data available	
	Auto-ignition temperature		No data available	
	Decomposition temperature		No data available	
	Viscosity Viscosity, dynamic	:	ca. 2,300 mPa.s (25 °C (77 °F))	
	Viscosity, kinematic	:	> 20.5 mm2/s (40 °C (104 °F))	
	Explosive properties	:	No data available	
	Oxidizing properties	:	No data available	
	Volatile organic compounds	:	Directive 2010/75/EU of 24 Nove emissions (integrated pollution pr Volatile organic compounds (VO	revention and control)

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	see section 7.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

4,4'-methylenediphenyl diisocyanate:Acute oral toxicity:LD50 Oral (Rat): > 5,000 mg/kg

SAFETY DATA SHEET

SikaBiresin[®] UR305 (Biresin U1305) Part A



/ersion .0	Revision Date: 30.05.2023	SDS Number: 00000003685	Date of last issue: - Date of first issue: 30.05.2023			
		Method: OECD Test Guide	line 401			
Acute	inhalation toxicity	: LC50: 1.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement				
Skin o	corrosion/irritation					
Cause	es skin irritation.					
	us eye damage/eye irri es eye irritation.	tation				
Respi	iratory or skin sensitis	ation				
Skin s	sensitisation					
May c	ause an allergic skin rea	action.				
-	Respiratory sensitisation May cause allergy or asthma symptoms or breathing difficulties if inhaled.					
Chronic toxicity Germ cell mutagenicity Not classified based on available information.						
						Carcinogenicity
	ected of causing cancer.					
-	Reproductive toxicity Not classified based on available information.					
STOT	- single exposure					
May cause respiratory irritation.						
STOT	- repeated exposure					
May c	ause damage to organs	through prolonged or repeated	exposure if inhaled.			
Aspir	ation toxicity					
Not cl	assified based on availa	ble information.				
Furth	er information					
<u>Produ</u>	<u>uct:</u>					
Rema	ırks	the toxicology of similar pro	on data on the components and			

SikaBiresin® UR305 (Biresin U1305) Part A



/ersion I.0	Revision Date: 30.05.2023	SDS Number: 00000003685	Date of last issue: - Date of first issue: 30.05.2023
SECTION	12. ECOLOGICAL INFOR	MATION	
Ecoto No da	xicity ta available		
	stence and degradability ta available		
	cumulative potential ta available		
	ity in soil ta available		
Other	adverse effects		
<u>Produ</u>	<u>ict:</u>		
Addition mation	-	There is no data available fo	or this product.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues :		Send to a licensed waste management company.
		Do not contaminate ponds, waterways or ditches with chemi- cal or used container.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product.

Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo	:	Not applicable
aircraft)		



Version 1.0	Revision Date: 30.05.2023	SDS Number: 00000003685	Date of last issue: - Date of first issue: 30.05.2023
	ing instruction (passen- ircraft)	: Not applicable	
UN nu Prope Class Subsi Packi Label EmS Marin Trans	idiary risk ing group Is Code ie pollutant sport in bulk according	 Not applicable 	and the IBC Code
	pplicable for product as nal Regulations	supplied.	
ADG UN r Prop Class Subs Pack Labe	number ber shipping name s sidiary risk king group	 Not applicable 	
•	ial precautions for use pplicable		

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legis Standard for the Uniform : No poison schedule Scheduling of Medicines and Poisons	•
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors Prohibition/Licensing Requirements	 Not applicable There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.
The components of this product are reported in the AllC : On the inventory, or	e following inventories:

SECTION 16. OTHER INFORMATION



Versio 1.0	on	Revision Date: 30.05.2023		SDS Number: 00000003685	Date of last issue: - Date of first issue: 30.05.2023		
	Revision	Date	:	30.05.2023			
	Date form	nat	:	dd.mm.yyyy			
	Full text	of other abbreviatio	ons				
	AU OEL			Australia. Workplace Exposure St	andards for Airborne Con-		
			•	taminants.			
	AU OEL /	′ TWA		Exposure standard - time weighte	d average		
	AU OEL /		÷	Exposure standard - short term ex			
	ADG	-	:	Australian Dangerous Goods Cod			
	ADR		:	European Agreement concerning the International Carriage of			
				Dangerous Goods by Road	5		
	CAS		:	Chemical Abstracts Service			
	DNEL		:	Derived no-effect level			
	EC50		:	Half maximal effective concentration			
	GHS		:	Globally Harmonized System			
	ΙΑΤΑ		:	International Air Transport Association			
	IMDG		:	International Maritime Code for Da			
	LD50		:	Median lethal dosis (the amount of a material, given all at			
				once, which causes the death of 5	60% (one half) of a group of		
				test animals)			
	LC50		:	Median lethal concentration (conc			
				air that kills 50% of the test anima	Is during the observation		
				period)			
	MARPOL		:	International Convention for the P			
				Ships, 1973 as modified by the Pr	010001 01 1978		
	OEL PBT		÷	Occupational Exposure Limit			
	PNEC		÷	Persistent, bioaccumulative and to Predicted no effect concentration	DXIC		
	REACH		:	Regulation (EC) No 1907/2006 of	the European Parliament		
	REAGIN		•	and of the Council of 18 December istration, Evaluation, Authorisation cals (REACH), establishing a Euro	er 2006 concerning the Reg- and Restriction of Chemi-		
	SVHC		:	Substances of Very High Concern			
,	vPvB		:	Very persistent and very bioaccun			

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN