LANKO 701 Duragrout



Version	Revision Date:	SDS Number:	Date of last issue: 21.12.2021
3.0	01.04.2025	10000031255	Date of first issue: 16.03.2020

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	LANKO 701 Duragrout						
Manufacturer or supplier's details								
Company	:	Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164						
Telephone	:	+61 2 9725 11 45						
Emergency telephone number	:	+61 1800 033 111						
Telefax	:	+61 2 9725 33 30						

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification		
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
Skin sensitisation	:	Category 1
Carcinogenicity (Inhalation)	:	Category 1A
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
GHS label elements Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation. H350 May cause cancer by inhalation.
Precautionary statements	:	Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read

LANKO 701 Duragrout



Version 3.0	Revision Date: 01.04.2025	SDS Number: 100000031255	Date of last issue: 21.12.2021 Date of first issue: 16.03.2020		
		the workplace.	ly after handling. r in a well-ventilated area. clothing should not be allowed out of /es/ protective clothing/ eye protec-		
		 Response: P302 + P352 IF ON SKIN: Wash with plenty of water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before 			
		Storage: P403 + P233 Store in a we tightly closed. P405 Store locked up.	ell-ventilated place. Keep container		
		Disposal:	/ container to an approved waste		

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance /	/ Mixture	:	Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 30 -< 60
Cement, portland, chemicals	65997-15-1	>= 30 -< 60
sulfoaluminate clinker	Not Assigned	>= 3 -< 10
Slags, ferrous metal, blast furnace	65996-69-2	>= 1 -< 3
Crystalline silica	14808-60-7	>= 0.1 -< 1

SECTION 4. FIRST AID MEASURES

LANKO 701 Duragrout



Vers 3.0	ion	Revision Date: 01.04.2025		SDS Number: 100000031255	Date of last issue: 21.12.2021 Date of first issue: 16.03.2020
	General a	advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the	doctor in attendance.
	lf inhaled		:	Move to fresh air. Consult a physician after significa	nt exposure.
	In case of	f skin contact	:	Take off contaminated clothing an Wash off with soap and plenty of v If symptoms persist, call a physicia	water.
	In case of	f eye contact	:	Small amounts splashed into eyes sue damage and blindness. In the case of contact with eyes, ri of water and seek medical advice. Continue rinsing eyes during trans Remove contact lenses. Keep eye wide open while rinsing.	inse immediately with plenty sport to hospital.
	If swallow	ved	:	Clean mouth with water and drink Do not give milk or alcoholic bever Never give anything by mouth to a Obtain medical attention.	rages.
		ortant symptoms ts, both acute and	:	irritant effects sensitising effects Cough Respiratory disorder Allergic reactions Excessive lachrymation Dermatitis See Section 11 for more detailed i and symptoms. Causes skin irritation. May cause an allergic skin reactio Causes serious eye damage. May cause respiratory irritation. May cause cancer by inhalation.	
	Notes to p	ohysician	:	Treat symptomatically.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth- ods	:	Standard procedure for chemical fires.
Special protective equipment	:	In the event of fire, wear self-contained breathing apparatus.

LANKO 701 Duragrout



Version	Revision Date:	SDS Number:	Date of last issue: 21.12.2021
3.0	01.04.2025	10000031255	Date of first issue: 16.03.2020

for firefighters

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
Methods and materials for containment and cleaning up	:	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	 Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Sika 03	Do not breathe vapours/dust.
Hygiene measures	 Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
Conditions for safe storage	 Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local regulations.
Further information on stor- age stability	: Keep in a dry place. No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

LANKO 701 Duragrout



Versio 3.0	n Revision Date: 01.04.2025	SDS Number: 100000031255		Date of last issue: 21.12.2021 Date of first issue: 16.03.2020		
(Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis	
(Quartz (SiO2)	14808-60-7	TWA (Res- pirable dust)	0.05 mg/m3	AU OEL	
			ation: Category ential for humans	1A (Carc. 1A) Known	to have car-	
(Cement, portland, chemicals	65997-15-1	TWA	10 mg/m3	AU OEL	
(Crystalline silica	14808-60-7	TWA (Res- pirable dust)	0.05 mg/m3	AU OEL	
Further information: Category 1A (Carc. 1A) Known to have cinogenic potential for humans				to have car-		

Appropriate engineering controls	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Personal protective equipme	ent	
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. particulate filter P
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary. Follow AS/NZS 1337.1 Recommended: Butyl rubber, PVC, cotton gloves
Eye protection	:	Safety glasses
Skin and body protection	:	Protective clothing (e.g. safety shoes, long-sleeved working clothing, long trousers) Follow AS 2210:3

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	grey
Odour	:	very faint
Odour Threshold	:	No data available
рН	:	Not applicable

LANKO 701 Duragrout



Version 3.0	Revision Date: 01.04.2025		SDS Number: 100000031255	Date of last issue: 21.12.2021 Date of first issue: 16.03.2020
	g point/ range / Freez-	:	No data available	
ing poi Boiling	nt point/boiling range	:	No data available	
Flash p	point	:	Not applicable	
Evapor	ration rate	:	No data available	
Flamm	ability (solid, gas)	:	No data available	
	explosion limit / Upper ability limit	:	No data available	
	explosion limit / Lower ability limit	:	No data available	
Vapou	r pressure	:	No data available	
Relativ	e vapour density	:	No data available	
Density	ý	:	ca. 1.8 g/cm3 (23 °C (73 °F))	
Solubil Wat	ity(ies) ter solubility	:	insoluble	
Solu	ubility in other solvents	:	No data available	
Partitio octano	n coefficient: n-	:	No data available	
	nition temperature	:	No data available	
Decom	position temperature	:	No data available	
Viscosi Visc	ity cosity, dynamic	:	No data available	
Viso	cosity, kinematic	:	Not applicable	
Explos	ive properties	:	No data available	
Oxidizi	ng properties	:	No data available	
Volatile	e organic compounds	:	Directive 2010/75/EU of 24 Nove livestock rearing emissions (inte and control) Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: The product is chemically stable.
	6 / 10

LANKO 701 Duragrout



Vers 3.0	on Revision Date: 01.04.2025		SDS Number: 100000031255	Date of last issue: 21.12.2021 Date of first issue: 16.03.2020
	Possibility of hazardous reac- tions	:	No hazards to be specially mer	ntioned.
	Conditions to avoid	:	No data available	
	Incompatible materials	:	see section 7.	
	Hazardous decomposition products	:	No hazardous decomposition p	roducts are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation Causes skin irritation.

Components:

sulfoaluminate clinker:

Assessment

: Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Chronic toxicity

Germ cell mutagenicity Not classified due to lack of data.

Carcinogenicity

May cause cancer by inhalation.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

LANKO 701 Duragrout



Version 3.0	Revision Date: 01.04.2025		SDS Number: 100000031255	Date of last issue: 21.12.2021 Date of first issue: 16.03.2020
-	ration toxicity			
Not cl	lassified due to lack of c	ata.		
SECTION	12. ECOLOGICAL INF	ORM	ATION	
Ecoto	oxicity			
No da	ata available			
Persi	stence and degradabi	ity		
No da	ata available			
Bioac	ccumulative potential			
No da	ata available			
Mobil	lity in soil			
No da	ata available			
Other	r adverse effects			
<u>Produ</u>	uct:			
Additi matio	ional ecological infor- n	:	There is no data available f	or this product.
SECTION	13. DISPOSAL CONSI	DERA	TIONS	
Dispo	osal methods			
Waste	e from residues	:	Send to a licensed waste m	nanagement company.
			Do not contaminate ponds, cal or used container.	waterways or ditches with chemi-

:	Empty remaining contents. Dispose of as unused product.
	:

Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR		
UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passen- ger aircraft)	:	Not applicable

LANKO 701 Duragrout



Version	Revision Date:	SDS Number:	Date of last issue: 21.12.2021
3.0	01.04.2025	100000031255	Date of first issue: 16.03.2020

IMDG-Code

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
EmS Code	: Not applicable
Marine pollutant	: Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG		
UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Hazchem Code	:	Not applicable

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons : Standard) Instrument	No poison schedule number allocated (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)		
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors			Not applicable
Prohibition/Licensing Requiremen	ıts	:	There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.

The components of this product are reported in the following inventories:

AIIC

: On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date	: 01.04.2025
Date of last issue	: 21.12.2021
Date format	: dd.mm.yyyy

LANKO 701 Duragrout



Version 3.0	Revision Date: 01.04.2025		SDS Number: 100000031255	Date of last issue: 21.12.2021 Date of first issue: 16.03.2020	
Full text of other abbreviations					
AU C	AU OEL : Australia. Workplace Exposure Standards for Airborne taminants.		Standards for Airborne Con-		
AU C ADG ADR CAS DNE EC5 GHS IATA IMD0 LD50	s S O S A G		Exposure standard - time weighted average Australian Dangerous Goods Code. European Agreement concerning the International Carriage of Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at		
LC50	0	:	once, which causes the death of 50% (one half) of a group of test animals) Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)		
OEL PBT PNE REA	С СН	:	istration, Evaluation, Authorisa cals (REACH), establishing a E	Protocol of 1978 d toxic on of the European Parliament nber 2006 concerning the Reg- tion and Restriction of Chemi- European Chemicals Agency	
SVH vPvE	-	:	Substances of Very High Conc Very persistent and very bioac		

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN