**Revision Date:** 

## Sikasil<sup>®</sup>-Pool

Version



Date of last issue: 18.04.2022

2.0	22.01.2025		00000600622	Date of first issue: 18.04.2022
SEC	TION 1. PRODUCT AND COM	PA	NY IDENTIFICATION	
	Product name	:	Sikasil <sup>®</sup> -Pool	
	Manufacturer or supplier's de	etai	Is	
	Company	:	Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164	
	Telephone	:	+61 2 9725 11 45	
	Emergency telephone number	:	+61 1800 033 111	
	Telefax	:	+61 2 9725 33 30	

SDS Number:

#### Recommended use of the chemical and restrictions on use

Product use	: Sealing system
-------------	------------------

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Not a hazardous substance or mixture.

#### **GHS** label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

#### Other hazards which do not result in classification

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
2-Pentandione, O,O',O"-	37859-55-5	< 10
(methylsilylidyne)trioxime		
Silsesquioxanes, 3-aminopropyl Me, ethoxy-	128446-60-6	< 10
terminated		
3-aminopropyltriethoxysilane	919-30-2	< 1
2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1	>= 0.0003 -< 0.0025

#### SECTION 4. FIRST AID MEASURES

# Sikasil<sup>®</sup>-Pool



Version 2.0	Revision Date: 22.01.2025		SDS Number: 000000600622	Date of last issue: 18.04.2022 Date of first issue: 18.04.2022	
Gene	eral advice	:	No hazards which require spec	ial first aid measures.	
If inhaled		:	Move to fresh air. Consult a physician after significant exposure.		
In case of skin contact		:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.		
In case of eye contact		:	Flush eyes with water as a prec Remove contact lenses. Keep eye wide open while rinsi		
lf sw	allowed	:	Clean mouth with water and dri Do not give milk or alcoholic be Never give anything by mouth t	verages.	
	t important symptoms effects, both acute and yed	:	No known significant effects or See Section 11 for more detaile and symptoms.		
Note	s to physician	:	Treat symptomatically.		

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Carbon dioxide (CO2) Dry powder Water spray jet Alcohol-resistant foam
		Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
		No hazardous combustion products are known
Specific extinguishing meth- ods	:	Standard procedure for chemical fires.
Special protective equipment	:	In the event of fire, wear self-contained breathing apparatus.

# Sikasil<sup>®</sup>-Pool



Version	Revision Date: 22.01.2025	SDS Number:	Date of last issue: 18.04.2022
2.0		000000600622	Date of first issue: 18.04.2022

for firefighters

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	For personal protection see section 8.
Environmental precautions	:	No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

#### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Follow standard hygiene measures when handling chemical products
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
methanol	67-56-1	TWA	200 ppm 262 mg/m3	AU OEL
	Further informa	ation: Skin absor	ption	

# Sikasil<sup>®</sup>-Pool



Vers 2.0	ion Revision Date: 22.01.2025		SDS Number: 000000600622		sue: 18.04.2022 sue: 18.04.2022
			STEL	250 ppm 328 mg/m3	AU OEL
	ethanol	64-17	7-5 TWA	1,000 ppm 1,880 mg/m3	AU OEL
	Appropriate engineering controls		adequate ventilation exposure to vapours	and/or engineering con	trols to pre-
	Personal protective equi	oment			
	Respiratory protection	Resp expo		t be based on known or ards of the product and t	
	Hand protection	: Cher appr cher essa Follo Reco	nical-resistant, imper oved standard should nical products if a risl ry. w AS/NZS 1337.1	rvious gloves complying d be worn at all times wi < assessment indicates ber/nitrile rubber gloves	hen handling this is nec-
	Eye protection	: Safe	ty glasses		
	Skin and body protection	cloth	ective clothing (e.g. s ing, long trousers) w AS 2210:3	afety shoes, long-sleev	ed working

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	paste
Colour	:	various
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Melting point/ range	:	Not applicable
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
		4 / 10

# Sikasil<sup>®</sup>-Pool



Version 2.0	Revision Date: 22.01.2025		SDS Number: 000000600622	Date of last issue: 18.04.2022 Date of first issue: 18.04.2022
Flam	mability (solid, gas)	:	No data available	
	r explosion limit / Upper nability limit	:	No data available	
	r explosion limit / Lower nability limit	:	No data available	
Vapo	ur pressure	:	0.001 hPa	
Relat	ive vapour density	:	No data available	
Dens	ity	:	ca. 1.03 g/cm3 (20 °C (68 °F))	
	ility(ies) ater solubility	:	insoluble	
Sc	olubility in other solvents	:	No data available	
	ion coefficient: n- ol/water	:	No data available	
Auto-	ignition temperature	:	No data available	
Deco	mposition temperature	:	No data available	
Visco Vi	sity scosity, dynamic	:	No data available	
Vi	scosity, kinematic	:	> 20.5 mm2/s ( 40 °C (104 °F))	
Explo	sive properties	:	No data available	
Oxidi	zing properties	:	No data available	
Volati	ile organic compounds	:	Directive 2010/75/EU of 24 Nove emissions (integrated pollution p Not applicable	
		:		

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.

## Sikasil<sup>®</sup>-Pool



Versior 2.0	n Revision Date: 22.01.2025		SDS Number: 000000600622	Date of last issue: 18.04.2022 Date of first issue: 18.04.2022
	ossibility of hazardous reac	- :	Stable under recommende	d storage conditions.
С	conditions to avoid	:	Heat	
			Do not expose to temperat This product may release t Formaldehyde	
In	ncompatible materials	:	see section 7.	
pi H	lazardous decomposition roducts lazardous decomposition roducts	:	2-Pentanone, oxime methanol 2-Pentanone, oxime ethanol	

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified due to lack of data.

#### Components:

**2-Pentandione, O,O',O"-(methylsilylidyne)trioxime:** Acute oral toxicity : LD50 Oral (Rat): 1,234 mg/kg

#### 3-aminopropyltriethoxysilane:

Acute oral toxicity : LD50 Oral (Rat): 1,490 mg/kg

#### Skin corrosion/irritation

Not classified due to lack of data.

#### Serious eye damage/eye irritation

Not classified due to lack of data.

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified due to lack of data.

#### **Respiratory sensitisation**

Not classified due to lack of data.

## Sikasil<sup>®</sup>-Pool



rsion	Revision Date: 22.01.2025	SDS Number: 000000600622	Date of last issue: 18.04.2022 Date of first issue: 18.04.2022
Chror	ic toxicity		
	cell mutagenicity assified due to lack of da	ata.	
	<b>nogenicity</b> assified due to lack of da	ata.	
-	ductive toxicity assified due to lack of d	ata.	
	- single exposure assified due to lack of da	ata.	
	- repeated exposure assified due to lack of da	ata.	
-	<b>ation toxicity</b> assified due to lack of da	ata.	
Not cla	-		
Not cla	assified due to lack of d		
Not cla ECTION Ecoto	assified due to lack of d		
Not cla ECTION Ecoto <u>Comp</u> 2-Pen Toxici	assified due to lack of da 12. ECOLOGICAL INFO xicity onents:	ORMATION ethylsilylidyne)trioxime:	na (Water flea)): > 100 mg/l
Not cla ECTION Ecoto <u>Comp</u> 2-Pen Toxici aquati	assified due to lack of da <b>12. ECOLOGICAL INFO</b> <b>xicity</b> <b>conents:</b> <b>tandione, O,O',O"-(me</b> ty to daphnia and other c invertebrates ty to algae/aquatic	DRMATION ethylsilylidyne)trioxime: : EC50 (Daphnia magr Exposure time: 48 h	na (Water flea)): > 100 mg/l eriella subcapitata (green algae)): 54 mg/l
Not cla ECTION Ecoto <u>Comp</u> 2-Pen Toxici aquati Toxici plants	assified due to lack of da 12. ECOLOGICAL INFO xicity onents: tandione, O,O',O"-(me ty to daphnia and other c invertebrates ty to algae/aquatic	DRMATION Pthylsilylidyne)trioxime: : EC50 (Daphnia magr Exposure time: 48 h : EC50 (Pseudokirchne Exposure time: 72 h	
Not cla ECTION Ecoto Comp 2-Pen Toxici aquati Toxici plants 2-octy	assified due to lack of d 12. ECOLOGICAL INFO xicity conents: tandione, O,O',O"-(me ty to daphnia and other c invertebrates ty to algae/aquatic /I-2H-isothiazole-3-one	DRMATION Pthylsilylidyne)trioxime: : EC50 (Daphnia magr Exposure time: 48 h : EC50 (Pseudokirchne Exposure time: 72 h	

#### Persistence and degradability

No data available

#### **Bioaccumulative potential**

No data available

#### Mobility in soil

No data available

#### Other adverse effects

#### Product:

Additional ecological infor- : There is no data available for this product. mation

## Sikasil<sup>®</sup>-Pool



Version 2.0	Revision Date: 22.01.2025		SDS Number: 000000600622	Date of last issue: 18.04.2022 Date of first issue: 18.04.2022
SECTION 1	3. DISPOSAL CONS	IDER	ATIONS	
-	<b>sal methods</b> from residues	:	Send to a licensed waste ma	anagement company.
			Do not contaminate ponds, cal or used container.	waterways or ditches with chemi-
Contaminated packaging		:	Empty remaining contents. Dispose of as unused produ	ict.
			Do not re-use empty contair	ners.

### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

IA	TA-DGR	

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo	:	Not applicable
aircraft)		
Packing instruction (passen-	:	Not applicable
ger aircraft)		
IMDG-Code		
UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code		Not applicable

EmS Code:Not applicableMarine pollutant:Not applicable

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **National Regulations**

ADG		
UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable

# Sikasil<sup>®</sup>-Pool



Version 2.0	Revision Date: 22.01.2025		st issue: 18.04.2022 st issue: 18.04.2022
Pack Labe Hazc <b>Speci</b>	idiary risk ing group Is hem Code al precautions for us oplicable	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>	
SECTION	15. REGULATORY IN	PRMATION	
Thera Stand Interna Scheo	y, health and environ peutic Goods (Poisons ard) Instrument ational Chemical Weap dules of Toxic Chemica bition/Licensing Require	publication to check for specific uses, specific threshold limits that might apply for this chem and Precursors	e use the original conditions or
		Refer to model WHS lations for prohibitio and restricted use.	
<b>The c</b> AllC	omponents of this pr	uct are reported in the following inventories: : On the inventory, or in compliance with the in-	ventory
SECTION	16. OTHER INFORMA	ON	
Revisi	ion Date	: 22.01.2025	
Date f	ormat	: dd.mm.yyyy	

### Full text of other abbreviations

AU OEL	: Australia. Workplace Exposure Stand taminants.	lards for Airborne Con-
AU OEL / TWA AU OEL / STEL	<ul> <li>Exposure standard - time weighted a</li> <li>Exposure standard - short term expo</li> </ul>	5
ADG	: Australian Dangerous Goods Code.	
ADR	: European Agreement concerning the Dangerous Goods by Road	International Carriage of
CAS	: Chemical Abstracts Service	
DNEL	: Derived no-effect level	
EC50	: Half maximal effective concentration	
GHS	: Globally Harmonized System	
IATA	: International Air Transport Association	n
IMDG	: International Maritime Code for Dang	jerous Goods
LD50	: Median lethal dosis (the amount of a once, which causes the death of 50%	

## Sikasil<sup>®</sup>-Pool



Version 2.0	Revision Date: 22.01.2025	SDS Number: 000000600622	Date of last issue: 18.04.2022 Date of first issue: 18.04.2022
LC50			ion (concentrations of the chemical in est animals during the observation
MARP	OL	: International Convention Ships, 1973 as modified	for the Prevention of Pollution from
OEL PBT PNEC REAC		<ul> <li>Occupational Exposure L</li> <li>Persistent, bioaccumulat</li> <li>Predicted no effect conce</li> <li>Regulation (EC) No 1907 and of the Council of 18 istration, Evaluation, Aut</li> </ul>	Limit ive and toxic entration 7/2006 of the European Parliament December 2006 concerning the Reg- horisation and Restriction of Chemi-
SVHC vPvB		: Substances of Very High : Very persistent and very	

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN