Sikaflex[®] Fillet



| Vers 3.0 | ion Revision Date: 21.01.2025 | SDS Number: 000000606764 | | Date of last issue: 19.04.2022 Date of first issue: 23.06.2016 | | |
|-------------|---|-----------------------------|---|---|--|--|
| SEC | SECTION 1. PRODUCT AND COMPANY IDENTIFICATION | | | | | |
| | Product name | | Sikaflex [®] Fillet | | | |
| | Manufacturer or supplier's d | etai | ils | | | |
| | Company | : | Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164 | | | |
| | Telephone | : | +61 2 9725 11 45 | | | |
| | Emergency telephone number | : | +61 1800 033 111 | | | |
| | Telefax | : | +61 2 9725 33 30 | | | |
| | Recommended use of the chemical and restrictions on use | | | | | |
| | Product use | : | Adhesive | | | |
| | | | | | | |
| SEC | CTION 2. HAZARDS IDENTIFIC | CAT | ION | | | |
| | GHS Classification | | | | | |
| | Flammable liquids | : | Category 4 | | | |
| | GHS label elements | | | | | |
| | Hazard pictograms | : | None | | | |
| | Signal word | : | Warning | | | |

Hazard statements : H227 Combustible liquid.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 Store in a well-ventilated place.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Sikaflex[®] Fillet



| Version Revision Date: SDS Number: 3.0 21.01.2025 000000606764 | Date of last issue: 19.04.2022 Date of first issue: 23.06.2016 |
|--|---|
|--|---|

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|--|------------|-----------------------|
| Urea,N,N"-(methylenedi-4,1-phenylene)bis[N'- butyl- | 77703-56-1 | >= 2.5 -< 10 |
| xylene | 1330-20-7 | >= 0.25 -< 2.5 |
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | 0 -< 1 |

SECTION 4. FIRST AID MEASURES

| General advice | : | No hazards which require special first aid measures. |
|---|---|--|
| If inhaled | : | Move to fresh air. Consult a physician after significant exposure. |
| In case of skin contact | : | Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician. |
| In case of eye contact | : | Flush eyes with water as a precaution. Remove contact lenses. Keep eye wide open while rinsing. |
| If swallowed | : | Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. |
| Most important symptoms and effects, both acute and delayed | : | No known significant effects or hazards. See Section 11 for more detailed information on health effects and symptoms. |
| Notes to physician | : | Treat symptomatically. |

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Carbon dioxide (CO2)

Sikaflex[®] Fillet



| Versio 3.0 | on Revision Date: 21.01.2025 | | SDS Number: 000000606764 | Date of last issue: 19.04.2022 Date of first issue: 23.06.2016 |
|---------------|---|---|--------------------------------------|---|
| | Unsuitable extinguishing media | : | Water | |
| | Hazardous combustion prod- ucts | : | No hazardous combustion produc | ts are known |
| | Specific extinguishing meth- ods | : | Standard procedure for chemical | fires. |
| | Special protective equipment for firefighters | : | In the event of fire, wear self-cont | ained breathing apparatus. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| tiv | ersonal precautions, protec- ve equipment and emer- ency procedures | : | For personal protection see section 8. |
|-----|---|---|--|
| E | nvironmental precautions | : | No special environmental precautions required. |
| | lethods and materials for ontainment and cleaning up | : | Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal. |

SECTION 7. HANDLING AND STORAGE

| Advice on protection against fire and explosion | : | Normal measures for preventive fire protection. |
|---|---|---|
| Advice on safe handling | : | Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Follow standard hygiene measures when handling chemical products |
| Hygiene measures | : | Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. |
| Conditions for safe storage | : | Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local regulations. |

Sikaflex[®] Fillet



| Version | Revision Date: | SDS Number: | Date of last issue: 19.04.2022 |
|---------|----------------|-------------|---------------------------------|
| 3.0 | 21.01.2025 | 00000606764 | Date of first issue: 23.06.2016 |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parame- ters / Permissible concentration | Basis |
|--|--|-------------------------------------|--|--------------|
| xylene | 1330-20-7 | STEL | 150 ppm 655 mg/m3 | AU OEL |
| | | TWA | 80 ppm 350 mg/m3 | AU OEL |
| 4,4'-methylenediphenyl diiso- cyanate | 101-68-8 | TWA | 0.02 mg/m3 (NCO) | AU OEL |
| | Further information: Category 2 (Carc. 2) Suspect cinogen, Sensitiser | | | d human car- |
| | | STEL | 0.07 mg/m3 (NCO) | AU OEL |

Biological occupational exposure limits

| Components | CAS-No. | Control | Biological | Sampling time | Permissible concentration | Basis |
|------------|-----------|---------------------------|------------|----------------------------------|---------------------------|--------------|
| | | parameters | specimen | ume | | |
| xylene | 1330-20-7 | Methylhip- puric acids | Urine | End of shift (As | 1.5 g/g creat- inine | ACGIH BEI |
| | | P | | soon as possible after ex- | | |
| | | | | posure ceases) | | |

| Appropriate engineering | : | Use adequate ventilation and/or engineering controls to pre- |
|-------------------------|---|--|
| controls | | vent exposure to vapours. |

Personal protective equipment

| Respiratory protection | : | In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. |
|--------------------------|---|--|
| Hand protection | : | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary. Follow AS/NZS 1337.1 Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed. |
| Eye protection | : | Safety glasses |
| Skin and body protection | : | Protective clothing (e.g. safety shoes, long-sleeved working |

Revision Date:

Sikaflex[®] Fillet

Version



Date of last issue: 19.04.2022

| 3.0 | 21.01.2025 | | 000000606764 | Date of first issue: 23.06.2016 |
|------|--|-----|--|---------------------------------|
| | | | clothing, long trousers) Follow AS 2210:3 Protective clothing needs to b | e made of cotton. |
| SECT | FION 9. PHYSICAL AND CHE | MIC | CAL PROPERTIES | |
| 1 | Appearance | : | paste | |
| (| Colour | : | various | |
| (| Odour | : | characteristic | |
| (| Odour Threshold | : | No data available | |
| F | H | : | Not applicable | |
| | Melting point/ range / Freez- ing point | : | No data available | |
| E | Boiling point/boiling range | : | No data available | |
| I | Flash point | : | ca. 70 °C (158 °F) (Method: closed cup) | |
| I | Evaporation rate | : | No data available | |
| ł | Flammability (solid, gas) | : | No data available | |

SDS Number:

| Upper explosion limit / Upper flammability limit | : | No data available |
|---|---|--------------------------------|
| Lower explosion limit / Lower flammability limit | : | No data available |
| Vapour pressure | : | 0.01 hPa |
| Relative vapour density | : | No data available |
| Density | : | ca. 1.33 g/cm3 (20 °C (68 °F)) |
| Solubility(ies) Water solubility | : | No data available |
| Solubility in other solvents | : | No data available |

Sikaflex[®] Fillet



| Versic 3.0 | on Revision Date: 21.01.2025 | | SDS Number: 000000606764 | Date of last issue: 19.04.2022 Date of first issue: 23.06.2016 |
|---------------|--|---|---|---|
| | Partition coefficient: n- octanol/water | : | No data available | |
| | Auto-ignition temperature | : | No data available | |
| I | Decomposition temperature | : | No data available | |
| , | Viscosity Viscosity, dynamic | : | > 20.5 Pa.s | |
| | Viscosity, kinematic | : | > 20.5 mm2/s (40 °C (104 °F)) | |
| I | Explosive properties | : | No data available | |
| (| Oxidizing properties | : | No data available | |
| | Volatile organic compounds | : | Directive 2010/75/EU of 24 Nove emissions (integrated pollution pr Volatile organic compounds (VO | revention and control) |

SECTION 10. STABILITY AND REACTIVITY

| Reactivity | : | No dangerous reaction known under conditions of normal use. |
|---|---|---|
| Chemical stability | : | The product is chemically stable. |
| Possibility of hazardous reac- tions | : | No hazards to be specially mentioned. |
| Conditions to avoid | : | No data available |
| Incompatible materials | : | see section 7. |
| Hazardous decomposition products | : | No hazardous decomposition products are known. |

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity Not classified due to lack of data.

Not classified due to lack

Components:

xylene: Acute oral toxicity

: LD50 Oral (Rat): 3,523 mg/kg

Sikaflex[®] Fillet



| ersion .0 | Revision Date: 21.01.2025 | SDS Number: 000000606764 | Date of last issue: 19.04.2022 Date of first issue: 23.06.2016 |
|--------------|---|--|---|
| | ethylenediphenyl diisc | | |
| Acute | oral toxicity | : LD50 Oral (Rat): > 5,000 mg Method: OECD Test Guideli | |
| Acute | inhalation toxicity | : LC50: 1.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement | |
| | orrosion/irritation assified due to lack of da | ta. | |
| | us eye damage/eye irrit | | |
| Respir | ratory or skin sensitisa | ation | |
| | ensitisation assified due to lack of da | ta. | |
| - | ratory sensitisation assified due to lack of da | ta. | |
| Chron | ic toxicity | | |
| | cell mutagenicity assified due to lack of da | ta. | |
| | n ogenicity assified due to lack of da | ta. | |
| - | ductive toxicity assified due to lack of da | ta. | |
| | single exposure assified due to lack of data | ıta. | |
| | repeated exposure assified due to lack of data | ıta. | |
| Aspira | ation toxicity assified due to lack of da | ta. | |

Components: Urea,N,N"-(methylenedi-4,1-phenylene)bis[N'-butyl-: Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 250 mg/l Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l

Sikaflex[®] Fillet



| Vers 3.0 | on Revision Date: 21.01.2025 | | SDS Number: 000000606764 | Date of last issue: 19.04.2022 Date of first issue: 23.06.2016 |
|-------------|---|-----|--|---|
| | aquatic invertebrates | | Exposure time: 48 h | |
| | Toxicity to algae/aquatic plants | : | EC50 (Raphidocelis subcar 100 mg/l Exposure time: 72 h | pitata (freshwater green alga)): > |
| | xylene: Toxicity to fish (Chronic tox- icity) | : | NOEC (Oncorhynchus myk Exposure time: 56 d | iss (rainbow trout)): > 1.3 mg/l |
| | Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity) | | NOEC (Daphnia (water flea Exposure time: 7 d | ı)): 1.17 mg/l |
| | Persistence and degradabil No data available | ity | | |
| | Bioaccumulative potential No data available | | | |
| | Mobility in soil No data available | | | |
| | Other adverse effects | | | |
| | Product: | | | |
| | Additional ecological infor- mation | : | There is no data available f | or this product. |

SECTION 13. DISPOSAL CONSIDERATIONS

| Disposal methods Waste from residues | : | Send to a licensed waste management company. |
|--|---|--|
| | | Do not contaminate ponds, waterways or ditches with chemi- cal or used container. |
| Contaminated packaging | : | Empty remaining contents. Dispose of as unused product. |
| | | Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum. |

SECTION 14. TRANSPORT INFORMATION

International Regulations

Sikaflex[®] Fillet



| ersion 0 | Revision Date: 21.01.2025 | SDS Number: 000000606764 | Date of last issue: 19.04.202 Date of first issue: 23.06.202 |
|-------------------|------------------------------|-----------------------------|---|
| | | | |
| IATA-I UN/ID | - • · · | : Not applicable | |
| | r shipping name | : Not applicable | |
| Class | r shipping hame | : Not applicable | |
| | diary risk | : Not applicable | |
| | ng group | : Not applicable | |
| Labels | | : Not applicable | |
| Packir aircraf | ng instruction (cargo it) | : Not applicable | |
| | ng instruction (passen- | : Not applicable | |
| IMDG- | -Code | | |
| UN nu | | : Not applicable | |
| | r shipping name | : Not applicable | |
| Class | | : Not applicable | |
| | diary risk | : Not applicable | |
| | ng group | : Not applicable | |
| Labels | | : Not applicable | |
| EmS (| | : Not applicable | |
| Marine | e pollutant | : Not applicable | |
| | | to Annex II of MARPOL 73/7 | 8 and the IBC Code |
| Not ap | oplicable for product as s | upplied. | |
| Natior | nal Regulations | | |
| ADG | | | |
| UN ni | umber | : Not applicable | |
| Prope | er shipping name | : Not applicable | |
| Class | | : Not applicable | |
| | idiary risk | : Not applicable | |
| | ing group | : Not applicable | |
| Label | | : Not applicable | |
| Hazcl | hem Code | : Not applicable | |
| Specia | al precautions for user | | |
| - | plicable | | |

SECTION 15. REGULATORY INFORMATION

| Therapeutic Goods (Poisons : Standard) Instrument | publication to check f | or s | ber allocated (Please use the original pecific uses, specific conditions or a poly for this chemical) |
|---|------------------------|------|---|
| International Chemical Weapons Schedules of Toxic Chemicals an | | : | Not applicable |
| Prohibition/Licensing Requiremer | nts | : | There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of |

Sikaflex[®] Fillet



| ersion D | Revision Date: 21.01.2025 | SDS Number: 000000606764 | Date of last issue: 19.04.2022 Date of first issue: 23.06.2016 |
|------------------------------------|---------------------------|---|---|
| | | | the model WHS Act and Regula- tions. |
| The co | omponents of this pro | oduct are reported in the fo | llowing inventories: |
| AICS | | : On the inventory, or in a | compliance with the inventory |
| ECTION 1 | 16. OTHER INFORMA | TION | |
| Revisi | on Date | : 21.01.2025 | |
| Date fo | ormat | : dd.mm.yyyy | |
| Full te | ext of other abbreviati | ons | |
| ACGIH AU OE | | ACGIH - Biological Exp Australia. Workplace Extaminants. | osure Indices (BEI) xposure Standards for Airborne Con- |
| | EL / TWA EL / STEL | | ort term exposure limit Goods Code. oncerning the International Carriage of |
| CAS DNEL EC50 GHS IATA | | Dangerous Goods by R Chemical Abstracts Ser Derived no-effect level Half maximal effective of Globally Harmonized Sy International Air Transp | rvice concentration ystem port Association |
| IMDG LD50 | | : Median lethal dosis (the | Code for Dangerous Goods a amount of a material, given all at a death of 50% (one half) of a group of |
| LC50 | | : Median lethal concentra | ation (concentrations of the chemical in test animals during the observation |
| MARP | OL | : International Convention | n for the Prevention of Pollution from d by the Protocol of 1978 |
| OEL PBT PNEC REAC | | Occupational Exposure Persistent, bioaccumula Predicted no effect cond Regulation (EC) No 190 and of the Council of 18 istration, Evaluation, Au | Limit ative and toxic centration 07/2006 of the European Parliament 3 December 2006 concerning the Reg- uthorisation and Restriction of Chemi- |
| SVHC vPvB | | cals (REACH), establish : Substances of Very Hig : Very persistent and ver | |

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

Sikaflex[®] Fillet



| Version | Revision Date: |
|---------|----------------|
| 3.0 | 21.01.2025 |

SDS Number: 000000606764

Date of last issue: 19.04.2022 Date of first issue: 23.06.2016

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN