Sikaflex[®]-111 Stick & Seal



Version	Revision Date:	SDS Number:	Date of last issue: 14.05.2022
2.0	04.02.2025	100000019547	Date of first issue: 14.05.2022

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name:Sikaflex®-111 Stick & SealManufacturer or supplier's detailsCompany:Sika Australia Pty. Ltd.
55 Elizabeth Street
Wetherill Park, NSW 2164Telephone:+61 2 9725 11 45Emergency telephone number:+61 1800 033 111Telefax:+61 2 9725 33 30

Recommended use of the chemical and restrictions on use

Product use : Sealant/adhesive

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
trimethoxyvinylsilane	2768-02-7	0 -< 1

SECTION 4. FIRST AID MEASURES

General advice	: No hazards which require special first aid measures.	
If inhaled	: Move to fresh air.	
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.	

Sikaflex[®]-111 Stick & Seal



Versio 2.0	n Revision Date: 04.02.2025		SDS Number: 100000019547	Date of last issue: 14.05.2022 Date of first issue: 14.05.2022
I	n case of eye contact	:	Flush eyes with water as a precau Remove contact lenses. Keep eye wide open while rinsing.	
ľ	If swallowed		Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.	
a	Most important symptoms and effects, both acute and delayed		No known significant effects or hazards. See Section 11 for more detailed information on health effects and symptoms.	
١	Notes to physician		Treat symptomatically.	
SECT	ION 5. FIREFIGHTING MEA	SU	RES	
S	Suitable extinguishing media	:	Use extinguishing measures that a cumstances and the surrounding e	
	Hazardous combustion prod- ucts	:	No hazardous combustion produc	ts are known
	Specific extinguishing meth-	:	Standard procedure for chemical f	ïres.
S	Special protective equipment or firefighters	:	In the event of fire, wear self-conta	ained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	For personal protection see section 8.
Environmental precautions	:	No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products
Hygiene measures	:	When using do not eat or drink.

Sikaflex[®]-111 Stick & Seal



Versi 2.0	on Revision Date: 04.02.2025		SDS Number: 100000019547	Date of last issue: 14.05.2022 Date of first issue: 14.05.2022
	Conditions for safe storage	:	When using do not smoke Keep container tightly clos place. Store in accordance with l	sed in a dry and well-ventilated
	Materials to avoid	:	No special restrictions on	storage with other products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

	•			
Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
methanol	67-56-1	TWA	200 ppm 262 mg/m3	AU OEL
	Further infor	mation: Skin abso	orption	
		STEL	250 ppm 328 mg/m3	AU OEL
Appropriate engineering controls	•	ite ventilation and ire to vapours.	l/or engineering contr	ols to pre-
Personal protective equipme	ent			
Respiratory protection	Respirator s exposure le		based on known or a of the product and th	
Hand protection	: Chemical-re approved st chemical pro essary. Follow AS/N Recommend	sistant, imperviou andard should be oducts if a risk as IZS 1337.1	us gloves complying v worn at all times who sessment indicates th /nitrile rubber gloves.	en handling
Eye protection	: Safety glass	ses		
Skin and body protection	: Protective c clothing, lon Follow AS 2	g trousers)	y shoes, long-sleeved	d working

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	paste
Colour	:	various

Sikaflex[®]-111 Stick & Seal



Version 2.0	Revision Date: 04.02.2025		SDS Number: 100000019547	Date of last issue: 14.05.2022 Date of first issue: 14.05.2022
Odour		:	slight	
Odour	Threshold	:	No data available	
pН		:	Not applicable substance/mixtu	re is non-soluble (in water)
Melting ing po	g point/ range / Freez-	:	No data available	
	g point/boiling range	:	No data available	
Flash	point	:	> 101 °C (214 °F) (Method: closed cup)	
Evapo	ration rate	:	No data available	
Flamm	nability (solid, gas)	:	No data available	
	explosion limit / Upper ability limit	:	No data available	
	explosion limit / Lower ability limit	:	No data available	
Vapou	ir pressure	:	0.01 hPa	
Relativ	ve vapour density	:	No data available	
Densit	y	:	ca. 1.425 g/cm3 (20 °C (68 °F))	
	lity(ies) iter solubility	:	insoluble	
Sol	lubility in other solvents	:	No data available	
	on coefficient: n- bl/water	:	No data available	
	gnition temperature	:	No data available	
Decon	nposition temperature	:	No data available	
Viscos				
Vis	cosity, dynamic	:	Not applicable	
Vis	cosity, kinematic	:	> 20.5 mm2/s (40 °C (104 °F))	
Explos	sive properties	:	No data available	
Oxidiz	ing properties	:	No data available	
Volatil	e organic compounds	:	Directive 2010/75/EU of 24 Nov livestock rearing emissions (inte and control) Volatile organic compounds (VC	egrated pollution prevention

Sikaflex[®]-111 Stick & Seal



Version	Revision Date:	SDS Number:	Date of last issue: 14.05.2022
2.0	04.02.2025	10000019547	Date of first issue: 14.05.2022

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	see section 7.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Components: trimethoxyvinylsilane: Acute oral toxicity	:	LD50 Oral (Rat): ca. 7,120 mg/kg
Acute inhalation toxicity	:	LC50: ca. 16.8 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	:	LD50: 3,540 mg/kg

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation Not classified due to lack of data.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Sikaflex[®]-111 Stick & Seal



Version 2.0	Revision Date: 04.02.2025	SDS Number: 100000019547	Date of last issue: 14.05.2022 Date of first issue: 14.05.2022		
Chroi	nic toxicity				
	cell mutagenicity assified due to lack of da	ta.			
	nogenicity assified due to lack of da	ta.			
-	oductive toxicity assified due to lack of da	ta.			
	- single exposure assified due to lack of da	ta.			
	• - repeated exposure assified due to lack of da	ta.			
-	ation toxicity assified due to lack of da	ta.			
SECTION	ECTION 12. ECOLOGICAL INFORMATION				
	Ecotoxicity No data available				
	stence and degradabilit Ita available	У			
	c umulative potential Ita available				
	l ity in soil Ita available				
Other	adverse effects				
<mark>Produ</mark> Additi mation	onal ecological infor-	: There is no data available	for this product.		
SECTION	13. DISPOSAL CONSID	ERATIONS			
Dispo	osal methods				
-	minated packaging	: Empty containers should b dling site for recycling or di	e taken to an approved waste han- sposal.		

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR		
UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
		6/9

_

Sikaflex[®]-111 Stick & Seal



Versi 2.0	ion	Revision Date: 04.02.2025	SDS Number: 100000019547	Date of last issue: 14.05.2022 Date of first issue: 14.05.2022
	aircraft)	roup nstruction (cargo nstruction (passen-	 Not applicable Not applicable Not applicable Not applicable Not applicable	
	Class Subsidiar Packing g Labels EmS Cod Marine po Transpor	er ipping name y risk group le ollutant	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Annex II of MARPOL 73/78 and t	he IBC Code
	National	Regulations		

ADG

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Hazchem Code	: Not applicable

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard) Instrument publication to chec	ule number allocated (Please use the original eck for specific uses, specific conditions or at might apply for this chemical)	
International Chemical Weapons Convention (CWC)) : Not applicable	
Schedules of Toxic Chemicals and Precursors		
Prohibition/Licensing Requirements	: There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.	

The components of this product are reported in the following inventories:

Sikaflex[®]-111 Stick & Seal



Version 2.0	Revision Date: 04.02.2025	SDS Number: 100000019547	Date of last issue: 14.05.2022 Date of first issue: 14.05.2022
AIIC		: All components are listed tions/restrictions apply	l on the inventory, regulatory obliga-
SECTION	16. OTHER INFORMA	TION	
Date of	ion Date of last issue format	: 04.02.2025 : 14.05.2022 : dd.mm.yyyy	
Full te	ext of other abbreviat	ons	
AU OI	EL	: Australia. Workplace Exp taminants.	oosure Standards for Airborne Con-
		Dangerous Goods by Ro Chemical Abstracts Serv Derived no-effect level Half maximal effective co Globally Harmonized Sys International Air Transpo International Maritime Co Median lethal dosis (the a once, which causes the o test animals) Median lethal concentrati	rt term exposure limit bods Code. Incerning the International Carriage of ad ice oncentration stem rt Association bode for Dangerous Goods amount of a material, given all at death of 50% (one half) of a group of ion (concentrations of the chemical in
MARF OEL PBT PNEC REAC SVHC vPvB	с СН	 period) International Convention Ships, 1973 as modified Occupational Exposure L Persistent, bioaccumulati Predicted no effect conce Regulation (EC) No 1907 and of the Council of 18 I istration, Evaluation, Auth 	imit ive and toxic entration 7/2006 of the European Parliament December 2006 concerning the Reg- norisation and Restriction of Chemi- ng a European Chemicals Agency Concern

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

Sikaflex[®]-111 Stick & Seal



VersionRevision Date:SDS Number:Date of last issue: 14.05.20222.004.02.2025100000019547Date of first issue: 14.05.2022		V∉ 2.
--	--	----------

П

AU / EN