# Sika<sup>®</sup> Level SkimCoat



Version 3.0	Revision Date: 22.01.2025		SDS Number: 000000670107	Date of last issue: 23.07.2022 Date of first issue: 16.08.2016
SECTIO	ON 1. PRODUCT AND COM	PA	NY IDENTIFICATION	
Pro	Product name		Sika <sup>®</sup> Level SkimCoat	
Ма	anufacturer or supplier's de	eta	ils	
Co	ompany	:	Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164	
Те	lephone	:	+61 2 9725 11 45	
En	Emergency telephone number		+61 1800 033 111	
Те	Telefax		+61 2 9725 33 30	
Re	commended use of the ch	em	ical and restrictions on use	
Pro	oduct use	:	Cement / Mortar, Floor adhesive	

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification Serious eye damage/eye irri- tation	:	Category 1
GHS label elements Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H318 Causes serious eye damage.
Precautionary statements	:	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions.
		Prevention: P280 Wear eye protection/ face protection.
		<b>Response:</b> P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

## Sika<sup>®</sup> Level SkimCoat



Version	Revision Date:	SDS Number:	Date of last issue: 23.07.2022
3.0	22.01.2025	00000670107	Date of first issue: 16.08.2016

#### Other hazards which do not result in classification

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
calcium carbonate	471-34-1	>= 10 -< 30
calcium sulfate	7778-18-9	>= 10 -< 30
Cement (chromium reduced)	65997-15-1	>= 3 -< 10
Limestone	1317-65-3	< 10

#### **SECTION 4. FIRST AID MEASURES**

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms. Causes serious eye damage. irritant effects

# Sika<sup>®</sup> Level SkimCoat



Version 3.0	Revision Date: 22.01.2025		SDS Number: 000000670107	Date of last issue: 23.07.2022 Date of first issue: 16.08.2016
Notes	s to physician	:	Treat symptomatically.	
SECTION	5. FIREFIGHTING MEA	รบ	RES	
Suita	ble extinguishing media	:	Use extinguishing measures cumstances and the surround	that are appropriate to local cir- ding environment.
Haza ucts	rdous combustion prod-	:	No hazardous combustion pr	oducts are known
Spec ods	ific extinguishing meth-	:	Standard procedure for chem	nical fires.
•	ial protective equipment efighters	:	In the event of fire, wear self	-contained breathing apparatus.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
Environmental precautions	:	Try to prevent the material from entering drains or water courses. No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>

# Sika<sup>®</sup> Level SkimCoat



Version 3.0	Revision Date: 22.01.2025		SDS Number: 000000670107	Date of last issue: 23.07.2022 Date of first issue: 16.08.2016
Hygiene measures		:	Handle in accordance with g practice. When using do not eat or dr When using do not smoke. Wash hands before breaks a	
Condi	tions for safe storage	:	Keep container tightly closed place. Store in accordance with loc	d in a dry and well-ventilated cal regulations.
	er information on stor- ability	:	Keep in a dry place. No decomposition if stored a	and applied as directed.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
calcium carbonate	471-34-1	TWA	10 mg/m3 (Calcium car- bonate)	AU OEL
	Further information: This value is for inhalable dust containing no asbestos and < 1% crystalline silica			containing no
calcium sulfate	7778-18-9	TWA	10 mg/m3	AU OEL
Cement (chromium reduced)	65997-15-1	TWA	10 mg/m3	AU OEL
Limestone	1317-65-3	TWA	10 mg/m3 (Calcium car- bonate)	AU OEL
	Further information: This value is for inhalable dust containing no asbestos and < 1% crystalline silica			

	dust formation. de appropriate exhaust ventilation at places where dust ned.
--	--

### Personal protective equipment

### Hand protection : Chemical-resistant, impervious gloves complying with an

# Sika<sup>®</sup> Level SkimCoat



Version 3.0	Revision Date: 22.01.2025		SDS Number: 000000670107	Date of last issue: 23.07.2022 Date of first issue: 16.08.2016
			approved standard should be wo chemical products if a risk assess essary. Follow AS/NZS 1337.1 Recommended: Butyl rubber, PV	sment indicates this is nec-
Eye p	rotection	:	Safety glasses	
Skin a	and body protection	:	Protective clothing (e.g. safety sh clothing, long trousers) Follow AS 2210:3	oes, long-sleeved working

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	grey
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	ca. 11 Concentration: 3,500 g/l
Melting point/ range / Freez- ing point	:	No data available
	:	Not applicable
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available

# Sika<sup>®</sup> Level SkimCoat



Versi 3.0	on Revision Dat 22.01.2025	e:	SDS Number: 000000670107	Date of last issue: 23.07.2022 Date of first issue: 16.08.2016
	Relative vapour density		o data available	
	Density		a. 0.85 g/cm3 (20 °C (68 °F))	
	Solubility(ies) Water solubility		soluble	
	Solubility in other sc	lvents : N	o data available	
	Partition coefficient: n- octanol/water	: N	o data available	
	Auto-ignition temperature		o data available	
	Decomposition temperature		o data available	
	Viscosity Viscosity, dynamic Viscosity, kinematic		o data available ot applicable	
	Explosive properties	: N	o data available	
	Oxidizing properties	: N	o data available	

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	see section 7.
Hazardous decomposition products	:	No hazardous decomposition products are known.

# Sika<sup>®</sup> Level SkimCoat



ersion )	Revision Date: 22.01.2025	SDS Number: 000000670107	Date of last issue: 23.07.2022 Date of first issue: 16.08.2016
	11. TOXICOLOGICAL INFO	RMATION	
Acute	toxicity		
	assified due to lack of data.		
	onents:		
	m sulfate:		
Acute	oral toxicity :	LD50 Oral (Rat): > 5,000 mg/kg	
	corrosion/irritation		
Not cla	assified due to lack of data.		
	us eye damage/eye irritatio	n	
	es serious eye damage.		
Respi	ratory or skin sensitisation	ı	
Skin s	sensitisation		
Not cla	assified due to lack of data.		
Respi	ratory sensitisation		
Not cla	assified due to lack of data.		
Chron	ic toxicity		
Germ	cell mutagenicity		
Not cla	assified due to lack of data.		
Carcir	nogenicity		
Not cla	assified due to lack of data.		
-	ductive toxicity		
	assified due to lack of data.		
	- single exposure		
Not cla	assified due to lack of data.		
	<ul> <li>repeated exposure</li> </ul>		
	assified due to lack of data.		
-	ation toxicity		
Not cla	assified due to lack of data.		
ECTION <sup>·</sup>	12. ECOLOGICAL INFORM	ATION	
Ecoto	xicity		
	ta available		

Persistence and degradability

No data available

# Sika<sup>®</sup> Level SkimCoat



Versi 3.0	on Revision Date: 22.01.2025		SDS Number: 000000670107	Date of last issue: 23.07.2022 Date of first issue: 16.08.2016
	Bioaccumulative potential No data available Mobility in soil			
	No data available Other adverse effects			
	<u>Product:</u> Additional ecological infor- mation	:	There is no data available for this	product.
SEC	TION 13. DISPOSAL CONSI	DER	ATIONS	
	Disposal methods			
	Waste from residues	:	Send to a licensed waste manage	ement company.
			Do not contaminate ponds, water cal or used container.	ways or ditches with chemi-
	Contaminated packaging	:	Empty remaining contents. Dispose of as unused product.	
			Do not re-use empty containers.	

#### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

IATA-DGR UN/ID No. Proper shipping name Class Subsidiary risk Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)	 Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
IMDG-Code UN number Proper shipping name Class Subsidiary risk Packing group	 Not applicable Not applicable Not applicable Not applicable Not applicable

# Sika<sup>®</sup> Level SkimCoat



Version 3.0	Revision Date: 22.01.2025		SDS Number: 000000670107	Date of last issue: 23.07.2022 Date of first issue: 16.08.2016
Labels EmS ( Marine		:	Not applicable Not applicable Not applicable	
Trans	port in bulk accordi	ng to A	nnex II of MARPOL 73/78	and the IBC Code
Not ap	oplicable for product a	as supp	lied.	
Natio	nal Regulations			
ADG				
	umber	:	Not applicable	
•	er shipping name	:	Not applicable	
Class	•	:	Not applicable	
	idiary risk ing group	:	Not applicable Not applicable	
Labe		:	Not applicable	
	hem Code		Not applicable	
Speci	al precautions for u	ser		
Not ap	oplicable			

### **SECTION 15. REGULATORY INFORMATION**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons : Standard) Instrument	No poison schedule number allocated (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)				
International Chemical Weapons Schedules of Toxic Chemicals an Prohibition/Licensing Requiremer	d Precursors	:	Not applicable There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.		

The components of this pro	oduct are reported in the following inventories:
AIIC	: On the inventory, or in compliance with the inventory

#### **SECTION 16. OTHER INFORMATION**

Revision Date	:	22.01.2025

#### Full text of other abbreviations

AU OEL

: Australia. Workplace Exposure Standards for Airborne Contaminants.

## Sika® Level SkimCoat



Version 3.0	Revision Date: 22.01.2025		SDS Number: 000000670107	Date of last issue: 23.07.2022 Date of first issue: 16.08.2016	
AU OEL / TWA ADG ADR		: A : E	Exposure standard - time weighted average Australian Dangerous Goods Code. European Agreement concerning the International Carriage of Dangerous Goods by Road		
CAS DNEL EC50		: C : D	hemical Abstracts Service erived no-effect level alf maximal effective concentrat	ion	
GHS IATA IMDG		: G : In : In	lobally Harmonized System ternational Air Transport Associ ternational Maritime Code for D	ation angerous Goods	
LD50 LC50		or te	edian lethal dosis (the amount on the editor of the death of the stanimals) and an lethal concentration (concentration)	50% (one half) of a group of	
		ai pe	edian lethal concentration (conc r that kills 50% of the test anima eriod) ternational Convention for the P	als during the observation	
MARPO	L	S	nips, 1973 as modified by the Pi		
OEL PBT PNEC REACH		: P : P : R	ccupational Exposure Limit ersistent, bioaccumulative and t redicted no effect concentration egulation (EC) No 1907/2006 of	the European Parliament	
SVHC vPvB		is ca : Si	nd of the Council of 18 December tration, Evaluation, Authorisation als (REACH), establishing a Eur ubstances of Very High Concerr ery persistent and very bioaccur	n and Restriction of Chemi- opean Chemicals Agency n	

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN