Sikaflex[®]-211



Versi 3.0	on Revision Date: 21.01.2025		SDS Number: 000000606764	Date of last issue: 19.04.2022 Date of first issue: 23.06.2016					
SEC	SECTION 1. PRODUCT AND COMPANY IDENTIFICATION								
	Product name	:	Sikaflex [®] -211						
	Manufacturer or supplier's de	etai	ils						
	Company	:	Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164						
	Telephone	:	+61 2 9725 11 45						
	Emergency telephone number	:	+61 1800 033 111						
	Telefax	:	+61 2 9725 33 30						
	Recommended use of the characteristic Product use	-	ical and restrictions on use Adhesive						
SEC	TION 2. HAZARDS IDENTIFIC	AT	ION						
	GHS Classification Flammable liquids	:	Category 4						
	GHS label elements Hazard pictograms	:	None						
	Signal word	:	Warning						
	Hazard statements	:	H227 Combustible liquid.						

Hazard statements H227 Combustible liquid.

Precautionary statements 2 **Prevention:**

> P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 Store in a well-ventilated place.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Sikaflex[®]-211



	Version 3.0	Revision Date: 21.01.2025	SDS Number: 000000606764	Date of last issue: 19.04.2022 Date of first issue: 23.06.2016
--	----------------	---------------------------	-----------------------------	---

Other hazards which do not result in classification None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Urea,N,N"-(methylenedi-4,1-phenylene)bis[N'- butyl-	77703-56-1	>= 2.5 -< 10
xylene	1330-20-7	>= 0.25 -< 2.5
4,4'-methylenediphenyl diisocyanate	101-68-8	0 -< 1

SECTION 4. FIRST AID MEASURES

General advice	:	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	No known significant effects or hazards. See Section 11 for more detailed information on health effects and symptoms.
Notes to physician	:	Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Carbon dioxide (CO2)

Sikaflex[®]-211



Vers 3.0	ion	Revision Date: 21.01.2025		SDS Number: 000000606764	Date of last issue: 19.04.2022 Date of first issue: 23.06.2016
	Unsuitabl media	e extinguishing	:	Water	
	Hazardou ucts	is combustion prod-	:	No hazardous combustion produ	icts are known
	Specific e ods	extinguishing meth-	:	Standard procedure for chemica	l fires.
	Special p for firefigh		:	In the event of fire, wear self-cor	ntained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	For personal protection see section 8.
Environmental precautions	:	No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Follow standard hygiene measures when handling chemical products
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
Conditions for safe storage	:	Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local regulations.

Sikaflex[®]-211



Version	Revision Date:	SDS Number:	Date of last issue: 19.04.2022
3.0	21.01.2025	00000606764	Date of first issue: 23.06.2016

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
xylene	1330-20-7	STEL	150 ppm 655 mg/m3	AU OEL
		TWA	80 ppm 350 mg/m3	AU OEL
4,4'-methylenediphenyl diiso- cyanate	101-68-8	TWA	0.02 mg/m3 (NCO)	AU OEL
	Further information: Category 2 (Carc. 2) Suspected human car- cinogen, Sensitiser			
		STEL	0.07 mg/m3 (NCO)	AU OEL

Biological occupational exposure limits

Components	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
xylene	1330-20-7	Methylhip- puric acids	Urine	End of shift (As	1.5 g/g creat- inine	ACGIH BEI
				soon as possible after ex-		
				posure ceases)		

Appropriate engineering	:	Use adequate ventilation and/or engineering controls to pre-
controls		vent exposure to vapours.

Personal protective equipment

Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary. Follow AS/NZS 1337.1 Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Eye protection :	Safety glasses
Skin and body protection :	Protective clothing (e.g. safety shoes, long-sleeved working

Revision Date:

21.01.2025

Sikaflex[®]-211

Version

3.0



Date of last issue: 19.04.2022

Date of first issue: 23.06.2016

		clothing, long trousers) Follow AS 2210:3 Protective clothing needs to be made of cotton.
SECTION 9. PHYSICAL AND CHE	MI	
Appearance	:	paste
Colour	:	various
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	ca. 70 °C (158 °F) (Method: closed cup)
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	0.01 hPa
Relative vapour density	:	No data available
Density	:	ca. 1.33 g/cm3 (20 °C (68 °F))
Solubility(ies) Water solubility	:	No data available
Solubility in other solvents	:	No data available

SDS Number:

00000606764

Sikaflex[®]-211



Versio 3.0	on Revision Date: 21.01.2025		SDS Number: 000000606764	Date of last issue: 19.04.2022 Date of first issue: 23.06.2016
	Partition coefficient: n- octanol/water	:	No data available	
	Auto-ignition temperature	:	No data available	
	Decomposition temperature	:	No data available	
	Viscosity Viscosity, dynamic	:	> 20.5 Pa.s	
	Viscosity, kinematic	:	> 20.5 mm2/s (40 °C (104 °F))	
	Explosive properties	:	No data available	
	Oxidizing properties	:	No data available	
	Volatile organic compounds	:	Directive 2010/75/EU of 24 Nove emissions (integrated pollution pr Volatile organic compounds (VOC	evention and control)

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	see section 7.
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Components:

xylene: Acute oral toxicity

: LD50 Oral (Rat): 3,523 mg/kg

Sikaflex[®]-211



/ersion 3.0	Revision Date: 21.01.2025	SDS Number: 000000606764	Date of last issue: 19.04.2022 Date of first issue: 23.06.2016
	nethylenediphenyl diiso	-	<i>n</i>
Acute	oral toxicity	: LD50 Oral (Rat): > 5,000 mg Method: OECD Test Guideli	
Acute	inhalation toxicity	: LC50: 1.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement	
-	corrosion/irritation assified due to lack of da	ıta.	
	us eye damage/eye irri		
Resp	iratory or skin sensitisa	ation	
Skin	sensitisation		
Not cl	assified due to lack of da	ita.	
Resp	iratory sensitisation		
Not cl	assified due to lack of da	ita.	
Chro	nic toxicity		
Germ	cell mutagenicity		
Not cl	assified due to lack of da	ita.	
Carci	nogenicity		
Not cl	assified due to lack of da	ita.	
-	oductive toxicity		
Not cl	assified due to lack of da	ita.	
	- single exposure		
	assified due to lack of da	ita.	
	 repeated exposure assified due to lack of date 		
		lia.	
-	ation toxicity assified due to lack of da	to	
INOT CI	assilied due to lack of da	lla.	

Components: Urea,N,N"-(methylenedi-4,1-phenylene)bis[N'-butyl-: Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 250 mg/l Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l

Sikaflex[®]-211



Vers 3.0	on Revision Date: 21.01.2025		SDS Number: 000000606764	Date of last issue: 19.04.2022 Date of first issue: 23.06.2016
	aquatic invertebrates		Exposure time: 48 h	
	Toxicity to algae/aquatic plants	:	EC50 (Raphidocelis subcap 100 mg/l Exposure time: 72 h	itata (freshwater green alga)): >
	xylene: Toxicity to fish (Chronic tox- icity)	:	NOEC (Oncorhynchus mykis Exposure time: 56 d	ss (rainbow trout)): > 1.3 mg/l
	Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC (Daphnia (water flea) Exposure time: 7 d	ı): 1.17 mg/l
	Persistence and degradabil No data available	ity		
	Bioaccumulative potential No data available			
	Mobility in soil No data available			
	Other adverse effects			
	Product:			
	Additional ecological infor- mation	:	There is no data available fo	or this product.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	:	Send to a licensed waste management company.
		Do not contaminate ponds, waterways or ditches with chemi- cal or used container.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product.
		Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulations

Sikaflex[®]-211



Version 3.0	Revision Date: 21.01.2025	SDS Number: 000000606764	Date of last issue: 19.04.2022 Date of first issue: 23.06.2016
Class Subsic Packir Labels Packir aircraf	No. r shipping name diary risk ng group s ng instruction (cargo	 Not applicable 	
ger air IMDG- UN nu Propel Class Subsic Packir Labels EmS (craft) • Code mber r shipping name diary risk ng group	 Not applicable 	
Not ap	plicable for product as s	to Annex II of MARPOL 73/ upplied.	78 and the IBC Code
ADG UN nu Prope Class Subsi Packi Label Hazcl	diary risk ng group	 Not applicable 	

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental	regulations/legislation	specific for the substance or mixture

Therapeutic Goods (Poisons : Standard) Instrument	publication to check f	or s	ber allocated (Please use the original pecific uses, specific conditions or this chemical)
International Chemical Weapons Schedules of Toxic Chemicals an	()	:	Not applicable
Prohibition/Licensing Requiremer	nts	:	There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of

Sikaflex[®]-211



/ersion 3.0	Revision Date: 21.01.2025	SDS Number: 000000606764	Date of last issue: 19.04.2022 Date of first issue: 23.06.2016
			the model WHS Act and Regula- tions.
The co	omponents of this pr	oduct are reported in the fol	llowing inventories:
AICS		-	compliance with the inventory
SECTION 1	16. OTHER INFORMA	TION	
Revisi	on Date	: 21.01.2025	
Date fo	ormat	: dd.mm.yyyy	
Full te	ext of other abbreviat	ions	
ACGIH AU OE		 ACGIH - Biological Expo Australia. Workplace Extensionants. 	osure Indices (BEI) cposure Standards for Airborne Con-
	EL / TWA EL / STEL		ort term exposure limit Goods Code. oncerning the International Carriage of
CAS DNEL EC50 GHS IATA IMDG LD50			vice concentration ystem
LC50		once, which causes the test animals) : Median lethal concentra air that kills 50% of the t	death of 50% (one half) of a group of ation (concentrations of the chemical in test animals during the observation
MARP	OL		n for the Prevention of Pollution from
OEL PBT PNEC REAC		 Occupational Exposure Persistent, bioaccumula Predicted no effect cond Regulation (EC) No 190 and of the Council of 18 istration, Evaluation, Au 	ative and toxic centration 07/2006 of the European Parliament 8 December 2006 concerning the Reg- thorisation and Restriction of Chemi-
SVHC vPvB		cals (REACH), establish : Substances of Very Hig : Very persistent and very	

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

Sikaflex[®]-211



Version	Revision Date:
3.0	21.01.2025

SDS Number: 000000606764

Date of last issue: 19.04.2022 Date of first issue: 23.06.2016

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN