

PRODUCT DATA SHEET

Sarna® Cleaner

Cleaner for heavily soiled Sarnafil® G/S

DESCRIPTION

Mixture of high volatile solvents

USES

Sarna® Cleaner is used to remove heavy soiling from the seam area of Sarnafil® G/S (PVC) membranes. It is also used to remove adhesive residues from Sarnafil® G/S membranes and to clean tools. Sarna® Cleaner is also suitable for diluting Sarnacol® 2170 adhesive and degreasing metal sheets.

Caution: Sarna® Cleaner will remove the lacquer coating from Sarnafil® EL membranes.

CHARACTERISTICS / ADVANTAGES

- Dissolves contamination of adhesive resin, mastic and bitumen
- Evaporates quickly
- Highly flammable
- Suitable for heavily stained seam overlaps of Sarnafil® G/S membranes

APPROVALS / CERTIFICATES

- Quality management system EN ISO 9001

PRODUCT INFORMATION

Composition	Mixture of high volatile solvents	
Packaging	Tin	5 l, 10 l
	Packing unit	Europallet or single tin
Shelf life	24 months from date of production if stored properly in original, unopened and undamaged sealed container. Expiry date on container.	
Storage conditions	Store in dry conditions at temperatures between 0 °C and + 30 °C. The product is highly flammable: Safety regulations regarding storage and handling of dangerous goods must be observed.	
Appearance and colour	Transparent	
Density	~0.9 kg/l (+20 °C)	
Consistency	Liquid	

Volatile organic compound (VOC) content VOC-CH: 100 %
VOC-EU: 100 %

APPLICATION INFORMATION

Ambient air temperature	At least -30 °C
Substrate temperature	At least -20 °C

BASIS OF PRODUCT DATA

All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

IMPORTANT CONSIDERATIONS

- Dissolves thermoplastics not resistant to solvents (e.g. polystyrene, polycarbonate, acrylics)
- Do not use the cleaner to wash large areas of roof surface.
- Sarna® Cleaner reduces the seam quality and should only be used on heavily soiled areas.
- White cloths will effectively absorb dirt and the colour will not stain the membrane. Use solvent resistant gloves and eye protection glasses during application.
- Sarna® Cleaner contains high volatile and flammable solvents. Application in closed rooms is allowed only with sufficient room ventilation. Smoking and open fire are not permitted.

ECOLOGY, HEALTH AND SAFETY

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety-related data.

APPLICATION INSTRUCTIONS

APPLICATION

Application Guideline:

Based on the valid installation instructions of the relevant roof waterproofing membrane.

Application Method:

Cleaner: Soak a clean white cloth with Sarna® Cleaner and then clean the membrane, tool or metal sheet. The cloths should be changed frequently to avoid the spreading of dirt. When cleaning seams a new cloth is to be used. In the seam areas allow Sarna® Cleaner to evaporate completely before the welding of seams.

Adhesive dilutant: See the Product Data Sheet of Sarnacol® 2170 for more information.

CLEANING OF EQUIPMENT

Tools and equipment must be cleaned immediately after use.

LOCAL RESTRICTIONS

Please note that as a result of specific local regulations the declared data for this product may vary from country to country. Please consult the local Product Data Sheet for the exact product data.

LEGAL NOTES

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recom-

mendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Sika Australia Pty Limited

ABN 12 001 342 329

aus.sika.com

Tel: 1300 22 33 48

Product Data Sheet

Sarna® Cleaner

April 2023, Version 02.02

020945072050000005

