Sikafloor[®]-169 Part B



Version 2.0	Revision Date: 17.01.2025		SDS Number: 000000129633	Date of last issue: 22.08.2021 Date of first issue: 22.08.2021
SECTION	1. PRODUCT AND COM	PA	NY IDENTIFICATION	
Prod	uct name	:	Sikafloor [®] -169 Part B	
Manu	ufacturer or supplier's de	eta	ls	
Com	pany	:	Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164	
Telep	phone	:	+61 2 9725 11 45	
Emei	rgency telephone number	:	+61 1800 033 111	
Telef	ax	:	+61 2 9725 33 30	
Reco	ommended use of the ch	em	ical and restrictions on use	
Prod	uct use	:	Flooring system, Special system, consumer use	Product is not intended for

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Acute toxicity (Oral)	Category 4	
Skin corrosion/irritation	Sub-category 1A	
Serious eye damage/eye irri- tation	Category 1	
Skin sensitisation	Category 1	
Short-term (acute) aquatic hazard	Category 3	
GHS label elements		
Hazard pictograms		
Signal word	Danger	
Hazard statements	H302 Harmful if swallowe	ad

Sikafloor[®]-169 Part B



ersion 0	Revision Date: 17.01.2025	SDS Number: 000000129633	Date of last issue: 22.08.2021 Date of first issue: 22.08.2021
Preca	utionary statements	P272 Contaminated work of the workplace. P273 Avoid release to the	y after handling. smoke when using this product. clothing should not be allowed out of environment. res/ protective clothing/ eye protec-
		CENTER/ doctor if you fee P301 + P330 + P331 IF SV induce vomiting. P303 + P361 + P353 IF OI Iy all contaminated clothing P304 + P340 + P310 IF IN and keep comfortable for b POISON CENTER/ doctor P305 + P351 + P338 + P3 water for several minutes. and easy to do. Continue r CENTER/ doctor. P333 + P313 If skin irritatio vice/ attention.	WALLOWED: Rinse mouth. Do NOT N SKIN (or hair): Take off immediate- g. Rinse skin with water. HALED: Remove person to fresh air preathing. Immediately call a
		Disposal: P501 Dispose of contents/ disposal plant.	container to an approved waste

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
benzyl alcohol	100-51-6	>= 30 -< 60
3-aminomethyl-3,5,5-trimethylcyclohexylamine	2855-13-2	>= 30 -< 60
Polyoxypropylene diamine	9046-10-0	>= 10 -< 25
2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine	25513-64-8	>= 10 -< 30

SECTION 4. FIRST AID MEASURES

Sikafloor®-169 Part B



Version 2.0	Revision Date: 17.01.2025		SDS Number: 000000129633	Date of last issue: 22.08.2021 Date of first issue: 22.08.2021		
Ge	General advice		Move out of dangerous area. Consult a physician. Show this safety data sheet to	o the doctor in attendance.		
lf i	If inhaled		Move to fresh air. Consult a physician after significant exposure.			
In	In case of skin contact		Take off contaminated clothing Wash off with soap and plenty Immediate medical treatment wounds from corrosion of the ty.	of water.		
In	case of eye contact	:	sue damage and blindness.	transport to hospital.		
lf s	swallowed	:	Clean mouth with water and d Do NOT induce vomiting. Do not give milk or alcoholic b Never give anything by mouth Take victim immediately to ho	to an unconscious person.		
an	ost important symptoms d effects, both acute and layed	:	Health injuries may be delaye corrosive effects sensitising effects Gastrointestinal discomfort Allergic reactions Dermatitis See Section 11 for more detai and symptoms. Harmful if swallowed. May cause an allergic skin rea Causes serious eye damage. Causes severe burns.	iled information on health effects		
No	otes to physician	:	Treat symptomatically.			

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Sikafloor[®]-169 Part B



Vers 2.0	on Revision Date: 17.01.2025		SDS Number: 000000129633	Date of last issue: 22.08.2021 Date of first issue: 22.08.2021
	Hazardous combustion prod- ucts	:	No hazardous combustion produc	ts are known
	Specific extinguishing meth- ods	:	Standard procedure for chemical f	ires.
	Special protective equipment for firefighters	:	In the event of fire, wear self-conta	ained breathing apparatus.
	Hazchem Code	:	2X	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	:	Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions :	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for : containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice.

Sikafloor[®]-169 Part B



Version 2.0	Revision Date: 17.01.2025	SDS Number: 000000129633	Date of last issue: 22.08.2021 Date of first issue: 22.08.2021
		When using do not eat or di When using do not smoke. Wash hands before breaks	
Condi	tions for safe storage	place.	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Appropriate engineering : controls	Use adequate ventilation and/or engineering controls to pre- vent exposure to vapours.
Personal protective equipmer	ht
Respiratory protection :	No special measures required. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary. Follow AS/NZS 1337.1 Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Eye protection :	Safety glasses
Skin and body protection :	Protective clothing (e.g. safety shoes, long-sleeved working clothing, long trousers) Follow AS 2210:3 Rubber aprons

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour

: various

Sikafloor®-169 Part B



/ersion 2.0	Revision Date: 17.01.2025		SDS Number: 000000129633	Date of last issue: 22.08.2021 Date of first issue: 22.08.2021
Odou	ır	:	amine-like	
Odou	ır Threshold	:	No data available	
pН		:	> 11 Concentration: 50 %	
Meltir ing po	ng point/ range / Freez- oint	:	No data available	
Boilin	ig point/boiling range	:	No data available	
Flash	point	:	> 101 °C (214 °F) (Method: closed cup)	
Evap	oration rate	:	No data available	
Flam	mability (solid, gas)	:	No data available	
	er explosion limit / Upper nability limit	:	No data available	
	r explosion limit / Lower nability limit	:	No data available	
Vapo	ur pressure	:	0.07 hPa	
Relat	ive vapour density	:	No data available	
Dens	ity	:	ca. 1 g/cm3 (20 °C (68 °F))	
	bility(ies) ater solubility	:	insoluble	
So	olubility in other solvents	:	No data available	
	ion coefficient: n- ol/water	:	No data available	
Auto-	ignition temperature	:	No data available	
Deco	mposition temperature	:	No data available	
Visco Vi	sity scosity, dynamic	:	No data available	
Vi	scosity, kinematic	:	> 20.5 mm2/s (40 °C (104 °F))

Sikafloor[®]-169 Part B



Versio 2.0	n Revision Date: 17.01.2025		SDS Number: 000000129633	Date of last issue: 22.08.2021 Date of first issue: 22.08.2021
E	Explosive properties	:	No data available	
C	Dxidizing properties	:	No data available	
V	Volatile organic compounds		Directive 2010/75/EU of 24 Nov emissions (integrated pollution Volatile organic compounds (Vo	prevention and control)
SECT	ION 10. STABILITY AND RE	AC	ΤΙVITY	
F	Reactivity	:	No dangerous reaction known u	under conditions of normal use.
C	Chemical stability	:	The product is chemically stable	e.
	Possibility of hazardous reac- ions	:	Stable under recommended sto	prage conditions.
C	Conditions to avoid	:	No data available	
Ir	ncompatible materials	:	see section 7.	
	lazardous decomposition products	:	No hazardous decomposition p	roducts are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity Harmful if swallowed.	
<u>Components:</u> benzyl alcohol: Acute oral toxicity	: LD50 Oral (Rat): 1,200 mg/kg
3-aminomethyl-3,5,5-trimet Acute oral toxicity	nylcyclohexylamine: : LD50 Oral (Rat): 1,030 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 - 5,000 mg/kg
Polyoxypropylene diamine Acute oral toxicity	: LD50 Oral (Rat): 2,880 mg/kg
	7 / 12

Sikafloor[®]-169 Part B



ersion .0	Revision Date: 17.01.2025	SDS Number: 000000129633	Date of last issue: 22.08.2021 Date of first issue: 22.08.2021
	or 2,4,4)-trimethylhexane oral toxicity :	e-1,6-diamine: LD50 Oral (Rat): 910 mg/kg]
Skin d	corrosion/irritation		
Cause	es severe burns.		
Seriou	us eye damage/eye irrita	tion	
Cause	es serious eye damage.		
Respi	ratory or skin sensitisat	ion	
Skin s	sensitisation		
May c	ause an allergic skin react	tion.	
Respi	ratory sensitisation		
Not cla	assified due to lack of data	а.	
Chron	nic toxicity		
Germ	cell mutagenicity		
Not cla	assified due to lack of data	а.	
Carci	nogenicity		
Not cla	assified due to lack of data	а.	
Repro	ductive toxicity		
Not cla	assified due to lack of data	a.	
	 single exposure 		
Not cla	assified due to lack of data	Э.	
	- repeated exposure		
	assified due to lack of data	а.	
	ation toxicity		
Not cla	assified due to lack of data	а.	
SECTION	12. ECOLOGICAL INFOR		
Ecoto	xicity		
	onents:		

components.		
benzyl alcohol: Toxicity to fish	:	LC50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and othe aquatic invertebrates	r:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
3-aminomethyl-3,5,5-trime Toxicity to algae/aguatic	-	cyclohexylamine: ErC50 (Desmodesmus subspicatus (green algae)): > 10 - 1

Toxicity to algae/aquatic:ErC50 (Desmodesmus subspicatus (green algae)): > 10 - 100plantsmg/l

Sikafloor[®]-169 Part B



Versior 2.0	n Revision Date: 17.01.2025		SDS Number: 000000129633	Date of last issue: 22.08.2021 Date of first issue: 22.08.2021
			Exposure time: 72 h	
			NOEC (Desmodesmus subspice Exposure time: 72 h	atus (green algae)): 1.5 mg/l
Т	olyoxypropylene diamine: oxicity to algae/aquatic lants	:	EC50 (Pseudokirchneriella subo Exposure time: 72 h	capitata (algae)): 15 mg/l
a	oxicity to daphnia and other quatic invertebrates (Chron- toxicity)	:	EC50 (Daphnia magna (Water f Exposure time: 48 h	lea)): 80 mg/l
Т	,2,4(or 2,4,4)-trimethylhexar oxicity to algae/aquatic lants	ne- :	1,6-diamine: EC50 (Scenedesmus capricorne mg/l Exposure time: 72 h	utum (fresh water algae)): 29.5
	oxicity to fish (Chronic tox- ity)	:	LC50 (Leuciscus idus (Golden o Exposure time: 48 h	orfe)): 174 mg/l
	ersistence and degradabilit o data available	ty		
	ioaccumulative potential o data available			
	lobility in soil o data available			
	ther adverse effects			
A	roduct: dditional ecological infor- nation	:	There is no data available for th	is product.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	Send to a licensed waste management company.	
	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemi- cal or used container.	
Contaminated packaging	Empty remaining contents. Dispose of as unused product.	

Sikafloor[®]-169 Part B



ersion .0	Revision Date: 17.01.2025	SDS Number: 000000129633	Date of last issue: 22.08.2021 Date of first issue: 22.08.2021
		Do not re-use empty conta	ainers.
SECTION	14. TRANSPORT INFO	RMATION	
Intern	ational Regulations		
Class Packir Labels Packir aircraf Packir ger air	No. r shipping name ng group ng instruction (cargo it) ng instruction (passen- rcraft)	 UN 2735 Polyamines, liquid, corrosi (3-aminomethyl-3,5,5-trim thylhexane-1,6-diamine) 8 III Corrosive 856 852 	ive, n.o.s. nethylcyclohexylamine, trime-
·		ane-1,6-diamine)	ORROSIVE, N.O.S. ethylcyclohexylamine, trimethylhex-
Labels EmS (: 8 : III : 8 : F-A, S-B : no	
	port in bulk according	to Annex II of MARPOL 73/78 upplied.	8 and the IBC Code
•	nal Regulations		
ADG	unde e a		

UN number	:	UN 2735
Proper shipping name	:	POLYAMINES, LIQUID, CORROSIVE, N.O.S.
		(3-aminomethyl-3,5,5-trimethylcyclohexylamine, trime-
		thylhexane-1,6-diamine)
Class	:	8
Packing group	:	III
Labels	:	8
Hazchem Code	:	2X
Environmentally hazardous	:	no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Sikafloor[®]-169 Part B



Version	Revision Date:	SDS Number:	Date of last issue: 22.08.2021
2.0	17.01.2025	00000129633	Date of first issue: 22.08.2021

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixtureTherapeutic Goods (Poisons:Standard) InstrumentSchedule 5 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)					
International Chemical Weapons Conve Schedules of Toxic Chemicals and Prec Prohibition/Licensing Requirements	. ,	Not applicable There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.			

The components of this product are reported in the following inventories:

AIIC		On the inventory, or in compliance with the inventory	
Allo	•	on the inventory, or in compliance with the inventory	

SECTION 16. OTHER INFORMATION

Revision Date	:	17.01.2025

Date format	: dd.mm.yyyy
-------------	--------------

Full text of other abbreviations

iage of
at
oup of
nical in tion
from
nent

Sikafloor®-169 Part B



Version	Revision Date: 17.01.2025	SDS Number:	Date of last issue: 22.08.2021
2.0		000000129633	Date of first issue: 22.08.2021
SVHC vPvB		istration, Evaluation, Authoris	

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN