Sikafloor®-305 W Part A



Version 4.1	Revision Date: 10.02.2025		SDS Number: 000000604278	Date of last issue: 23.10.2020 Date of first issue: 25.11.2019
SECTION	1. PRODUCT AND COM	MPA	NY IDENTIFICATION	
Produ	ct name	:	Sikafloor [®] -305 W Part A	
Manu	facturer or supplier's c	leta	ils	
Comp	any	:	Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164	
Telepł	hone	:	+61 2 9725 11 45	
Emerg	gency telephone number	r :	+61 1800 033 111	
Telefa	х	:	+61 2 9725 33 30	
Recor	nmended use of the cl	hem	ical and restrictions on use	
Produ	ct use	:	For professional users only., Floo	oring system

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Short-term (acute) aquatic hazard	:	Category 3
GHS label elements		
Hazard pictograms Signal word Hazard statements	:	None None H402 Harmful to aquatic life.
Precautionary statements	:	Prevention: P273 Avoid release to the environment.
		Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
propane-1,2-diol	57-55-6	0 -< 10



Sikafloor®-305 W Part A

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.202	
4.1	10.02.2025	000000604278	Date of first issue: 25.11.20	
reactio	pol (INN) on mass of 5-chloro-2-metl azol-3-one and 2-methyl-2ł 9:1)		>= 0.0025 -< 0.025 >= 0.0003 -< 0.0025	

SECTION 4. FIRST AID MEASURES

General advice	:	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	No known significant effects or hazards. See Section 11 for more detailed information on health effects and symptoms.
Notes to physician	:	Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media :	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Hazardous combustion prod- : ucts	:	No hazardous combustion products are known
Specific extinguishing meth- : ods	:	Standard procedure for chemical fires.
Special protective equipment : for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	For personal protection see section 8.
Environmental precautions	:	No special environmental precautions required.

Sikafloor®-305 W Part A



Versi 4.1	on Revision Date: 10.02.2025		SDS Number: 000000604278	Date of last issue: 23.10.2020 Date of first issue: 25.11.2019
	Methods and materials for containment and cleaning up		Wipe up with absorbent material (Keep in suitable, closed container	
SEC	TION 7. HANDLING AND ST	OR	AGE	
	Advice on protection against fire and explosion	:	Normal measures for preventive f	ire protection.
	Advice on safe handling		For personal protection see section No special handling advice require Follow standard hygiene measure products	ed.
	Hygiene measures	:	When using do not eat or drink.	
	Conditions for safe storage	:	When using do not smoke. Keep container tightly closed in a place. Store in accordance with local reg	
	Materials to avoid	:	No special restrictions on storage	with other products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components with workplace of				
Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
propane-1,2-diol	57-55-6	TWA (partic- ulate)	10 mg/m3	AU OEL
		TWA (Total (vapour and particles))	150 ppm 474 mg/m3	AU OEL
Appropriate engineering : controls	Use adequate vent exposure		or engineering contro	ols to pre-
Personal protective equipment	it			
Respiratory protection :	Respirator se exposure leve	lection must be t	on wear respiratory p pased on known or a of the product and the respirator.	nticipated
Hand protection :	approved star chemical proc essary. Follow AS/NZ Recommende	ndard should be lucts if a risk ass S 1337.1	s gloves complying w worn at all times whe essment indicates th nitrile rubber gloves. be removed.	en handling

Sikafloor®-305 W Part A



ersion .1	Revision Date: 10.02.2025		SDS Number: 000000604278	Date of last issue: 23.10.2020 Date of first issue: 25.11.2019
Eye pr	otection	:	Safety glasses	
Skin a	nd body protection	:	Protective clothing (e.g. saf clothing, long trousers) Follow AS 2210:3	ety shoes, long-sleeved working
SECTION 9	9. PHYSICAL AND CHE	MI		
Appea	rance	:	liquid	
Colour		:	various	
Odour		:	slight	
Odour	Threshold	:	No data available	
pН		:	ca. 8.5 (20 °C (68 °F))	
	g point/ range / Freez-	:	No data available	
ing poi Boiling	nt point/boiling range	:	No data available	
Flash	point	:	Not applicable	
Evapo	ration rate	:	No data available	
Flamm	nability (solid, gas)	:	No data available	
	explosion limit / Upper ability limit	:	No data available	
	explosion limit / Lower ability limit	:	No data available	
Vapou	r pressure	:	23 hPa	
Relativ	ve vapour density	:	No data available	
Densit	у	:	ca. 1.35 g/cm3 (20 °C (68	°F))
	lity(ies) ter solubility	:	partly soluble	
Sol	ubility in other solvents	:	No data available	
	on coefficient: n-	:	No data available	
	l/water gnition temperature	:	No data available	
Decom	position temperature	:	No data available	

Sikafloor®-305 W Part A



Versio 4.1	n Revision Date: 10.02.2025		SDS Number: 000000604278	Date of last issue: 23.10.2020 Date of first issue: 25.11.2019
Viscosity, dynamic		:	No data available	
Viscosity, kinematic		:	> 20.5 mm2/s (40 °C (104 °F))	
Explosive properties		:	No data available	
C	Oxidizing properties		No data available	
Volatile organic compounds		:	Directive 2010/75/EU of 24 Nove livestock rearing emissions (integ and control) Volatile organic compounds (VO	grated pollution prevention

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	see section 7.
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Components:

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1): Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Not classified due to lack of data.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Sikafloor®-305 W Part A



Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2020
4.1	10.02.2025	000000604278	Date of first issue: 25.11.2019

Chronic toxicity

Germ cell mutagenicity Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:
bronopol (INN): M-Factor (Acute aquatic tox- : 10
icity)
M-Factor (Chronic aquatic : 1 toxicity)
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):
M-Factor (Acute aquatic tox- : 100 icity)
M-Factor (Chronic aquatic : 100 toxicity)
Persistence and degradability
No data available
Bioaccumulative potential
No data available
Mobility in soil
No data available
Other adverse effects
Product:
Additional ecological infor- : There is no data available for this product. mation

Sikafloor®-305 W Part A



Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2020
4.1	10.02.2025	00000604278	Date of first issue: 25.11.2019

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Contaminated packaging

: Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR UN/ID No. Proper shipping name Class Subsidiary risk Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)		Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
IMDG-Code UN number Proper shipping name Class Subsidiary risk Packing group Labels	:	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable

Not applicable Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

:

:

Not applicable for product as supplied.

National Regulations

EmS Code

Marine pollutant

ADG		
UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Hazchem Code	:	Not applicable

Special precautions for user

Not applicable

OEL

PBT

PNEC

REACH

Sikafloor®-305 W Part A



/ersion l.1	Revision Date: 10.02.2025		SDS Number: 000000604278	Date of last issue: 23.10.2020 Date of first issue: 25.11.2019
SECTION	15. REGULATORY	INFORM	IATION	
Safety	y health and enviro	nmenta	l regulations/legislat	ion specific for the substance or mixture
Thera	peutic Goods (Poiso ard) Instrument	ns :	No poison schedule nu publication to check fo	umber allocated (Please use the original r specific uses, specific conditions or
Intern	ational Chemical We			ght apply for this chemical) : Not applicable
	dules of Toxic Chemi			
Prohit	bition/Licensing Requ	uirement	S	: There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.
The e	omnononto of this	n roduot	are reported in the f	
Alic	omponents of this	-	are reported in the for Listed introduction	bliowing inventories:
AllC		•		
Date o	ion Date of last issue format	:	10.02.2025 23.10.2020 dd.mm.yyyy	
Full te	ext of other abbrevi	ations		
AU OI	EL		Australia. Workplace E taminants.	Exposure Standards for Airborne Con-
AU OI	EL / TWA	:	Exposure standard - ti	me weighted average
ADG			Australian Dangerous Goods Code.	
ADR			European Agreement concerning the International Carriage of Dangerous Goods by Road	
CAS			Chemical Abstracts Se	
DNEL			Derived no-effect level	
EC50			Half maximal effective	
GHS			Globally Harmonized S	
IATA			International Air Trans	
IMDG				Code for Dangerous Goods
LD50				he amount of a material, given all at
2200				e death of 50% (one half) of a group of
LC50		:	Median lethal concentral air that kills 50% of the	ration (concentrations of the chemical in e test animals during the observation
MARF	POL			on for the Prevention of Pollution from

Occupational Exposure Limit

Persistent, bioaccumulative and toxic

Predicted no effect concentration

:

:

:

:

Ships, 1973 as modified by the Protocol of 1978

Regulation (EC) No 1907/2006 of the European Parliament

Sikafloor®-305 W Part A



Version	Revision Date: 10.02.2025	SDS Number:	Date of last issue: 23.10.2020
4.1		000000604278	Date of first issue: 25.11.2019
SVHC vPvB		istration, Evaluation, Autho	

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN