## LANKO 701 Duragrout

**Revision Date:** 

Version



Date of last issue: 21.12.2021

3.0	01.04.2025		10000031255	Date of first issue: 16.03.2020
SECTION	I 1. PRODUCT AND COM	/IPA	NY IDENTIFICATION	
Prod	luct name	:	LANKO 701 Duragrout	
Man	ufacturer or supplier's d	letai	ls	
Com	ipany	:	Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164	
Tele	phone	:	+61 2 9725 11 45	
Eme	rgency telephone number	• :	+61 1800 033 111	
Tele	fax	:	+61 2 9725 33 30	

SDS Number:

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification		
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
Skin sensitisation	:	Category 1
Carcinogenicity (Inhalation)	:	Category 1A
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	<ul> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H318 Causes serious eye damage.</li> <li>H335 May cause respiratory irritation.</li> <li>H350 May cause cancer by inhalation.</li> </ul>
Precautionary statements	:	Prevention:
		P201 Obtain special instructions before use

## LANKO 701 Duragrout



Version 3.0	Revision Date: 01.04.2025	SDS Number: 100000031255	Date of last issue: 21.12.2021 Date of first issue: 16.03.2020
		and understood. P261 Avoid breathing dust. P264 Wash skin thoroughly afte P271 Use only outdoors or in a	well-ventilated area. ing should not be allowed out of protective clothing/ eye protec-
		<ul> <li>and keep comfortable for breath doctor if you feel unwell.</li> <li>P305 + P351 + P338 + P310 IF water for several minutes. Rem and easy to do. Continue rinsin CENTER/ doctor.</li> <li>P308 + P313 IF exposed or cor attention.</li> <li>P333 + P313 If skin irritation or vice/ attention.</li> </ul>	ED: Remove person to fresh air hing. Call a POISON CENTER/ IN EYES: Rinse cautiously with love contact lenses, if present g. Immediately call a POISON ncerned: Get medical advice/
		<b>Storage:</b> P403 + P233 Store in a well-ve tightly closed. P405 Store locked up.	ntilated place. Keep container
		<b>Disposal:</b> P501 Dispose of contents/ cont disposal plant.	ainer to an approved waste
Other h	azards which do not r	esult in classification	

# Other hazards which do not result in classification None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 30 -< 60
Cement, portland, chemicals	65997-15-1	>= 30 -< 60
sulfoaluminate clinker	Not Assigned	>= 3 -< 10
Slags, ferrous metal, blast furnace	65996-69-2	>= 1 -< 3
Crystalline silica	14808-60-7	>= 0.1 -< 1

## LANKO 701 Duragrout



Version 3.0	Revision Date: 01.04.2025		SDS Number: 100000031255	Date of last issue: 21.12.2021 Date of first issue: 16.03.2020
SECTION	4. FIRST AID MEASUR	RES		
Gene	ral advice	:	Move out of dangerous area Consult a physician. Show this safety data sheet	a. t to the doctor in attendance.
lf inha	aled	:	Move to fresh air. Consult a physician after sig	gnificant exposure.
In cas	se of skin contact	:	Take off contaminated cloth Wash off with soap and plea If symptoms persist, call a p	nty of water.
In cas	se of eye contact	:	sue damage and blindness.	eyes, rinse immediately with plenty advice. g transport to hospital.
lf swa	allowed	:	Do not give milk or alcoholid	d drink afterwards plenty of water. c beverages. uth to an unconscious person.
	important symptoms effects, both acute and red	:	irritant effects sensitising effects Cough Respiratory disorder Allergic reactions Excessive lachrymation Dermatitis See Section 11 for more de and symptoms. Causes skin irritation. May cause an allergic skin to Causes serious eye damag May cause respiratory irritaton May cause cancer by inhala	e. tion.
Notes	s to physician	:	Treat symptomatically.	

#### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

## LANKO 701 Duragrout



Versi 3.0	on Revision Date: 01.04.2025		SDS Number: 100000031255	Date of last issue: 21.12.2021 Date of first issue: 16.03.2020
			cumstances and the surrounding	environment.
	Hazardous combustion prod- ucts	:	No hazardous combustion produc	ts are known
	Specific extinguishing meth- ods	:	Standard procedure for chemical f	fires.
	Special protective equipment for firefighters	:	In the event of fire, wear self-conta	ained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
Methods and materials for containment and cleaning up	:	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

#### SECTION 7. HANDLING AND STORAGE

Advice on safe handling: Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical productsSika 03	Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
•	Advice on safe handling	:	<ul> <li>section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Follow standard hygiene measures when handling chemical</li> </ul>
	Sika 03		Do not breathe vapours/dust.
Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink.	Hygiene measures	:	practice.

## LANKO 701 Duragrout



Version 3.0	Revision Date: 01.04.2025		SDS Number: 100000031255	Date of last issue: 21.12.2021 Date of first issue: 16.03.2020
			When using do not smoke. Wash hands before breaks	and at the end of workday.
Condi	tions for safe storage	:	Store in original container. Keep in a well-ventilated pla Observe label precautions. Store in accordance with lo	
	er information on stor- tability	:	Keep in a dry place. No decomposition if stored	and applied as directed.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis				
0	4 4000 00 7	. /						
Quartz (SiO2)	14808-60-7	TWA (Res- pirable dust)	0.05 mg/m3	AU OEL				
	Further informa	Further information: Category 1A (Carc. 1A) Known to have car-						
	cinogenic potential for humans							
Cement, portland, chemicals	65997-15-1 TWA 10 mg/m3 AU OEL							
Crystalline silica	14808-60-7	TWA (Res-	0.05 mg/m3	AU OEL				
, ,	pirable dust)							
	Further information: Category 1A (Carc. 1A) Known to have car- cinogenic potential for humans							

Appropriate engineering controls	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Personal protective equipme	nt	
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. particulate filter P
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary. Follow AS/NZS 1337.1 Recommended: Butyl rubber, PVC, cotton gloves

## LANKO 701 Duragrout



/ersion 3.0	Revision Date: 01.04.2025		SDS Number: 100000031255	Date of last issue: 21.12.2021 Date of first issue: 16.03.2020
Eye p	rotection	:	Safety glasses	
Skin a	and body protection	:	Protective clothing (e.g. saf clothing, long trousers) Follow AS 2210:3	fety shoes, long-sleeved working
SECTION	9. PHYSICAL AND CH	EMI		
Appea	arance	:	powder	
Colou	r	:	grey	
Odou	r	:	very faint	
Odou	r Threshold	:	No data available	
рН		:	Not applicable	
Meltin ing po	g point/ range / Freez- int	:	No data available	
Boiling	g point/boiling range	:	No data available	
Flash	point	:	Not applicable	
Evapo	pration rate	:	No data available	
Flamr	nability (solid, gas)	:	No data available	
	explosion limit / Upper ability limit	:	No data available	
	explosion limit / Lower		No data available	

Lower explosion limit / Lower:No data availableflammability limit:No data availableVapour pressure:No data availableRelative vapour density:No data available

: ca. 1.8 g/cm3 (23 °C (73 °F))

:

Solubility(ies) Water solubility

Density

insoluble

## LANKO 701 Duragrout



Versic 3.0	on Revision Date: 01.04.2025		SDS Number: 100000031255	Date of last issue: 21.12.2021 Date of first issue: 16.03.2020
	Solubility in other solvents	:	No data available	
-	Partition coefficient: n- octanol/water	:	No data available	
	Auto-ignition temperature	:	No data available	
I	Decomposition temperature	:	No data available	
Ň	Viscosity Viscosity, dynamic	:	No data available	
	Viscosity, kinematic	:	Not applicable	
I	Explosive properties	:	No data available	
(	Oxidizing properties	:	No data available	
·	Volatile organic compounds	:	Directive 2010/75/EU of 24 Nove livestock rearing emissions (integ and control) Not applicable	

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	see section 7.
Hazardous decomposition products	:	No hazardous decomposition products are known.

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified due to lack of data.

## LANKO 701 Duragrout



ersion 0	Revision Date: 01.04.2025	SDS Number: 100000031255	Date of last issue: 21.12.2021 Date of first issue: 16.03.2020			
	corrosion/irritation					
sulfoa	oonents: aluminate clinker: sment :	Repeated exposure may ca	ause skin dryness or cracking.			
	u <b>s eye damage/eye irritat</b> es serious eye damage.	ion				
Respiratory or skin sensitisation Skin sensitisation May cause an allergic skin reaction.						
Chron	nic toxicity					
	cell mutagenicity assified due to lack of data					
	nogenicity ause cancer by inhalation.					
-	ductive toxicity assified due to lack of data					
	- single exposure ause respiratory irritation.					
	- repeated exposure assified due to lack of data					
-	ation toxicity					
	assified due to lack of data					
ECTION '	12. ECOLOGICAL INFOR	MATION				
Ecoto	xicity					
	ta available					

Persistence and degradability

No data available

**Bioaccumulative potential** 

No data available

**Mobility in soil** No data available

## LANKO 701 Duragrout



Version 3.0	Revision Date: 01.04.2025		SDS Number: 100000031255	Date of last issue: 21.12.2021 Date of first issue: 16.03.2020
Other	adverse effects			
<u>Produ</u> Additi matio	onal ecological infor-	:	There is no data available for th	is product.
SECTION	13. DISPOSAL CONS	IDER	ATIONS	
Dispo	osal methods			
Waste	e from residues	:	Send to a licensed waste mana	gement company.
			Do not contaminate ponds, wate cal or used container.	erways or ditches with chemi-
Conta	aminated packaging	:	Empty remaining contents. Dispose of as unused product.	

Do not re-use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

IATA-DGR		
UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo	:	Not applicable
aircraft)		
Packing instruction (passen-	:	Not applicable
ger aircraft)		
IMDG-Code		
UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## LANKO 701 Duragrout



ersion 0	Revision Date: 01.04.2025		SDS Number: 100000031255	Date of last issue: 21.12.2021 Date of first issue: 16.03.2020
Natior	nal Regulations			
Prope Class Subsi Packi Label	umber er shipping name s idiary risk ing group		Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable	
-	al precautions for us	er		
Not ap	oplicable			

Standard) Instrument public	ation to check for s	ber allocated (Please use the original specific uses, specific conditions or a specific conditions or a sply for this chemical)
International Chemical Weapons Conver	ntion (CWC) :	Not applicable
Schedules of Toxic Chemicals and Prece	Jrsors	
Prohibition/Licensing Requirements	:	There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.

#### The components of this product are reported in the following inventories:

AIIC

: On the inventory, or in compliance with the inventory

#### SECTION 16. OTHER INFORMATION

Revision Date	:	01.04.2025
Date of last issue	:	21.12.2021
Date format	:	dd.mm.yyyy

#### Full text of other abbreviations

AU OEL	: Australia. Workplace Exposure Standards for Airborne Con taminants.	1-
AU OEL / TWA ADG ADR	<ul> <li>Exposure standard - time weighted average</li> <li>Australian Dangerous Goods Code.</li> <li>European Agreement concerning the International Carriage Dangerous Goods by Road</li> </ul>	e of
CAS	: Chemical Abstracts Service	

## LANKO 701 Duragrout



Version 3.0	Revision Date: 01.04.2025	SDS Number: 100000031255	Date of last issue: 21.12.2021 Date of first issue: 16.03.2020	
EC		: Derived no-effect level : Half maximal effective conce		
GH IAT IMI	TA DG	<ul> <li>Globally Harmonized System</li> <li>International Air Transport Association</li> <li>International Maritime Code for Dangerous Goods</li> </ul>		
LD		once, which causes the dea test animals)	ount of a material, given all at th of 50% (one half) of a group of	
LC	50		(concentrations of the chemical in animals during the observation	
MA	RPOL		the Prevention of Pollution from the Protocol of 1978	
OEL PBT PNEC REACH		<ul> <li>Occupational Exposure Limit</li> <li>Persistent, bioaccumulative</li> <li>Predicted no effect concentric</li> <li>Regulation (EC) No 1907/20 and of the Council of 18 December 2010</li> </ul>	Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg-	
SV vP <sup>v</sup>	HC vB			

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN