SikaBond®-152

Telephone



Version 1.0	Revision Date: 29.07.2024		SDS Number: 100000013908	Date of last issue: - Date of first issue: 29.07.2024
SECTION	1. PRODUCT AND CC	MPAN	Y IDENTIFICATION	
Produ	uct name	: 9	SikaBond [®] -152	
Manu	facturer or supplier's	details	5	
Comp	bany	Ę	Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164	

Emergency telephone number	:	+61 1800 033 111
Telefax	:	+61 2 9725 33 30

Recommended use of the chemical and restrictions on use

: +61 2 9725 11 45

Product use	: Adhesive
-------------	------------

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	:	Category 4
GHS label elements Hazard pictograms	:	None
Signal word	:	Warning
Hazard statements	:	H227 Combustible liquid.
Precautionary statements	:	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions.
		Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 Wear protective gloves/ protective clothing/ eye protec- tion/ face protection/ hearing protection.
		Response: P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
		Storage: P403 Store in a well-ventilated place.
		Disposal: P501 Dispose of contents/ container to an approved waste

SikaBond®-152



Version	Revision Date: 29.07.2024	SDS Number:	Date of last issue: -
1.0		100000013908	Date of first issue: 29.07.2024
		disposal plant.	

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
trimethoxyvinylsilane	2768-02-7	0 -< 1

SECTION 4. FIRST AID MEASURES

General advice	:	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	No known significant effects or hazards. See Section 11 for more detailed information on health effects and symptoms.
Notes to physician		Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Carbon dioxide (CO2)
Unsuitable extinguishing media	:	Water
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth-	:	Standard procedure for chemical fires.

SikaBond[®]-152



ersion D	Revision Date: 29.07.2024		SDS Number: 100000013908	Date of last issue: - Date of first issue: 29.07.2024
	al protective equipment efighters	:	In the event of fire, wear self-	-contained breathing apparatus.
ECTION	6. ACCIDENTAL RELE	AS	E MEASURES	
tive e	onal precautions, protec- quipment and emer- / procedures	:	For personal protection see s	section 8.
Enviro	onmental precautions	:	No special environmental pre	ecautions required.
	ods and materials for inment and cleaning up	:	Wipe up with absorbent mate Keep in suitable, closed cont	
ECTION	7. HANDLING AND ST	OR/	AGE	
	e on protection against nd explosion	:	Normal measures for preven	tive fire protection.
Advic	e on safe handling	:	Do not get in eyes, on skin, c For personal protection see s	
			Follow standard hygiene mea products	asures when handling chemical

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

No. Value type (Form of	Control parame- ters / Permissible	Basis
•	ters / Permissible	
`		
exposure)	concentration	
-1 TWA	200 ppm	AU OEL
	262 mg/m3	
Further information: Skin absorption		
STEL	250 ppm	AU OEL
	1 TWA	1 TWA 200 ppm 262 mg/m3 r information: Skin absorption

SikaBond[®]-152



Versior 1.0	n Revision Date: 29.07.2024		SDS Number: 100000013908	Date of last issue: - Date of first issue: 29.07.2024		
				328 mg/m3		
	Appropriate engineering : controls		Use adequate ventilation and/or engineering controls to pre- vent exposure to vapours.			
Р	ersonal protective equipm	ent				
R	Respiratory protection	:		ist be based on known or anticipated zards of the product and the safe		
Η	land protection	:	Chemical-resistant, imp approved standard sho chemical products if a r essary. Follow AS/NZS 1337.1	pervious gloves complying with an uld be worn at all times when handling isk assessment indicates this is nec- ubber/nitrile rubber gloves.		
E	ye protection	:	Safety glasses			
S	ikin and body protection	:	clothing, long trousers) Follow AS 2210:3	. safety shoes, long-sleeved working ds to be made of cotton.		

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	paste
Colour	:	various
Odour	:	odourless
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/ range / Freez-	:	No data available
ing point Boiling point/boiling range	:	No data available
Flash point	:	ca. 70 °C (158 °F) (Method: closed cup)
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available

SikaBond[®]-152



Vers 1.0	ion	Revision Date: 29.07.2024		SDS Number: 100000013908	Date of last issue: - Date of first issue: 29.07.2024
	Vapour p	pressure	:	0.01 hPa	
	Relative vapour density Density Solubility(ies) Water solubility		:	No data available	
			:	ca. 1.64 g/cm3 (20 °C (68 °F))	
			:	insoluble	
	Solub	oility in other solvents	:	No data available	
	Partition octanol/\	coefficient: n-	:	No data available	
		ition temperature	:	No data available	
	Decomp	osition temperature	:	No data available	
	Viscosity Visco	/ sity, dynamic	:	No data available	
	Visco	sity, kinematic	:	> 20.5 mm2/s (40 °C (104 °F))	
	Explosiv	e properties	:	No data available	
	Oxidizing	g properties	:	No data available	
	Volatile o	organic compounds	:	Directive 2010/75/EU of 24 Nove emissions (integrated pollution p Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	see section 7.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

SikaBond[®]-152



/ersion I.0	Revision Date: 29.07.2024		SDS Number: 100000013908	Date of last issue: - Date of first issue: 29.07.2024			
SECTION	11. TOXICOLOGICAL	INFC	RMATION				
	toxicity assified based on avai	ilable i	nformation.				
<u>Comp</u>	onents:						
	hoxyvinylsilane: oral toxicity	:	LD50 Oral (Rat): ca. 7,120 mg/kg				
Acute	inhalation toxicity	:	LC50: ca. 16.8 mg/l Exposure time: 4 h Test atmosphere: vapour				
Acute	dermal toxicity	:	LD50: 3,540 mg/kg				
Skin o	corrosion/irritation						
Not cla	assified based on avai	ilable i	nformation.				
Serious eye damage/eye irritation Not classified based on available information.							
	ensitisation assified based on avai						
	ratory sensitisation assified based on avai	ilable i	nformation.				
Chron	ic toxicity						
Germ	cell mutagenicity						
Not cla	assified based on avai	ilable i	nformation.				
	nogenicity assified based on ava	ilable i	nformation.				
-	ductive toxicity assified based on avai	ilable i	nformation.				
стот	- single exposure						
Not cla	assified based on avai	ilable i	nformation.				
	- repeated exposure assified based on avail		nformation.				
1101 010							
	ation toxicity						

SikaBond®-152



ersion .0	Revision Date: 29.07.2024	SDS Number: 100000013908	Date of last issue: - Date of first issue: 29.07.2024
SECTION '	12. ECOLOGICAL INFOR	RMATION	
Ecoto No dat	xicity ta available		
	stence and degradability ta available		
	cumulative potential ta available		
	i ty in soil ta available		
Other	adverse effects		
<u>Produ</u> Additic matior	onal ecological infor-	There is no data available fo	or this product.

Waste from residues	:	Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR		
UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo	:	Not applicable
aircraft)		
Packing instruction (passen-	:	Not applicable
ger aircraft)		
IMDG-Code		
UN number		Not applicable
Proper shipping name	:	Not applicable
	•	

SikaBond®-152

_



ersion .0	Revision Date: 29.07.2024		SDS Number: 100000013908	Date of last issue: - Date of first issue: 29.07.2024
Packi Label EmS	diary risk ng group s		Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable	
Transport in bulk accordin				and the IBC Code
Not applicable for product a			blied.	
Natio	nal Regulations			
Prop Class Subs Pack Labe	umber er shipping name s idiary risk ing group		Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable	
-	ial precautions for us pplicable	ser		

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons : No poison sche Standard) Instrument	edule number allocated			
International Chemical Weapons Convention (CW Schedules of Toxic Chemicals and Precursors	,			
Prohibition/Licensing Requirements	: There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.			
The components of this product are reported i	n the following inventories:			
· · · · · · · · · · · · · · · · · · ·	All components are listed on the inventory, regulatory obliga- tions/restrictions apply			

SECTION 16. OTHER INFORMATION

Revision Date Date format	•	29.07.2024 dd.mm.yyyy
Full text of other abbreviatio	ns	
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Con- taminants.

SikaBond®-152



Version 1.0	Revision Date: 29.07.2024		SDS Number: 100000013908	Date of last issue: - Date of first issue: 29.07.2024			
	L / TWA	:	Exposure standard - time weighte				
	L / STEL	:	Exposure standard - short term exposure limit				
ADG		:	Australian Dangerous Goods Code.				
ADR		:	European Agreement concerning the International Carriage of Dangerous Goods by Road				
CAS			Chemical Abstracts Service				
DNEL		÷	Derived no-effect level				
EC50		÷	Half maximal effective concentrat	ion			
GHS		:	Globally Harmonized System				
ΙΑΤΑ		:	International Air Transport Association				
IMDG		:	International Maritime Code for Dangerous Goods				
LD50		:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)				
LC50		:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)				
MARPO	DL	:	International Convention for the F Ships, 1973 as modified by the P				
OEL		:	Occupational Exposure Limit				
PBT		÷	Persistent, bioaccumulative and t	oxic			
PNEC		:	Predicted no effect concentration				
REACH	1	:	Regulation (EC) No 1907/2006 o and of the Council of 18 Decemb istration, Evaluation, Authorisatio cals (REACH), establishing a Eur	er 2006 concerning the Reg- n and Restriction of Chemi-			
SVHC vPvB		:	Substances of Very High Concer Very persistent and very bioaccu	n			

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN