# Sikalastic<sup>®</sup>-621 TC



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.07.2022	00000609761	Date of first issue: 13.07.2022

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	<sup>:</sup> Sikalastic <sup>®</sup> -621 TC
Product code	: 000000609761
Manufacturer or supplier's o	details
Company	: Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164
Telephone	: +61 2 9725 11 45
Telefax	: +61 2 9725 33 30
Emergency telephone num- ber	: +61 1800 033 111
Recommended use of the c	hemical and restrictions on use
Product use	: Liquid applied membranes

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification		
Flammable liquids	Category 4	
Acute toxicity (Inhalation)	Category 4	
Skin sensitisation	Category 1	
Short-term (acute) aquatic hazard	Category 1	
Long-term (chronic) aquatic hazard	Category 2	
GHS label elements Hazard pictograms		
Signal word	Warning	
Hazard statements	H227 Combustible liquid. H317 May cause an allergic skin reaction H332 Harmful if inhaled. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long last	
Precautionary statements	<b>Prevention:</b> P210 Keep away from heat, hot surface	es, sparks, open flames
	1 / 12	

## Sikalastic<sup>®</sup>-621 TC



Version 1.0	Revision Date: 13.07.2022	SDS Number: 000000609761	Date of last issue: - Date of first issue: 13.07.2022
		the workplace. P273 Avoid release to the	or vapours. r in a well-ventilated area. clothing should not be allowed out of environment. res/ protective clothing/ eye protec-
		P304 + P340 + P312 IF IN and keep comfortable for b doctor if you feel unwell. P333 + P313 If skin irritatic vice/ attention. P362 + P364 Take off cont reuse.	Wash with plenty of water. HALED: Remove person to fresh air preathing. Call a POISON CENTER/ on or rash occurs: Get medical ad- taminated clothing and wash it before e: Use dry sand, dry chemical or xtinguish.
		<b>Storage:</b> P403 Store in a well-ventila	ated place.
		<b>Disposal:</b> P501 Dispose of contents/ disposal plant.	container to an approved waste

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
2-methoxy-1-methylethyl acetate	108-65-6	>= 10 -< 20
bis[2-[2-(1-methylethyl)-3-oxazolidinyl]ethyl] hexane-1,2-diylbiscarbamate	59719-67-4	>= 1 -< 10
triphenyl phosphate	115-86-6	0 -< 10
Isophorondiisocyanate homopolymer	53880-05-0	>= 1 -< 10
tris(methylphenyl) phosphate	1330-78-5	0 -< 3
3-isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate	4098-71-9	0 -< 1
2-ethylhexanoic acid, zirconium salt	22464-99-9	0 -< 3
bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate	41556-26-7	>= 0.1 -< 3
4,5-dichloro-2-octyl-2H-isothiazol-3-one (DCOIT)	64359-81-5	>= 0.1 -< 1

#### **SECTION 4. FIRST AID MEASURES**

# Sikalastic<sup>®</sup>-621 TC



Version 1.0	Revision Date: 13.07.2022		SDS Number: 000000609761	Date of last issue: - Date of first issue: 13.07.2022
Gene	General advice		Move out of dangerous area. Consult a physician. Show this safety data sheet to th	e doctor in attendance.
lf inh	aled	:	Move to fresh air. Consult a physician after significa	ant exposure.
In ca	In case of skin contact In case of eye contact If swallowed		Take off contaminated clothing a Wash off with soap and plenty of If symptoms persist, call a physic	water.
In ca			Remove contact lenses. Keep eye wide open while rinsing If eye irritation persists, consult a	
lf swa			Clean mouth with water and drin Do not give milk or alcoholic beve Never give anything by mouth to Obtain medical attention.	erages.
	important symptoms effects, both acute and red	:	sensitising effects Respiratory disorder Allergic reactions Headache See Section 11 for more detailed and symptoms. May cause an allergic skin reacti Harmful if inhaled.	
Note	s to physician	:	Treat symptomatically.	

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Carbon dioxide (CO2)
Unsuitable extinguishing media	:	Water
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth- ods	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

# Sikalastic<sup>®</sup>-621 TC



Version 1.0	Revision Date: 13.07.2022		SDS Number: 000000609761	Date of last issue: - Date of first issue: 13.07.2022
Hazch	nem Code	:	•3Z	
SECTION	6. ACCIDENTAL RELEA	ASE	MEASURES	
tive e	nal precautions, protec- quipment and emer- / procedures	:	Use personal protective eq Deny access to unprotecte	
Enviro	onmental precautions	:		ater or sanitary sewer system. a rivers and lakes or drains inform
	ods and materials for inment and cleaning up	:	Soak up with inert absorbe acid binder, universal binde Keep in suitable, closed co	
SECTION	7. HANDLING AND STO	ORA	GE	
	e on protection against nd explosion	:	Normal measures for preve	entive fire protection.
Advic	e on safe handling	:	section 8). Do not get in eyes, on skin. For personal protection see Persons with a history of sl ma, allergies, chronic or re- not be employed in any pro- used. Smoking, eating and drinkin plication area. Provide sufficient air excha	
Hygie	ne measures	:	practice. When using do not eat or d When using do not smoke.	
Condi	itions for safe storage	:	Store in original container. Keep in a well-ventilated pl Containers which are open kept upright to prevent leak Observe label precautions. Store in accordance with lo	ed must be carefully resealed and age.

## Sikalastic<sup>®</sup>-621 TC



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.07.2022	00000609761	Date of first issue: 13.07.2022

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis	
2-methoxy-1-methylethyl ace- tate	108-65-6	TWA	50 ppm 274 mg/m3	AU OEL	
	Further inforn	nation: Skin abso	orption		
		STEL	100 ppm 548 mg/m3	AU OEL	
triphenyl phosphate	115-86-6	TWA	3 mg/m3	AU OEL	
3-isocyanatomethyl-3,5,5- trimethylcyclohexyl isocyanate	4098-71-9	TWA	0.02 mg/m3 (NCO)	AU OEL	
	Further inforn	nation: Sensitiser	•		
		STEL	0.07 mg/m3 (NCO)	AU OEL	
Appropriate engineering : controls		te ventilation and re to vapours.	/or engineering contro	ols to pre-	
Personal protective equipment	t				
Respiratory protection :	Respirator se exposure lev	election must be	ion wear respiratory   based on known or a of the product and th respirator.	nticipated	
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary. Follow AS/NZS 1337.1 Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.				
Eye protection :	Safety glass	Safety glasses			
Skin and body protection :	Protective clothing (e.g. safety shoes, long-sleeved working clothing, long trousers) Follow AS 2210:3 Protective clothing needs to be made of cotton.				

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: various
Odour	: hydrocarbon-like
Odour Threshold	: No data available
	5 / 12

# Sikalastic<sup>®</sup>-621 TC



Versio 1.0	on Revision Date: 13.07.2022		SDS Number: 000000609761	Date of last issue: - Date of first issue: 13.07.2022
	рН		Not applicable	
		•		
	Melting point/range / Freezing point	:	No data available	
	Boiling point/boiling range	:	No data available	
	Flash point	:	> 61 °C (142 °F) (Method: closed cup)	
	Evaporation rate	:	No data available	
	Flammability (solid, gas)	:	No data available	
	Upper explosion limit / Upper flammability limit	:	No data available	
	Lower explosion limit / Lower flammability limit	:	No data available	
	Vapour pressure	:	3.1 hPa	
	Relative vapour density	:	No data available	
	Density	:	ca. 1.43 g/cm3 (20 °C (68 °F))	
	Solubility(ies) Water solubility	:	insoluble	
	Solubility in other solvents	:	No data available	
	Partition coefficient: n-	:	No data available	
	octanol/water Auto-ignition temperature	:	ca. 315 °C (599 °F)	
	Decomposition temperature	:	No data available	
	Viscosity Viscosity, dynamic	:	No data available	
	Viscosity, kinematic	:	> 20.5 mm2/s ( 40 °C (104 °F))	
	Explosive properties	:	No data available	
	Oxidizing properties	:	No data available	
	Volatile organic compounds	:	Directive 2010/75/EU of 24 Nove emissions (integrated pollution pr Volatile organic compounds (VOC	evention and control)

### SECTION 10. STABILITY AND REACTIVITY

# Sikalastic<sup>®</sup>-621 TC



Vers 1.0	ion	Revision Date: 13.07.2022		SDS Number: 000000609761	Date of last issue: - Date of first issue: 13.07.2022
	Reactivity	1	:	No dangerous reaction known un	der conditions of normal use.
	Chemical	stability	:	The product is chemically stable.	
	Possibility tions	/ of hazardous reac-	:	Stable under recommended stora	ge conditions.
	Condition	s to avoid	:	No data available	
	Incompat	ible materials	:	see section 7.	

### SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

Harmful if inhaled.

Components:					
2-methoxy-1-methylethyl aceta	ate:				
Acute oral toxicity :	LD50 Oral (Rat): > 5,000 mg/kg				
Acute dermal toxicity :	LD50 Dermal (Rabbit): > 5,000 mg/kg				
his[2_[2_(1_methylethyl)_3_oxaz	olidinyl]ethyl] hexane-1,2-diylbiscarbamate:				
	LD50 Oral (Rat): $> 5,000 \text{ mg/kg}$				
,					
Acute dermal toxicity :	LD50 Dermal (Rabbit): > 2,000 mg/kg				
tris(methylphenyl) phosphate: Acute oral toxicity :	LD50 Oral (Rat): > 5,000 mg/kg				
Acute oral toxicity .	EDS0 Grai (Nat). > 3,000 mg/kg				
Acute dermal toxicity :	LD50 Dermal (Rabbit): 3,700 mg/kg				
3-isocyanatomethyl-3,5,5-trime					
Acute oral toxicity :	LD50 Oral (Rat): 4,814 mg/kg				
Acute inhalation toxicity :	LC50 (Rat): 0.031 mg/l				
, ,	Exposure time: 4 h				
	Test atmosphere: dust/mist				
A quite dermed texisity	DE0 Dermal (Det) > 7.000 mg//g				
Acute definal toxicity .	LD50 Dermal (Rat): > 7,000 mg/kg				
4,5-dichloro-2-octyl-2H-isothia	zol-3-one (DCOIT):				
Acute oral toxicity :	Acute toxicity estimate: 567 mg/kg				
	Method: Acute toxicity estimate according to Regulation (EC)				
	No. 1272/2008				
Acute inhalation toxicity :	Acute toxicity estimate: 0.16 mg/l				
	Test atmosphere: dust/mist				
	Method: Acute toxicity estimate according to Regulation (EC)				
	No. 1272/2008				

## Sikalastic<sup>®</sup>-621 TC



Version	Revision Date: 13.07.2022	SDS Number:	Date of last issue: -
1.0		000000609761	Date of first issue: 13.07.2022

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

### **Respiratory sensitisation**

Not classified based on available information.

#### **Chronic toxicity**

**Germ cell mutagenicity** Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

#### **Reproductive toxicity**

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### SECTION 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

### Components:

#### bis[2-[2-(1-methylethyl)-3-oxazolidinyl]ethyl] hexane-1,2-diylbiscarbamate:

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 87.1 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Scenedesmus capricornutum (fresh water algae)): 18.6 mg/l Exposure time: 72 h
<b>triphenyl phosphate:</b> Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.4 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1 mg/l Exposure time: 48 h

# Sikalastic<sup>®</sup>-621 TC



Vers 1.0	on Revision Date: 13.07.2022		SDS Number: 000000609761	Date of last issue: - Date of first issue: 13.07.2022
	Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subca Exposure time: 96 h	pitata (green algae)): 2 mg/l
	M-Factor (Acute aquatic tox- icity)	:	1	
	tris(methylphenyl) phospha M-Factor (Acute aquatic tox- icity)	ate: :		
	M-Factor (Chronic aquatic toxicity)	:	1	
	4,5-dichloro-2-octyl-2H-isot	hiaz		
	Toxicity to fish	:	LC50 (Fish): 0.0027 mg/l Exposure time: 96 h	
	M-Factor (Acute aquatic tox- icity)	:	100	
	M-Factor (Chronic aquatic toxicity)	:	100	
	Persistence and degradabi	lity		
	No data available			
	<b>Bioaccumulative potential</b> No data available			
	<b>Mobility in soil</b> No data available			
	Other adverse effects			
	Product:			
	Additional ecological infor- mation	:	An environmental hazard cannot b unprofessional handling or dispose Very toxic to aquatic life. Toxic to aquatic life with long lastin	al.

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>The product should not be allowed to enter drains, water courses or the soil.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Send to a licensed waste management company.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

## Sikalastic<sup>®</sup>-621 TC



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.07.2022	000000609761	Date of first issue: 13.07.2022
-			

#### SECTION 14. TRANSPORT INFORMATION

### International Regulations

IATA-DGR		
UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (diphenyl tolyl phosphate, triphenyl phosphate)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passen- ger aircraft)	:	964
ĬATA-DGR		
Transport in accordance with	spe	cial regulation A 197
IMDG-Code		
UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
		(diphenyl tolyl phosphate, triphenyl phosphate)
Class		9
Packing group	:	
Labels		9
EmS Code		F-A, S-F
Marine pollutant		yes
IMDG-Code	•	,

Transport in accordance with 2.10.2.7 of the IMDG-Code

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **National Regulations**

ADG UN number : Proper shipping name :	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (diphenyl tolyl phosphate, triphenyl phosphate)
Class:Packing group:Labels:Hazchem Code:	

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

# Sikalastic<sup>®</sup>-621 TC



	Revision Date: 13.07.2022	SDS Number: 00000060976	
CTION	15. REGULATORY I	NFORMATION	
Stand	ard for the Uniform Iuling of Medicines a	: Schedule 6	slation specific for the substance or mixture
Sched	ational Chemical We Jules of Toxic Chemic Dition/Licensing Requ		<ul> <li>Not applicable</li> <li>There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.</li> </ul>
1110 0		product are reported in th	
Revisi	16. OTHER INFORM	<b>IATION</b> : 13.07.2022	or in compliance with the inventory
<b>CTION</b> Revisi Date f	ion Date	IATION : 13.07.2022 : dd.mm.yyyy	or in compliance with the inventory
ECTION Revisi Date f Full te AU OF	ion Date format <b>ext of other abbrevi</b> a EL EL / TWA EL / STEL	IATION : 13.07.2022 : dd.mm.yyyy ations : Australia. Workplace taminants. : Exposure standard : Exposure standard : Australian Dangero : European Agreeme Dangerous Goods : Chemical Abstracts : Derived no-effect le : Half maximal effec : Globally Harmonize	ce Exposure Standards for Airborne Con- - time weighted average - short term exposure limit ous Goods Code. ent concerning the International Carriage of by Road s Service evel tive concentration

Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
 International Convention for the Prevention of Pollution from

MARPOL	:	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament

## Sikalastic<sup>®</sup>-621 TC



Version	Revision Date: 13.07.2022	SDS Number:	Date of last issue: -
1.0		000000609761	Date of first issue: 13.07.2022
SVHC vPvB		istration, Evaluation, Autho	

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN