




SikaTile®

A SIKA SECURE TILING SYSTEM



TILE GROUT
SikaCeram®-690 Elite

TILE ADHESIVES
SikaTile®-400 Evo Pro
SikaTile®-405 Lite
SikaTile®-410 Secure Set
SikaTile®-440 Opti-Cure
SikaTile®-510 Mega Lite

WATERPROOFING
SikaTile®-110 Secure Proof

PRIMERS
SikaTile®-010 Secure Prime
SikaTile®-015 Prep 'N' Prime




Why SIKATILE®?

S System Solutions

The Sika Secure System

Sika provides a complete tiling system package from top to bottom that meets the unique challenges and performance requirements of installers.



I Innovative

Leading edge technology

Sika's success and reputation is based on our long-lasting tradition of research and development. This has recently brought innovations like Silica Free, Dust Less and Lightweight Glass technologies to SikaTile® products.

1334

EMPLOYEES ARE
DEDICATED TO
RESEARCH AND
DEVELOPMENT

168

NEW INVENTIONS
IN 2021

104

NEW PATENTS
FILED IN 2022

T Trusted Partner

Building trust everyday

You may not know it or always see it, but Sika has products for every project.



I International

Global leader in tile and stone

Sika is known for high quality mortars and is a leader, innovator and top producer of tile setting products globally.



More than a system IT'S A COMMITMENT

K Knowledge More than 100 years of expertise

Sika's reputation for quality and reliability is illustrated through a comprehensive portfolio of technologies and solutions.

SIKA AT A GLANCE

33,000+	EMPLOYEES
101	COUNTRIES
300+	PLANTS WORLDWIDE
5	NEW / EXPANDED PLANTS IN 2022
2+ ¹	ACQUISITIONS IN 2022
10.49 BN	NET SALES IN 2022 (IN CHF)

A Accountable Environmentally responsible

SUSTAINABLE SOLUTIONS
All new products developed with sustainability

CLIMATE PERFORMANCE
15% reduction of CO₂ emissions

COMMUNITY ENGAGEMENT
10,000 working days of volunteer work

MORE VALUE

LESS IMPACT


ENERGY
15% less energy
15% renewable electricity rate

WASTE & WATER
15% less waste
15% less water
25% higher recycling rate

OCCUPATIONAL SAFETY
50% less accidents
0 fatalities

L Local Partner High-touch service

Sika has plants and warehouses across Australia, our support is easily located and closer than you think.



5 MORTAR PLANTS
National coverage close to market.

E Experts Partner for success

All Sika solutions are designed with the customers' success in mind and to build long lasting and mutually beneficial relationships.



SikaTile®

A SIKATILE SECURE TILING SYSTEM

PRIMERS




SikaTile®-010 Secure Prime

a high performance, ready to use, primer with efflorescence inhibiting properties suitable for porous and dense substrates.

- Efflorescence inhibiting properties
- Ready to use, no mixing required
- Fast drying and pore blocking
- For porous and dense substrates
- Reduced moisture migration by capillary action
- Internal and external applications
- Colour: Milky white, dries clear
- Available in 5L pails

Order code: 5L 693806




SikaTile®-015 Prep 'N' Prime

A specialty primer with advanced adhesion properties for use on existing tiles, smooth or non-porous surfaces

- Ready to use, no mixing required
- Internal and external applications
- Dries to a keyed finish for superior bonding
- Excellent alternative to mechanical grinding and acid etching surfaces
- Tile over difficult, non-porous surfaces without the need for mechanical surface preparation
- Fast drying formulation allows for installation of tiles 1 hour after application
- Colour: Blue
- Available in 1L, 4L and 10L pails

Order code: 1L 749126 / 4L 749210 / 10L 774327



WATERPROOFING MEMBRANES




SikaTile®-110 Secure Proof

A premium performance, Class III, fibre reinforced, ready to use, water-based polyurethane waterproofing membrane designed for under tile and stone applications

- Fibre reinforced for superior strength
- Class III flexible membrane with greater than 500% elongation
- Excellent antifracture properties
- Excellent cure time
- Ready to use, no mixing required
- Solvent free, water-based
- Low VOC
- Internal and external applications
- Colour: Grey
- Available in 15L pail

Order code: 15L 693676



More than a system **IT'S A COMMITMENT**

ADHESIVES



SikaTile®-400 Evo Pro

A flexible cement-based tile adhesive with Dust Less technology designed for natural stone, porcelain and mosaics

- Dust Less technology
- C2TES1 Classification
- Suitable for swimming pools and spas
- Suitable over under tile heating systems
- Non-slump suitable for large format tiles
- Non-vertical slump for easy wall tiling
- Colour: White
- 20kg bags

Order code: 20kg 808640



SikaTile®-410 Secure Set

0% Crystalline Silica Tile & Stone Adhesive

- Silica Free technology
- Dust Less technology
- C2TES1 Classification
- Light colour suitable for natural stones
- Exceptionally smooth and creamy to spread
- Suitable for under floor heating applications
- Non-slump suitable for large format tiles
- Good early setting for grouting after 24 hours even in cold climates
- Colour: White
- Available in 20kg bag

Order code: 20kg 693023



SikaTile®

A SIKA SECURE TILING SYSTEM



More than a system IT'S A COMMITMENT

LIGHTWEIGHT ADHESIVES



SikaTile®-405 Lite

A flexible, 0% Crystalline Silica tile and stone adhesive with Lightweight Glass technology for a smooth, easy to trowel application

- Silica Free technology
- Lightweight Glass technology - The coverage of a 13.5kg bag of SikaTile®-405 Lite is equivalent to a traditional 25kg bag of sanded adhesive
- C2TES1 Classification
- Smooth easy trowel application
- Excellent non-slump performance
- Light colour suitable for light and translucent natural stone
- Suitable for internal and external wall and floor applications
- Colour: White
- Available in a 13.5kg bag

Order code: 13.5kg 749068



SikaTile®-510 Mega Lite

A highly flexible, 0% Crystalline Silica tile and stone adhesive with ultimate bond strength formulated with Lightweight Glass Technology

- Silica Free technology
- Lightweight Glass technology - The coverage of a 13.5kg bag of SikaTile®-510 Mega Lite is equivalent to a traditional 25kg bag of sanded adhesive
- C2TES2 Classification
- Suitable for heavy duty commercial applications
- Suitable for internal and external wall and floor applications
- Suitable for submerged applications such as pools and spas
- Light colour suitable for light and translucent natural stone
- Colour: White
- Available in a 13.5kg bag

Order code: 13.5kg 749157



RAPID ADHESIVES




SikaTile®-440 Opti-Cure

A rapid setting white cement-based tile and stone adhesive with Dust Less technology

- Dust Less technology
- Rapid setting, ready for grouting and light foot traffic after 2-3 hours
- C2TFS1 Classification
- Smooth creaming formulation for ease application
- Suitable for early aged screeds
- Suitable for internal and external wall and floor applications
- Non-slump suitable for large format tiles and stones
- Suitable for moisture sensitive stone Class A and B
- Low VOC
- Colour: White to Cream
- 20kg bags

Order code: 20kg 785260



SikaTile® A SECURE TILING SYSTEM

PRIMERS & WATERPROOFING MEMBRANES SELECTOR CHART

		INTERNAL USE	EXTERNAL USE	SUBMERGED / POOLS	CONCRETE & SCREEDS	HIGHLY BURNISHED CONCRETE / STEEL TROWEL FINISH	POROUS CEMENT SHEETING & CERAMIC TILE UNDERLAY	CEMENT RENDER & SCREEDS	EARLY AGED SCREEDS (MIN. 24 HRS AT 23°C)	PLASTERBOARD (INTERNAL ONLY)	COMPRESSED CEMENT BOARDS	AUTO-CLAVED AERATED CONCRETE (HEBEL)	EXISTING TILES	OLD WATER-BASED EPOXY COATINGS	LIGHT WEIGHT CONSTRUCTION BOARDS COATED WITH CEMENT	PVC & METAL PUDDLE FLANGES, FLOOR GRATE AND PIPE TERMINATIONS
		APPLICATION														
PRIMER																
SikaTile®-010 Secure Prime		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
SikaTile®-015 Prep 'N' Prime		*	*	*	*	*	*	*	*	*	*	*	‡	≈	*	*
WATERPROOFING MEMBRANE																
SikaTile®-110 Secure Proof		*	*		*	*	*	*	e	*	*	*	▲	≈	*	▲

KEY

- * Suitable for use.
 - 2 Coats of primer are required.
 - ‡ Do not apply over applications with existing sealers or coatings.
 - ≈ Lightly sand or abrade the coating prior to primer application with SikaTile®-015 Prep 'N' Prime Primer.
 - e When used with Sikalastic® Moisture Seal
 - ▲ Apply SikaTile®-015 Prep 'N' Prime Primer prior to waterproofing membrane application.
- Selector chart to be used as a guide only. Refer to the PRODUCT DATA SHEET for detailed information.

TILE & STONE ADHESIVES SELECTOR CHART

PRODUCT	FEATURES										AREAS OF USE										TYLE TYPES								
	NON-SLUMP	WHITE COLOUR	EXCELLENT WALL HANGING ABILITY	FLEXIBLE	HIGHLY FLEXIBLE	EXTENDED COVERAGE	SILICA FREE	DUST LESS TECHNOLOGY	COMMERCIAL	DOMESTIC	WALL	FLOOR	WET AREAS	EXTERIOR	UNDER FLOOR HEATING SYSTEMS	SUBMERGED / POOLS	TILE OVER TILE	EXTERNAL FAÇADE APPLICATIONS (+3m height)	EXTERNAL FAÇADE APPLICATIONS (-3m height)	EARLY AGED SCREEDS (min 24 hrs @ 21°C)	CEMENT-BASED SCREEDS & RENDERS	VEHICULAR TRAFFIC	LIGHTWEIGHT FOAM CONSTRUCTION BOARDS	CERAMIC, PORCELAIN & MOSAICS	THIN BRICK SLIPS	NATURAL STONE (NOT MOISTURE SENSITIVE)	MOISTURE SENSITIVE STONE	PORCELAIN PANELS	
SikaTile®-400 EVO PRO	*	*	*	S1			*	*	*	*	*	*	*	*	*	*	•	*	∨	*	*	∨	*	*	*	*	*	∨	*
SikaTile®-405 Lite	*	*	*	S1		*		*	*	*	*	*	*	*	*		•		∨	*	*	∨	*	*	*	*	*	∨	*
SikaTile®-410 Secure Set	*	*	*	S1			*	*	*	*	*	*	*	*	*	*	•	*	∨	*	*	∨	*	*	*	*	*	∨	*
SikaTile®-440 Opti-Cure	*	*	*	S1			*	*	*	*	*	*	*	*	*	*	•	*	∨	*	*	∨	*	*	*	*	*	∨	*
SikaTile®-510 Mega Lite	*	*	**		S2	*		*	*	*	*	*	*	*	*	*	•	*	∨	*	*	∨	*	*	*	*	*	∨	*

KEY

- * Suitable for use.
- For use with SikaTile®-015 Prep 'N' Prime Primer.
- > Seek Sika specification prior to works.
- # Class A and B Moisture Sensitive only.

Refer to PRODUCT DATASHEET for detailed instructions and further information.

TILE GROUT SELECTOR CHART

PRODUCT	FEATURES						AREAS OF USE						TYLE TYPES								
	FOR JOINTS FROM 1-10MM	IMPROVED COLOUR CONSISTENCY	FLEXIBLE	REDUCED EFFLORESCENCE	DUST LESS TECHNOLOGY	COMMERCIAL	DOMESTIC	WALL	FLOOR	WET AREAS	INTERNAL & EXTERNAL	UNDER FLOOR HEATING SYSTEMS	SUBMERGED / POOLS	EXTERNAL FAÇADE APPLICATIONS	EARLY AGED SCREEDS (MIN 24HRS @ 21°C)	VEHICULAR TRAFFIC	CERAMIC, PORCELAIN & MOSAICS	THIN BRICK SLIPS	NATURAL STONE	LARGE FORMAT PORCELAIN PANELS	
SikaCeram®-690 Elite	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

KEY

- * Suitable for use.
 - > Always conduct test area for compatibility prior.
- Refer to PRODUCT DATASHEET for detailed instructions and further information.




TILE AND STONE GROUT

SikaCeram®-690 Elite

A high performance cementitious wall and floor tile grout



- Dust Less technology
- Grout joint range: 1-10 mm
- Wet and dry areas and residential pools
- Low shrinkage
- Fast curing
- Abrasion resistant
- Smooth fine finish
- Excellent colour consistency
- Excellent hardness and durability
- Stain resistant and easy to clean
- Significantly reduces efflorescence
- CG2WA Classification
- Available in a 5kg bag



SCAN QR CODE
for design and colour
inspiration for the
perfect finish



SikaCeram®-690 Elite - SCAN QR CODE
for application instructions, directions for
use and detailed technical specification data

ITEM NO.	NUMBER	COLOUR	SIZE
682740	10	White	5kg Bag
682731	13	Silver Grey	
682714	16	Manhattan	
682460	19	Grey	
705639	21	Ash	
682741	22	Sand Grey	
682716	25	Platinum Grey	
682712	28	Dark Grey	
693570	31	Anthracite	
682732	34	Graphite	
693560	40	Pergamon	
682702	43	Jasmine	
693534	46	Bahama Beige	
682685	49	Sandstone	
682726	52	Jura Beige	
682688	55	Caramel	
682686	58	Havanna	
693551	61	Bali Brown	