## KamenPro No:50



Version	Revision Date:	SDS Number:	Date of last issue: 17.08.2021
5.0	07.02.2022	10000013045	Date of first issue: 26.05.2016

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	: KamenPro No:50
Product code	: 100000013045
Manufacturer or supplier's o	letails
Company	: Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164
Telephone	: +61 2 9725 11 45
Telefax	: +61 2 9725 33 30
Emergency telephone num- ber	: +61 1800 033 111

## SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
Skin sensitisation	:	Category 1
Carcinogenicity (Inhalation)	:	Category 1A
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
GHS label elements Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation. H350 May cause cancer by inhalation.
Precautionary statements	:	<b>Prevention:</b> P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P261 Avoid breathing dust.

## KamenPro No:50



Version 5.0	Revision Date: 07.02.2022	SDS Number: 100000013045	Date of last issue: 17.08.2021 Date of first issue: 26.05.2016
		the workplace.	in a well-ventilated area. Nothing should not be allowed out of es/ protective clothing/ eye protec-
		and keep comfortable for b doctor if you feel unwell. P305 + P351 + P338 + P31 water for several minutes. If and easy to do. Continue ri CENTER/ doctor. P308 + P313 IF exposed o attention. P333 + P313 If skin irritatio vice/ attention.	Wash with plenty of water. HALED: Remove person to fresh air reathing. Call a POISON CENTER/ 10 IF IN EYES: Rinse cautiously with Remove contact lenses, if present insing. Immediately call a POISON r concerned: Get medical advice/ on or rash occurs: Get medical ad- aminated clothing and wash it before
		<b>Storage:</b> P403 + P233 Store in a we tightly closed. P405 Store locked up.	II-ventilated place. Keep container
		<b>Disposal:</b> P501 Dispose of contents/ disposal plant.	container to an approved waste

Other hazards which do not result in classification

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

-		
Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 30 -< 60
Cement, portland, chemicals	65997-15-1	>= 20 -< 30
Limestone	1317-65-3	>= 10 -< 30
Quartz (SiO2) <5µm	14808-60-7	>= 0.1 -< 1

### **SECTION 4. FIRST AID MEASURES**

#### General advice

: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

# KamenPro No:50



Vers 5.0	ion	Revision Date: 07.02.2022		SDS Number: 100000013045	Date of last issue: 17.08.2021 Date of first issue: 26.05.2016
	lf inhaled		:	Move to fresh air. Consult a physician after significa	nt exposure.
	In case of	f skin contact	:	Take off contaminated clothing an Wash off with soap and plenty of v If symptoms persist, call a physici	water.
	In case of	f eye contact	:	Small amounts splashed into eyes sue damage and blindness. In the case of contact with eyes, r of water and seek medical advice. Continue rinsing eyes during trans Remove contact lenses. Keep eye wide open while rinsing	inse immediately with plenty sport to hospital.
	lf swallow	ved	:	Clean mouth with water and drink Do not give milk or alcoholic beve Never give anything by mouth to a Obtain medical attention.	rages.
		ortant symptoms ts, both acute and	:	irritant effects sensitising effects Cough Respiratory disorder Allergic reactions Excessive lachrymation Dermatitis See Section 11 for more detailed and symptoms. Causes skin irritation. May cause an allergic skin reaction Causes serious eye damage. May cause respiratory irritation. May cause cancer by inhalation.	
	Notes to p	ohysician	:	Treat symptomatically.	

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth- ods	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

# KamenPro No:50



Version	Revision Date:	SDS Number:	Date of last issue: 17.08.2021
5.0	07.02.2022	10000013045	Date of first issue: 26.05.2016

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
Environmental precautions :		Do not flush into surface water or sanitary sewer system.
Methods and materials for : containment and cleaning up	:	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
Conditions for safe storage	:	Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local regulations.
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

ComponentsCAS-No.Value typeControl parame- ters / Permissible concentrationBasis Basis	
---	--

# KamenPro No:50



ersion Revision Date: 0 07.02.2022		SDS Number: 100000013045		Date of last issue: 17.08.2021 Date of first issue: 26.05.2016		
Quartz	z (SiO2)	14808-60-7	TWA (Res- pirable dust)	0.05 mg/m3	AU OEL	
				1A (Carc. 1A) Knov	wn to have car-	
			ntial for humans			
	nt, portland, chemicals	65997-15-1	TWA	10 mg/m3	AU OEL	
Limest	ione	1317-65-3	TWA	10 mg/m3 (Calcium car- bonate)	AU OEL	
			ation: This value < 1% crystalline	e is for inhalable du silica	J. J	
Quartz	z (SiO2) <5µm	14808-60-7	TWA (Res- pirable dust)	0.05 mg/m3	AU OEL	
		Further inform cinogenic pote	ation: Category ntial for humans	1A (Carc. 1A) Knov	wn to have car-	
Appro contro	priate engineering bls	: Avoid dust for Provide appro is formed.		ventilation at places	s where dust	
Perso	nal protective equipme	nt				
Respir	ratory protection	Respirator se exposure leve	lection must be els, the hazards of the selected	ion wear respirator based on known or of the product and respirator.	anticipated	
Hand <sub>I</sub>	protection	approved star chemical proc essary. Follow AS/NZ	ndard should be lucts if a risk as S 1337.1	is gloves complying worn at all times w sessment indicates PVC, cotton glove	hen handling this is nec-	
Eye pr	otection	: Safety goggle	S			
Skin a	nd body protection	: Protective clo clothing, long Follow AS 22	trousers)	y shoes, long-sleev	ved working	

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	white
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/range / Freezing	:	No data available

## KamenPro No:50



Vers 5.0	ion	Revision Date: 07.02.2022		SDS Number: 100000013045	Date of last issue: 17.08.2021 Date of first issue: 26.05.2016
	point Boiling po	pint/boiling range	:	No data available	
	Flash poi	nt	:	No data available	
	Evaporat	ion rate	:	No data available	
	Flammab	ility (solid, gas)	:	No data available	
	Upper ex flammabi	plosion limit / Upper lity limit	:	No data available	
	Lower ex flammabi	plosion limit / Lower lity limit	:	No data available	
	Vapour p	ressure	:	No data available	
	Relative	vapour density	:	No data available	
	Density		:	ca. 1.2 g/cm3 (20 °C (68 °F))	
	Solubility Water	(ies) solubility	:	insoluble	
	Solub	ility in other solvents	:	No data available	
		coefficient: n-	:	No data available	
	octanol/w Auto-igni	tion temperature	:	No data available	
	Decompo	osition temperature	:	No data available	
	Viscosity Viscos	sity, dynamic	:	No data available	
	Viscos	sity, kinematic	:	No data available	
	Explosive	e properties	:	No data available	
	Oxidizing	properties	:	No data available	
	Volatile o	rganic compounds	:	Directive 2010/75/EU of 24 Nove emissions (integrated pollution pr Not applicable	

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac-	:	No hazards to be specially mentioned.
6 / 10		

# KamenPro No:50



Version 5.0	Revision Date: 07.02.2022	SDS Number: 100000013045	Date of last issue: 17.08.2021 Date of first issue: 26.05.2016
tions			
Condi	tions to avoid	: No data available	
Incom	patible materials	: see section 7.	
SECTION	11. TOXICOLOGICAL		
	<b>toxicity</b> assified based on avai	lable information.	
	corrosion/irritation es skin irritation.		
	u <mark>s eye damage/eye ir</mark> es serious eye damage		
Respi	ratory or skin sensiti	isation	
	sensitisation ause an allergic skin re	eaction.	
-	ratory sensitisation assified based on avai	lable information.	
Chror	nic toxicity		
	cell mutagenicity assified based on avai	lable information.	
	nogenicity ause cancer by inhala	tion.	
-	oductive toxicity assified based on avai	lable information.	
	- single exposure ause respiratory irritati	ion.	
	- repeated exposure assified based on avai		
	<b>ation toxicity</b> assified based on avai	lable information.	
SECTION	12. ECOLOGICAL INF	FORMATION	
<b>Ecoto</b> No da	oxicity ta available		
	stence and degradab	ility	

No data available

# KamenPro No:50



Version 5.0	Revision Date: 07.02.2022		SDS Number: 100000013045	Date of last issue: 17.08.2021 Date of first issue: 26.05.2016
	oaccumulative potential			
	o <b>bility in soil</b> o data available			
Ot	her adverse effects			
Ad	oduct: Iditional ecological infor- ation	:	There is no data available for this	s product.
SECTIO	ON 13. DISPOSAL CONSIE	DER	ATIONS	
Di	sposal methods			
Wa	aste from residues	:	Do not contaminate ponds, water cal or used container. Send to a licensed waste manage	-
Cc	ontaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.	

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable for product as supplied.

#### **National Regulations**

**ADG** Not regulated as a dangerous good

### SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture Standard for the Uniform : No poison schedule number allocated Scheduling of Medicines and Poisons

## KamenPro No:50



Version 5.0	Revision Date: 07.02.2022	SDS Number: 100000013045		Date of last issue: 17.08.2021 Date of first issue: 26.05.2016
Schedu	tional Chemical Weapons ules of Toxic Chemicals a tion/Licensing Requireme	nd Precursors	:	Not applicable There is no applicable prohibition,
			•	authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.
The co AllC	emponents of this produ	•		owing inventories:

### **SECTION 16. OTHER INFORMATION**

Revision Date	: 07.02.2022	
Date format	: dd.mm.yyyy	
Full text of other abbre		
AU OEL	<ul> <li>Australia. Workplace Exposure Standards for Airborne Co taminants.</li> </ul>	on-
AU OEL / TWA	: Exposure standard - time weighted average	
ADG	: Australian Dangerous Goods Code.	
ADR	: European Agreement concerning the International Carria Dangerous Goods by Road	ge of
CAS	: Chemical Abstracts Service	
DNEL	: Derived no-effect level	
EC50	: Half maximal effective concentration	
GHS	: Globally Harmonized System	
ΙΑΤΑ	: International Air Transport Association	
IMDG	: International Maritime Code for Dangerous Goods	
LD50	: Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a grou test animals)	
LC50	: Median lethal concentration (concentrations of the chemi- air that kills 50% of the test animals during the observation period)	
MARPOL	<ul> <li>International Convention for the Prevention of Pollution fr Ships, 1973 as modified by the Protocol of 1978</li> </ul>	om
OEL	: Occupational Exposure Limit	
PBT	: Persistent, bioaccumulative and toxic	
PNEC	: Predicted no effect concentration	
REACH	: Regulation (EC) No 1907/2006 of the European Parliame and of the Council of 18 December 2006 concerning the istration, Evaluation, Authorisation and Restriction of Che cals (REACH), establishing a European Chemicals Agen	Reg- mi-
SVHC vPvB	<ul> <li>Substances of Very High Concern</li> <li>Very persistent and very bioaccumulative</li> </ul>	-,

# KamenPro No:50



Version	Revision Date:	SDS Number:	Date of last issue: 17.08.2021
5.0	07.02.2022	10000013045	Date of first issue: 26.05.2016

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN