Sika MonoTop[®]-910 N



Version 4.0	Revision Date: 22.01.2025		SDS Number: 100000010730	Date of last issue: 24.06.2022 Date of first issue: 03.01.2016
SECTION 1	I. PRODUCT AND CO	МРА	NY IDENTIFICATION	
Produc	ct name	:	Sika MonoTop [®] -910 N	
Manuf	acturer or supplier's	deta	ils	
Compa	any	:	Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164	
Teleph	ione	:	+61 2 9725 11 45	
Emerg	ency telephone numbe	er :	+61 1800 033 111	
Telefax	x	:	+61 2 9725 33 30	

SECTION 2. HAZARDS IDENTIFICATION

Skin corrosion/irritation : Category 2	
Serious eye damage/eye irri- : Category 1 tation	
Skin sensitisation : Category 1	
Carcinogenicity (Inhalation) : Category 1A	
Specific target organ toxicity - : Category 3 (Respiratory system) single exposure	
Specific target organ toxicity - : Category 1 (Lungs) repeated exposure (Inhala- tion)	
Short-term (acute) aquatic : Category 3 hazard	
GHS label elements	
Hazard pictograms :	
Signal word : Danger	
Hazard statements : H315 Causes skin irritation. H317 May cause an allergic skin reaction	on.

Sika MonoTop[®]-910 N



ersion .0	Revision Date: 22.01.2025	SDS Number: 100000010730	Date of last issue: 24.06.2022 Date of first issue: 03.01.2016
		H318 Causes serious eye d H335 May cause respiratory H350 May cause cancer by H372 Causes damage to or repeated exposure if inhaled H402 Harmful to aquatic life	/ irritation. inhalation. gans (Lungs) through prolonged or d.
Precau	utionary statements	Prevention:	
		and understood. P260 Do not breathe dust. P264 Wash skin thoroughly P270 Do not eat, drink or sr P271 Use only outdoors or i P272 Contaminated work cl the workplace. P273 Avoid release to the e	safety precautions have been read after handling. noke when using this product. in a well-ventilated area. othing should not be allowed out of environment. s/ protective clothing/ eye protec-
		and keep comfortable for br doctor if you feel unwell. P305 + P351 + P338 + P31 water for several minutes. R and easy to do. Continue rir CENTER/ doctor. P308 + P313 IF exposed or attention. P333 + P313 If skin irritatior vice/ attention.	Wash with plenty of water. IALED: Remove person to fresh air eathing. Call a POISON CENTER/ 0 IF IN EYES: Rinse cautiously with Remove contact lenses, if present hsing. Immediately call a POISON concerned: Get medical advice/ h or rash occurs: Get medical ad- aminated clothing and wash it before
		Storage:	
	P403 + P233 Store in a well tightly closed. P405 Store locked up.	I-ventilated place. Keep container	
		Disposal: P501 Dispose of contents/ c disposal plant.	container to an approved waste

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Sika MonoTop[®]-910 N



Version 4.0	Revision Date: 22.01.2025		SDS Number: 100000010730		Date of last issue: 24.06.2022 Date of first issue: 03.01.2016
Subst	ance / Mixture	:	Mixture		
Comp	oonents				
Chem	ical name			CAS-No.	Concentration (% w/w)
Ceme	nt, portland, chemicals			65997-15-1	>= 30 -< 60
	alline silica			14808-60-7	>= 30 -< 60
	s, silica			69012-64-2	< 10
	z (SiO2)			14808-60-7	< 10
	n nitrite			7632-00-0	>= 0.25 -< 2.5
SECTION	4. FIRST AID MEASUF	RES			
Gener	ral advice	:	Consult a phy		he doctor in attendance.
lf inha	led	:	Move to fresh air. Consult a physician after significant exposure.		
In cas	e of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.		
In cas	e of eye contact	:	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing. 		
lf swa	llowed	:	 Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention. 		
	mportant symptoms ffects, both acute and ed	:	irritant effects sensitising effects Cough Respiratory disorder Allergic reactions Excessive lachrymation Dermatitis See Section 11 for more detailed information on health effects and symptoms. Causes skin irritation. May cause an allergic skin reaction.		

3/11

Sika MonoTop®-910 N



Version 4.0	Revision Date: 22.01.2025		SDS Number: 100000010730	Date of last issue: 24.06.2022 Date of first issue: 03.01.2016
			Causes serious eye damage. May cause respiratory irritation. May cause cancer by inhalation. Causes damage to organs throug exposure if inhaled.	
Notes	to physician	:	Treat symptomatically.	
	5. FIREFIGHTING MEA			
Hazar ucts	dous combustion prod-	:	No hazardous combustion produ	cts are known
Specil ods	fic extinguishing meth-	:	Standard procedure for chemical	fires.
	al protective equipment fighters	:	In the event of fire, wear self-con	tained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	Avoid formation of respirable particles. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing.

Sika MonoTop®-910 N



Version 4.0	Revision Date: 22.01.2025		SDS Number: 100000010730	Date of last issue: 24.06.2022 Date of first issue: 03.01.2016
			ma, allergies, chronic or recu not be employed in any proc used. Smoking, eating and drinking plication area.	section 8. In sensitisation problems or asth- urrent respiratory disease should ess in which this mixture is being g should be prohibited in the ap- asures when handling chemical
Hygiene measures		:	Handle in accordance with g practice. When using do not eat or dri When using do not smoke. Wash hands before breaks a	
Cond	itions for safe storage	:	Store in original container. Keep in a well-ventilated plac Observe label precautions. Store in accordance with loca	
	er information on stor- tability	:	Keep in a dry place. No decomposition if stored a	nd applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis	
Cement, portland, chemicals	65997-15-1	TWA	10 mg/m3	AU OEL	
Crystalline silica	14808-60-7	TWA (Res- pirable dust)	0.05 mg/m3	AU OEL	
	Further information: Category 1A (Carc. 1A) Known to have car- cinogenic potential for humans				
Fumes, silica	69012-64-2	TWA (Res- pirable dust)	2 mg/m3	AU OEL	
Quartz (SiO2)	14808-60-7	TWA (Res- pirable dust)	0.05 mg/m3	AU OEL	
	Further information: Category 1A (Carc. 1A) Known to have car- cinogenic potential for humans				

Appropriate engineering controls

: Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust is formed.

Sika MonoTop®-910 N



Version 4.0	Revision Date: 22.01.2025	SDS Number: 100000010730	Date of last issue: 24.06.2022 Date of first issue: 03.01.2016
Per	sonal protective equipm	ent	
Res	piratory protection	Respirator selection	e ventilation wear respiratory protection. must be based on known or anticipated hazards of the product and the safe selected respirator.
Han	nd protection	approved standard s chemical products if essary. Follow AS/NZS 1337	mpervious gloves complying with an hould be worn at all times when handling a risk assessment indicates this is nec- 7.1 /I rubber, PVC, cotton gloves
Eye	protection	: Safety glasses	
Skir	n and body protection	: Protective clothing (e clothing, long trouser Follow AS 2210:3	e.g. safety shoes, long-sleeved working rs)

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	grey
Odour	:	odourless
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper	:	No data available
		6 / 11

Sika MonoTop[®]-910 N



Version 4.0	Revision Date: 22.01.2025		SDS Number: 100000010730	Date of last issue: 24.06.2022 Date of first issue: 03.01.2016
flamm	nability limit			
	r explosion limit / Lower nability limit	:	No data available	
Vapo	ur pressure	:	No data available	
Relati	ive vapour density	:	No data available	
Densi	ity	:	ca. 1.5 g/cm3 (20 °C (68 °F))	
	ility(ies) ater solubility	:	insoluble	
Sc	olubility in other solvents	:	No data available	
	ion coefficient: n- ol/water	:	No data available	
Auto-	ignition temperature	:	No data available	
Deco	mposition temperature	:	No data available	
Visco Vis	sity scosity, dynamic	:	No data available	
Vis	scosity, kinematic	:	Not applicable	
Explo	sive properties	:	No data available	
Oxidiz	zing properties	:	No data available	
Volati	Volatile organic compounds		Directive 2010/75/EU of 24 Nove emissions (integrated pollution po	revention and control)

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available

Sika MonoTop[®]-910 N



Version 4.0	Revision Date: 22.01.2025		SDS Number: 100000010730	Date of last issue: 24.06.2022 Date of first issue: 03.01.2016
Incom	patible materials	:	see section 7.	
Hazar produ	rdous decomposition cts	:	No hazardous decomposit	tion products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Chronic toxicity

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

May cause cancer by inhalation.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified due to lack of data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity No data available

Sika MonoTop[®]-910 N



Version 4.0	Revision Date: 22.01.2025	SDS Number: 100000010730	Date of last issue: 24.06.2022 Date of first issue: 03.01.2016
	stence and degradability ta available		
	cumulative potential ta available		
	ity in soil ta available		
Other	adverse effects		
Produ Addition mation	onal ecological infor-	There is no data available fo	or this product.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	:	Send to a licensed waste management company.
		The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemi- cal or used container.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product.

Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR		
UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo	:	Not applicable
aircraft)		
Packing instruction (passen-	:	Not applicable
ger aircraft)		
IMDG-Code		

Sika MonoTop[®]-910 N



/ersion 1.0	Revision Date: 22.01.2025	SDS Number: 100000010730	Date of last issue: 24.06.2022 Date of first issue: 03.01.2016
UN number Proper shipping name Class Subsidiary risk Packing group Labels EmS Code Marine pollutant		 Not applicable 	
Not ap	port in bulk accordi oplicable for product a nal Regulations	ing to Annex II of MARPOL 73/78 a as supplied.	and the IBC Code
Propo Class Subs Pack Labe	umber er shipping name s idiary risk ing group	 Not applicable 	
Speci	al precautions for u		

SECTION 15. REGULATORY INFORMATION

	_	ase use becific co	on specific for the substance or mixture the original publication to check for onditions or threshold limits that might
	cal Weapons Convention (CW0 Chemicals and Precursors g Requirements	C) : :	Not applicable Crystalline silica sodium nitrite Refer to model WHS Act and Regu- lations for prohibition, authorisation and restricted use.
The components o	f this product are reported in	the fol	lowing inventories:
AIIC	: On the inventory been registered		compliance with the inventory, or has substance
AICS	: On the inventory	, or in c	compliance with the inventory

Revision Date

: 22.01.2025

Sika MonoTop[®]-910 N



Versi 4.0	ion	Revision Date: 22.01.2025		SDS Number: 100000010730	Date of last issue: 24.06.2022 Date of first issue: 03.01.2016			
	Date form	nat	:	dd.mm.yyyy				
	Full text	of other abbreviati	ons					
	AU OEL		:	Australia. Workplace Exposure S taminants.	tandards for Airborne Con-			
	AU OEL	/ TWA	:	Exposure standard - time weighte				
	ADG		:	Australian Dangerous Goods Coo				
	ADR		:	European Agreement concerning Dangerous Goods by Road	the International Carriage of			
	CAS		:	Chemical Abstracts Service				
	DNEL		:	Derived no-effect level				
	EC50		:	Half maximal effective concentrat	ion			
	GHS		:	Globally Harmonized System				
	IATA		:	International Air Transport Association				
	IMDG		:	International Maritime Code for Dangerous Goods				
	LD50		:	Median lethal dosis (the amount of once, which causes the death of stest animals)				
	LC50		:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)				
	MARPOL	-	:	International Convention for the F Ships, 1973 as modified by the P				
	OEL		:	Occupational Exposure Limit				
	PBT		:	Persistent, bioaccumulative and t	oxic			
	PNEC		:	Predicted no effect concentration				
	REACH		:	Regulation (EC) No 1907/2006 of and of the Council of 18 December istration, Evaluation, Authorisation cals (REACH), establishing a Eur	er 2006 concerning the Reg- n and Restriction of Chemi-			
	SVHC		:	Substances of Very High Concern				
	vPvB		:	Very persistent and very bioaccur	mulative			

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN