# SikaTile® 440 Opti-Cure



Version 2.0	Revision Date: 16.07.2023		SDS Number: 100000012859	Date of last issue: 04.09.2022 Date of first issue: 04.09.2022
SECTION	1. PRODUCT AND COM	/IPA	NY IDENTIFICATION	
Produ	ict name	:	SikaTile <sup>®</sup> 440 Opti-Cure	
Manu	facturer or supplier's d	eta	ils	
Comp	Company		Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164	
Telep	Telephone		+61 2 9725 11 45	
Emer	gency telephone number	:	+61 1800 033 111	
Telefa	ах	:	+61 2 9725 33 30	
SECTION	2. HAZARDS IDENTIFIC	САТ	ION	
GHS	Classification			

GHS Classification		
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri-	:	Category 1
Skin sensitisation	:	Category 1
Carcinogenicity (Inhalation)	:	Category 1A
GHS label elements		
Hazard pictograms		
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H350 May cause cancer by inhalation.
Precautionary statements	:	<ul> <li>Prevention:</li> <li>P201 Obtain special instructions before use.</li> <li>P202 Do not handle until all safety precautions have been read and understood.</li> <li>P261 Avoid breathing dust.</li> <li>P264 Wash skin thoroughly after handling.</li> <li>P272 Contaminated work clothing should not be allowed out of</li> </ul>

# SikaTile® 440 Opti-Cure



ersion .0	Revision Date: 16.07.2023	SDS Number: 100000012859	Date of last issue: 04.09.2022 Date of first issue: 04.09.2022		
		the workplace. P280 Wear protective glov tion/ face protection/ hearir	res/ protective clothing/ eye protec- ng protection.		
	<ul> <li>Response:</li> <li>P302 + P352 IF ON SKIN: Wash with plenty of water.</li> <li>P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.</li> <li>P308 + P313 IF exposed or concerned: Get medical advice/ attention.</li> <li>P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.</li> <li>P362 + P364 Take off contaminated clothing and wash it before reuse.</li> </ul>				
		<b>Storage:</b> P405 Store locked up.			
		<b>Disposal:</b> P501 Dispose of contents/ disposal plant.	container to an approved waste		

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 30 -< 60
Cement, portland, chemicals	65997-15-1	>= 10 -< 20
Limestone	1317-65-3	< 10
calcium sulfate	7778-18-9	< 10
Quartz (SiO2) <5µm	14808-60-7	>= 0.1 -< 1

### SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.

# SikaTile® 440 Opti-Cure



Version 2.0	Revision Date: 16.07.2023		SDS Number: 100000012859	Date of last issue: 04.09.2022 Date of first issue: 04.09.2022	
In case of eye contact		:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.		
If swallowed		:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.		
Most important symptoms and effects, both acute and delayed		:	irritant effects sensitising effects Allergic reactions Excessive lachrymation Dermatitis See Section 11 for more detailed information on health effects and symptoms. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause cancer by inhalation.		
Note	es to physician	:	Treat symptomatically.		

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth- ods	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
Methods and materials for	:	Pick up and arrange disposal without creating dust.

# SikaTile® 440 Opti-Cure



Version 2.0	Revision Date: 16.07.2023		SDS Number: 100000012859	Date of last issue: 04.09.2022 Date of first issue: 04.09.2022		
conta	ainment and cleaning up		Keep in suitable, closed con	tainers for disposal.		
SECTION	7. HANDLING AND ST	OR	AGE			
	ce on protection against nd explosion	:	Avoid dust formation. Provide appropriate exhaust is formed.	t ventilation at places where dust		
Advid	Advice on safe handling		<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>			
			Do not breathe vapours/dust	t.		
Hygi	Hygiene measures :		Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.			
Conc	litions for safe storage	: Keep container tightly closed in a dry and well-ventilate place. Store in accordance with local regulations.				
	ner information on stor- stability	:	Keep in a dry place. No decomposition if stored a	and applied as directed.		

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

CAS-No.	Value type	Control parame-	Basis	
	(Form of	ters / Permissible		
	exposure)	concentration		
14808-60-7	TWA (Res-	0.05 mg/m3	AU OEL	
	pirable dust)			
Further information	ation: Category	1A (Carc. 1A) Known	to have car-	
cinogenic pote	ntial for humans			
65997-15-1	TWA	10 mg/m3	AU OEL	
1317-65-3	TWA	10 mg/m3	AU OEL	
		(Calcium car-		
		bonate)		
Further information: This value is for inhalable dust containing no				
	14808-60-7 Further informa cinogenic pote 65997-15-1 1317-65-3	(Form of exposure) 14808-60-7 TWA (Res- pirable dust) Further information: Category cinogenic potential for humans 65997-15-1 TWA 1317-65-3 TWA	(Form of exposure)ters / Permissible concentration14808-60-7TWA (Res- pirable dust)0.05 mg/m3Further information: Category 1A (Carc. 1A) Known cinogenic potential for humans10 mg/m365997-15-1TWA10 mg/m31317-65-3TWA10 mg/m3(Calcium car- bonate)0.05 mg/m3	

# SikaTile® 440 Opti-Cure



Versio 2.0	on Revision Date: 16.07.2023	SDS Number: 100000012859		Date of last issue: 04.09.2022 Date of first issue: 04.09.2022			
L		asbestos and	asbestos and < 1% crystalline silica				
	calcium sulfate	7778-18-9	TWA	10 mg/m3	AU OEL		
			ation: This value < 1% crystalline	is for inhalable dust silica	containing no		
	Quartz (SiO2) <5µm	14808-60-7	TWA (Res- pirable dust)	0.05 mg/m3	AU OEL		
			ation: Category	1A (Carc. 1A) Known	to have car-		
	Appropriate engineering controls	Avoid dust for Provide appro is formed.		rentilation at places v	vhere dust		
	Personal protective equipmer	nt					
	Respiratory protection	Respirator se exposure leve	lection must be b els, the hazards of of the selected	on wear respiratory p based on known or a of the product and the respirator.	nticipated		
	Hand protection	approved star chemical proc essary. Follow AS/NZ	ndard should be lucts if a risk ass S 1337.1	s gloves complying v worn at all times whe sessment indicates th PVC, cotton gloves	en handling		
	Eye protection	Safety glasse	S				
	Skin and body protection	Protective clo clothing, long Follow AS 22	trousers)	/ shoes, long-sleeved	d working		

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	off-white
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available

# SikaTile® 440 Opti-Cure



Version 2.0	Revision Date: 16.07.2023		SDS Number: 100000012859	Date of last issue: 04.09.2022 Date of first issue: 04.09.2022
FI	ammability (solid, gas)		No data available	
		•		
	pper explosion limit / Upper mmability limit	:	No data available	
	wer explosion limit / Lower mmability limit	:	No data available	
Va	pour pressure	:	No data available	
Re	elative vapour density	:	No data available	
De	ensity	:	No data available	
So	lubility(ies) Water solubility	:	No data available	
	Solubility in other solvents	:	No data available	
	rtition coefficient: n- tanol/water	:	No data available	
	ito-ignition temperature	:	No data available	
De	ecomposition temperature	:	No data available	
Vis	scosity Viscosity, dynamic	:	No data available	
	Viscosity, kinematic	:	Not applicable	
Ex	plosive properties	:	No data available	
Ox	kidizing properties	:	No data available	
Vo	latile organic compounds	:	Directive 2010/75/EU of 24 Nover emissions (integrated pollution pre Volatile organic compounds (VOC	evention and control)

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	see section 7.

# SikaTile® 440 Opti-Cure



ersion .0	Revision Date: 16.07.2023	SDS Number: 100000012859	Date of last issue: 04.09.2022 Date of first issue: 04.09.2022
ECTION	11. TOXICOLOGICAL IN	FORMATION	
	e <b>toxicity</b> assified based on availabl	e information.	
calciu	oonents: Im sulfate: oral toxicity	: LD50 Oral (Rat): > 5,000 mg/k	g
	corrosion/irritation		
	u <b>s eye damage/eye irrita</b> es serious eye damage.	tion	
Respi	ratory or skin sensitisat	ion	
	sensitisation ause an allergic skin reac	tion.	
-	ratory sensitisation assified based on availabl	e information.	
Chror	nic toxicity		
	cell mutagenicity assified based on availabl	e information.	
	nogenicity ause cancer by inhalation		
-	oductive toxicity assified based on availabl	e information.	
	- single exposure assified based on availabl	e information.	
	- repeated exposure assified based on availabl	e information.	
-	ation toxicity assified based on availabl	e information.	
SECTION	12. ECOLOGICAL INFOR	RMATION	
<b>Ecoto</b> No da	<b>xicity</b> ta available		
	stence and degradability	1	

No data available

# SikaTile® 440 Opti-Cure



ersion 0	Revision Date: 16.07.2023		SDS Number: 100000012859	Date of last issue: 04.09.2022 Date of first issue: 04.09.2022
<b>Bioaccur</b> No data a	<b>nulative potential</b> vailable			
<b>Mobility i</b> No data a				
Other adv	verse effects			
Product: Additional mation	ecological infor-	:	There is no data available f	for this product.
ECTION 13.	DISPOSAL CONS	IDER	ATIONS	
Disposal	methods			
Waste fro	m residues	:	Send to a licensed waste m	nanagement company.
			Do not contaminate ponds, cal or used container.	waterways or ditches with chemi-
Contamin	ated packaging	:	Empty remaining contents. Dispose of as unused prod	
			Do not re-use empty contai	iners.

### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

IATA-DGR UN/ID No. Proper shipping name Class Subsidiary risk Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
IMDG-Code UN number Proper shipping name Class Subsidiary risk Packing group Labels EmS Code Marine pollutant	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable

# SikaTile<sup>®</sup> 440 Opti-Cure



VersionRevision Date:SDS Number:Date of last issue: 04.09.22.016.07.2023100000012859Date of first issue: 04.09.2	
--	--

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

## ADG

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Hazchem Code	:	Not applicable

#### Special precautions for user

Not applicable

#### **SECTION 15. REGULATORY INFORMATION**

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : No poison schedule Scheduling of Medicines and Poisons	number allocated
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors Prohibition/Licensing Requirements	<ul> <li>Not applicable</li> <li>There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.</li> </ul>

### The components of this product are reported in the following inventories:

AIIC : On the inventory, or in compliance with the inv	entory
--	--------

### **SECTION 16. OTHER INFORMATION**

Revision Date Date format	:	16.07.2023 dd.mm.yyyy
Full text of other abbreviati	ons	
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Con- taminants.
AU OEL / TWA	:	Exposure standard - time weighted average
ADG	:	Australian Dangerous Goods Code.
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration

# SikaTile<sup>®</sup> 440 Opti-Cure



Versio 2.0	on	Revision Date: 16.07.2023		SDS Number: 10000012859	Date of last issue: 04.09.2022 Date of first issue: 04.09.2022
2.0		10.07.2020		10000012000	
	GHS		:	Globally Harmonized System	
	IATA		:	International Air Transport Asso	ociation
	IMDG		:	International Maritime Code for	Dangerous Goods
	LD50		:	Median lethal dosis (the amour	nt of a material, given all at
				once, which causes the death of test animals)	of 50% (one half) of a group of
	LC50		:	Median lethal concentration (co	oncentrations of the chemical in
				air that kills 50% of the test animperiod)	
MARPOL		:	International Convention for the	Prevention of Pollution from	
				Ships, 1973 as modified by the	Protocol of 1978
	OEL		:	Occupational Exposure Limit	
	PBT		:	Persistent, bioaccumulative and	d toxic
	PNEC		•	Predicted no effect concentration	
	REACH		:	Regulation (EC) No 1907/2006	of the European Parliament
	-			and of the Council of 18 Decen	
				istration, Evaluation, Authorisat	
				cals (REACH), establishing a E	
	SVHC		•	Substances of Very High Conc	
	vPvB			Very persistent and very bioacc	
			•	very percision and very bload	

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN