# SikaHyflex®-305 AP



Version Date of last issue: 19.04.2022 Revision Date: SDS Number: 000000603077 Date of first issue: 05.04.2017 26.06.2024 3.0

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : SikaHyflex®-305 AP

Manufacturer or supplier's details

Company Sika Australia Pty. Ltd.

55 Elizabeth Street Wetherill Park, NSW 2164

Telephone : +61 2 9725 11 45

Emergency telephone number: +61 1800 033 111

Telefax +61 2 9725 33 30

Recommended use of the chemical and restrictions on use

Product use : Sealant/adhesive

## **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Carcinogenicity : Category 2

single exposure

Specific target organ toxicity - : Category 2 (Upper respiratory tract)

**GHS** label elements

Hazard pictograms

Signal word

Hazard statements H351 Suspected of causing cancer.

H371 May cause damage to organs (Upper respiratory tract).

Precautionary statements Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

Response:

# SikaHyflex®-305 AP



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 19.04.2022

 3.0
 26.06.2024
 000000603077
 Date of first issue: 05.04.2017

P308 + P311 IF exposed or concerned: Call a POISON

CENTER/ doctor.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
butan-2-one O,O',O"-(methylsilylidyne)trioxime	22984-54-9	>= 1 -< 10
butanone oxime	96-29-7	>= 1 -< 3
butan-2-one O,O',O"-(vinylsilylidyne)trioxime	2224-33-1	< 1

#### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact : Remove contact lenses.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Most important symptoms

and effects, both acute and

delayed

See Section 11 for more detailed information on health effects

and symptoms.

Suspected of causing cancer. May cause damage to organs.

No known significant effects or hazards.

Notes to physician : Treat symptomatically.

# SikaHyflex®-305 AP



Date of last issue: 19.04.2022 Version Revision Date: SDS Number: Date of first issue: 05.04.2017 000000603077 26.06.2024 3.0

**SECTION 5. FIREFIGHTING MEASURES** 

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Hazardous combustion prod: :

ucts

No hazardous combustion products are known

Specific extinguishing meth-

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

**SECTION 6. ACCIDENTAL RELEASE MEASURES** 

tive equipment and emer-

gency procedures

Personal precautions, protec- : Use personal protective equipment. Deny access to unprotected persons.

Standard procedure for chemical fires.

**Environmental precautions** Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

**SECTION 7. HANDLING AND STORAGE** 

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling Avoid exceeding the given occupational exposure limits (see

section 8).

Do not get in eyes, on skin, or on clothing. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Follow standard hygiene measures when handling chemical

products

Handle in accordance with good industrial hygiene and safety Hygiene measures

practice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

Conditions for safe storage Store in original container.

Keep container tightly closed in a dry and well-ventilated

# SikaHyflex®-305 AP



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 19.04.2022

 3.0
 26.06.2024
 000000603077
 Date of first issue: 05.04.2017

place.

Observe label precautions.

Store in accordance with local regulations.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Appropriate engineering

controls

: Use adequate ventilation and/or engineering controls to pre-

vent exposure to vapours.

Personal protective equipment

Respiratory protection : No special measures required.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

Hand protection : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-

essary.

Follow AS/NZS 1337.1

Recommended: Butyl rubber/nitrile rubber gloves.

Contaminated gloves should be removed.

Eye protection : Safety glasses

Skin and body protection : Protective clothing (e.g. safety shoes, long-sleeved working

clothing, long trousers)

Follow AS 2210:3

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : paste

Colour : various

Odour : characteristic

Odour Threshold : No data available

pH : ca. 7 - 8

Melting point/ range / Freez-

ing point

: No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

# SikaHyflex®-305 AP



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 19.04.2022

 3.0
 26.06.2024
 000000603077
 Date of first issue: 05.04.2017

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : 0.01 hPa

Relative vapour density : No data available

Density : 1.45 g/cm3 (20 °C (68 °F))

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : 430 °C (806 °F)

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Explosive properties : No data available

Oxidizing properties : No data available

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac- :

tions

No hazards to be specially mentioned.

Conditions to avoid : No data available

Incompatible materials : see section 7.

Hazardous decomposition

products

butanone oxime

# SikaHyflex®-305 AP



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 19.04.2022

 3.0
 26.06.2024
 000000603077
 Date of first issue: 05.04.2017

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

## **Acute toxicity**

Not classified due to lack of data.

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### **Product:**

Species : Rabbit

Result : No skin irritation

# Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

### **Product:**

Species : Rabbit

Result : No eye irritation

## Respiratory or skin sensitisation

### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Respiratory sensitisation

Not classified due to lack of data.

## **Product:**

Test Type : Buehler Test Exposure routes : Dermal Species : Guinea pig

Result : Does not cause skin sensitisation.

## **Chronic toxicity**

# Germ cell mutagenicity

Not classified due to lack of data.

## Carcinogenicity

Suspected of causing cancer.

## Reproductive toxicity

Not classified due to lack of data.

## STOT - single exposure

May cause damage to organs (Upper respiratory tract).

# STOT - repeated exposure

Not classified due to lack of data.

#### **Aspiration toxicity**

Not classified due to lack of data.

# SikaHyflex®-305 AP



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 19.04.2022

 3.0
 26.06.2024
 000000603077
 Date of first issue: 05.04.2017

#### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

No data available

## Persistence and degradability

No data available

## **Bioaccumulative potential**

No data available

## Mobility in soil

No data available

#### Other adverse effects

### **Product:**

Additional ecological infor-

mation

: There is no data available for this product.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

## **Disposal methods**

Waste from residues : Send to a licensed waste management company.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

### **IATA-DGR**

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen-

ger aircraft)

Not applicable

ger andrait)

**IMDG-Code** 

UN number : Not applicable

# SikaHyflex®-305 AP



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 19.04.2022

 3.0
 26.06.2024
 000000603077
 Date of first issue: 05.04.2017

Proper shipping name : Not applicable Class : Not applicable Subsidiary risk : Not applicable Packing group : Not applicable Labels : Not applicable EmS Code : Not applicable Marine pollutant : Not applicable

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **National Regulations**

ADG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Hazchem Code : Not applicable

Special precautions for user

Not applicable

## **SECTION 15. REGULATORY INFORMATION**

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons : Standard) Instrument

apply for

Schedule 6 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might

apply for this chemical)

International Chemical Weapons Convention (CWC)

Schedules of Toxic Chemicals and Precursors

Prohibition/Licensing Requirements

: Not applicable

: There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regula-

tions.

#### The components of this product are reported in the following inventories:

AIIC : On the inventory, or in compliance with the inventory

### SECTION 16. OTHER INFORMATION

Revision Date : 26.06.2024 Date format : dd.mm.yyyy

Full text of other abbreviations

# SikaHyflex®-305 AP



Version 3.0	Revision Date: 26.06.2024		SDS Number: 000000603077	Date of last issue: 19.04.2022 Date of first issue: 05.04.2017
ADG ADR		:	Australian Dangerous Goods Code. European Agreement concerning the International Carriage of Dangerous Goods by Road	
CAS		:	Chemical Abstracts Service	
DNEL		:	Derived no-effect level	
EC50		:	Half maximal effective concentration	
GHS		:	Globally Harmonized System	
IATA		:	International Air Transport Association	
IMDG		:	International Maritime Code for Dangerous Goods	
LD50		:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)	
LC50		:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)	
MARPOL		:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978	
OEL		:	Occupational Exposure Limit	
PBT		:	Persistent, bioaccumulative and to	oxic
PNEC		:	Predicted no effect concentration	
REACH		:	Regulation (EC) No 1907/2006 of and of the Council of 18 Decembe istration, Evaluation, Authorisation cals (REACH), establishing a Euro	r 2006 concerning the Regard Restriction of Chemi-
SVHC vPvB		:	Substances of Very High Concern Very persistent and very bioaccum	

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version!

AU / EN