Sikadur 31 Part A Interflow



Version	Revision Date:	SDS Number:	Date of last issue: 18.08.2018
2.0	06.07.2022	00000613263	Date of first issue: 18.08.2018

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	Sikadur 31 Part A Interflow
Product code	: 000000613263
Manufacturer or supplier's	details
Company	: Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164
Telephone	: +61 2 9725 11 45
Telefax	: +61 2 9725 33 30
Emergency telephone num- ber	: +61 1800 033 111

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification		
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 2A
Skin sensitisation	:	Category 1
Short-term (acute) aquatic hazard	:	Category 3
Long-term (chronic) aquatic hazard	:	Category 2
GHS label elements		
Hazard pictograms	:	! ***
Signal word	:	Warning
Hazard statements	:	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H402 Harmful to aquatic life. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P261 Avoid breathing mist or vapours. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of

Sikadur 31 Part A Interflow



Version 2.0	Revision Date: 06.07.2022	SDS Number: 000000613263	Date of last issue: 18.08.2018 Date of first issue: 18.08.2018	
		the workplace. P273 Avoid release to the P280 Wear protective glov	environment. es/ eye protection/ face protection.	
		Response:		
		 P302 + P352 IF ON SKIN: Wash with plenty of water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P391 Collect spillage. 		
		Disposal:		
		P501 Dispose of contents/ disposal plant.	container to an approved waste	

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mix	ture :	Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 60 -<= 100
reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)	25068-38-6	>= 10 -< 25
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	68609-97-2	>= 1 -< 10
bis(isopropyl)naphthalene	38640-62-9	>= 0.25 -< 2.5

SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	: Immediately flush eye(s) with plenty of water. Remove contact lenses.
	2 / 10

Sikadur 31 Part A Interflow



Version 2.0	Revision Date: 06.07.2022		SDS Number: 000000613263	Date of last issue: 18.08.2018 Date of first issue: 18.08.2018
			Keep eye wide open while r If eye irritation persists, con	•
lf swa	llowed	:	Do not give milk or alcoholic	l drink afterwards plenty of water. beverages. th to an unconscious person.
and e	Most important symptoms and effects, both acute and delayed		 irritant effects <pre>sensitising effects Allergic reactions Excessive lachrymation Dermatitis See Section 11 for more detailed information on health effects and symptoms. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.</pre> 	
Notes	to physician	:	Treat symptomatically.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth- ods	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Hazchem Code	:	•3Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures		Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

Sikadur 31 Part A Interflow



Version 2.0	Revision Date: 06.07.2022		SDS Number: 000000613263	Date of last issue: 18.08.2018 Date of first issue: 18.08.2018
	nods and materials for ainment and cleaning up	:	Soak up with inert absorbe acid binder, universal binde Keep in suitable, closed co	
SECTION	N 7. HANDLING AND ST	OR	AGE	
	ice on protection against and explosion	:	Normal measures for preve	entive fire protection.
Advi	ice on safe handling	:	section 8). Do not get in eyes, on skin, For personal protection see Persons with a history of sk ma, allergies, chronic or rea not be employed in any pro used. Smoking, eating and drinkin plication area.	
Hyg	iene measures	:	practice. When using do not eat or d When using do not smoke.	
Con	ditions for safe storage	:	Keep container tightly close place. Store in accordance with lo	ed in a dry and well-ventilated cal regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis		
Quartz (SiO2)	14808-60-7	TWA (Res- pirable dust)	0.05 mg/m3	AU OEL		
		ation: Category	1A (Carc. 1A) Known	to have car-		
Appropriate engineering controls		Use adequate ventilation and/or engineering controls to pre- vent exposure to vapours.				
Personal protective equipme	Personal protective equipment					
Respiratory protection	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe					
4 / 10						

Sikadur 31 Part A Interflow



Version 2.0	Revision Date: 06.07.2022		SDS Number: 000000613263	Date of last issue: 18.08.2018 Date of first issue: 18.08.2018
			working limits of the selecte	ed respirator.
Hand	protection	:	approved standard should b	
Eye p	rotection	:	Safety glasses	
Skin a	and body protection	:	Protective clothing (e.g. safe clothing, long trousers) Follow AS 2210:3	ety shoes, long-sleeved working

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	paste
Colour	:	grey
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/range / Freezing	:	No data available
point Boiling point/boiling range	:	No data available
Flash point	:	> 93.3 °C (> 199.9 °F) (Method: closed cup)
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	0.01 hPa
Relative vapour density	:	No data available
Density	:	1.95 g/cm3 (20 °C (68 °F))
Solubility(ies)		

Sikadur 31 Part A Interflow



Version 2.0	Revision Date: 06.07.2022		SDS Number: 000000613263	Date of last issue: 18.08.2018 Date of first issue: 18.08.2018
	Water solubility	:	No data available	
	Solubility in other solvents	:	No data available	
	rtition coefficient: n-	:	No data available	
	anol/water to-ignition temperature	:	No data available	
De	composition temperature	:	No data available	
	cosity Viscosity, dynamic	:	No data available	
	Viscosity, kinematic	:	> 7 mm2/s (40 °C (104 °F))	
Exp	plosive properties	:	No data available	
Ox	idizing properties	:	No data available	
Vol	atile organic compounds	:	Directive 2010/75/EU of 24 Nove emissions (integrated pollution pr Volatile organic compounds (VO	revention and control)

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	Stable under recommended storage conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	see section 7.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

<u>Components:</u>		
	- A -	(epichlorhydrin); epoxy resin (number average molecular
weight ≤ 700): Acute oral toxicity	:	LD50 Oral (Rat): > 5,000 mg/kg
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 20,000 mg/kg
bis(isopropyl)naphthalene: Acute oral toxicity	:	LD50 Oral (Rat): > 3,900 mg/kg

Sikadur 31 Part A Interflow



ersion .0	Revision Date: 06.07.2022	SDS Numb 000000613		Date of last issue: 18.08.2018 Date of first issue: 18.08.2018
Acute	inhalation toxicity	: LC50 (Rat): > 5 Exposure time: Test atmospher	4 h	
Acute	dermal toxicity	: LD50 Dermal (F	Rat): > 4,500 mg/kg	g
	corrosion/irritation es skin irritation.			
	us eye damage/eye in es serious eye irritation	itation		
Respi	ratory or skin sensiti	ation		
	sensitisation ause an allergic skin re	action.		
-	ratory sensitisation assified based on avail	able information.		
Chron	ic toxicity			
	cell mutagenicity assified based on avail	able information.		
	nogenicity assified based on avail	able information.		
-	ductive toxicity assified based on avail	able information.		
	- single exposure assified based on avail	able information.		
	- repeated exposure assified based on avail	able information.		
-	ation toxicity assified based on avail	able information.		
SECTION '	12. ECOLOGICAL INF	ORMATION		
Ecoto	xicity			
reaction weigh	t ≤ 700):	I-A-(epichlorhydrin)); epoxy resin (nu	ımber average molecular
Toxicit	ty to fish	: LC50 (Oncorhy Exposure time:		nbow trout)): 2 mg/l

Toxicity to daphnia and other	:	EC50 (Daphnia magna (Water flea)): 1.8 mg/l
aquatic invertebrates		Exposure time: 48 h

Sikadur 31 Part A Interflow



Revision Date: 06.07.2022	SDS Number: 000000613263	Date of last issue: 18.08.2018 Date of first issue: 18.08.2018
stence and degradabi	lity	
ita available		
ccumulative potential ta available		
l ity in soil Ita available		
adverse effects		
uct:		
onal ecological infor- n	: An environmental hazard of unprofessional handling or Toxic to aquatic life with lo	•
	06.07.2022 stence and degradabi ta available cumulative potential ta available ity in soil ta available adverse effects ict: ponal ecological infor-	06.07.2022 000000613263 stence and degradability ta available cumulative potential ta available ity in soil ta available adverse effects ict: onal ecological infor- n

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	0 [0	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Send to a licensed waste management company.
Contaminated packaging	[Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR UN/ID No.		UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s.
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passen- ger aircraft)	:	964
IMDG-Code UN number Proper shipping name	:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Sikadur 31 Part A Interflow



Version 2.0	Revision Date: 06.07.2022		SDS Number: 000000613263	Date of last issue: 18.08.2018 Date of first issue: 18.08.2018
Class		: 9)	
Packi	ng group	: 1	I	
Label	S	: 9		
EmS	-	: F	F-A, S-F	
Marin	e pollutant	: r	10	
	pplicable for product a nal Regulations	is suppli	ed.	
ADG				
	umber	: เ	JN 3082	
Prope	er shipping name		ENVIRONMENTALLY HAZ	ZARDOUS SUBSTANCE, LIQUID,
Class		: 9)	
Packi	ng group	: 1	I	
Label	-	: 9		
Hazch	nem Code	: •	3Z	
Speci	ial precautions for us	ser		

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform Scheduling of Medicines and Poisons	: Schedule 5		
International Chemical Weapo Schedules of Toxic Chemicals Prohibition/Licensing Requirer	and Precursors	:	Not applicable There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.

The components of this product are reported in the following inventories:

AIIC

: All components are listed on the inventory, regulatory obligations/restrictions apply

SECTION 16. OTHER INFORMATION

Revision Date	: 06.07.2022
Date format	: dd.mm.yyyy

Full text of other abbreviations

Sikadur 31 Part A Interflow



Version 2.0	Revision Date: 06.07.2022		SDS Number: 000000613263	Date of last issue: 18.08.2018 Date of first issue: 18.08.2018	
AU	OEL	:	: Australia. Workplace Exposure Standards for Airborne Con- taminants.		
AU OEL / TWA		:	Exposure standard - time weighted average		
ADG		÷	Australian Dangerous Goods Code.		
AD	R	:	European Agreement concerning the International Carriage of		
			Dangerous Goods by Road		
CAS		:	Chemical Abstracts Service		
DNEL		:	Derived no-effect level		
EC50		:	Half maximal effective concentration		
GHS		:	Globally Harmonized System		
ΙΑΤΑ		:	International Air Transport Association		
IMDG		:	International Maritime Code for Dangerous Goods		
LD	50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)		
LC	50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)		
MA	POL : International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978				
OE	L	:	Occupational Exposure Limit		
PB		:	Persistent, bioaccumulative a	nd toxic	
PN	EC	:	Predicted no effect concentration	tion	
RE	ACH	:		mber 2006 concerning the Reg- ation and Restriction of Chemi-	
SVHC :		Substances of Very High Con			
٧P١	/B	:	Very persistent and very bioa	ccumulative	

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN