Sikafloor[®] Marine-595 Part A



Version 1.0	Revision Date: 27.06.2023		SDS Number: 100000028803	Date of last issue: - Date of first issue: 27.06.2023
SECTION	I 1. PRODUCT AND COM	PA	NY IDENTIFICATION	
Prod	uct name	:	Sikafloor [®] Marine-595 Part A	
Man	ufacturer or supplier's de	etai	ils	
Com	pany	:	Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164	
Teler	phone	:	+61 2 9725 11 45	
Eme	rgency telephone number	:	+61 1800 033 111	
Telef	fax	:	+61 2 9725 33 30	
	ommended use of the ch uct use		ical and restrictions on use Flooring system, For professional	users only.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Serious eye damage/eye irri- tation	:	Category 2A
GHS label elements Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H319 Causes serious eye irritation.
Precautionary statements		Prevention: P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection.
		Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ at- tention.





Sikafloor[®] Marine-595 Part A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.06.2023	10000028803	Date of first issue: 27.06.2023

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
2-ethylhexane-1,3-diol	94-96-2	>= 1 -< 3
4-morpholinecarbaldehyde	4394-85-8	0 -< 1

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	irritant effects Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms. Causes serious eye irritation.
Notes to physician	:	Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES



Sikafloor[®] Marine-595 Part A

Versic 1.0		evision Date: .06.2023		SDS Number: 100000028803	Date of last issue: - Date of first issue: 27.06.2023
Suitable extinguishing media		:	Use extinguishing measures that a cumstances and the surrounding e		
Hazardous combustion prod- ucts		:	No hazardous combustion product	s are known	
Specific extinguishing meth- ods		:	Standard procedure for chemical f	ires.	
	Special prote for firefighter	ective equipment s	:	In the event of fire, wear self-conta	ained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions	:	No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against : fire and explosion	Normal measures for preventive fire protection.
Advice on safe handling :	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Hygiene measures :	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
Conditions for safe storage :	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Sikafloor[®] Marine-595 Part A



/ersion 1.0	Revision Date: 27.06.2023	SDS Number 10000002880			
		Store in accordance	ce with local regulations.		
SECTION	8. EXPOSURE CONT	ROLS/PERSONAL PRO	TECTION		
Comp	onents with workplac	e control parameters			
Conta	ins no substances with	occupational exposure	limit values.		
Appro contro	opriate engineering ols	•	Use adequate ventilation and/or engineering controls to pre- vent exposure to vapours.		
Perso	nal protective equipn	nent			
Respir	ratory protection	exposure levels, th	res required. on must be based on known or anticipated he hazards of the product and the safe ne selected respirator.		
Hand	protection	: Chemical-resistant approved standard chemical products essary. Follow AS/NZS 13 Recommended: B	t, impervious gloves complying with an d should be worn at all times when handling s if a risk assessment indicates this is nec-		
Eye pi	rotection	: Safety glasses			

Skin and body protection	:	Protective clothing (e.g. safety shoes, long-sleeved working clothing, long trousers) Follow AS 2210:3
--------------------------	---	---

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	various
Odour	:	slight
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/range / Freezing point	:	No data available

Sikafloor[®] Marine-595 Part A



Versi 1.0	on Revision Date: 27.06.2023		SDS Number: 100000028803	Date of last issue: - Date of first issue: 27.06.2023
	Boiling point/boiling range	:	No data available	
	Flash point	:	Not applicable	
	Evaporation rate	:	No data available	
	Flammability (solid, gas)	:	No data available	
	Upper explosion limit / Upper flammability limit	:	No data available	
	Lower explosion limit / Lower flammability limit	:	No data available	
	Vapour pressure	:	0.01 hPa	
	Relative vapour density	:	No data available	
	Density	:	0.82 g/cm3	
	Solubility(ies) Water solubility	:	insoluble	
	Solubility in other solvents	:	No data available	
	Partition coefficient: n- octanol/water	:	No data available	
	Auto-ignition temperature	:	No data available	
	Decomposition temperature	:	No data available	
	Viscosity Viscosity, dynamic	:	No data available	
	Viscosity, kinematic	:	< 20.5 mm2/s	
	Explosive properties	:	No data available	
	Oxidizing properties	:	No data available	
	Volatile organic compounds	:	Directive 2010/75/EU of 24 Nove emissions (integrated pollution pr Volatile organic compounds (VOC	evention and control)

SECTION 10. STABILITY AND REACTIVITY

Reactivity

: No dangerous reaction known under conditions of normal use.



Sikafloor[®] Marine-595 Part A

Version 1.0	Revision Date: 27.06.2023	SDS Number: 100000028803	Date of last issue: - Date of first issue: 27.06.2023	
Chem	ical stability	: The product is chemical	ly stable.	
Possik tions	bility of hazardous reac-	No hazards to be specia	ally mentioned.	
Condi	tions to avoid	: No data available		
Incom	patible materials	: see section 7.		
No de	composition if stored ar	nd applied as directed.		
SECTION	11. TOXICOLOGICAL	NFORMATION		
Not cla	e toxicity assified based on availa corrosion/irritation	able information.		
Serio	assified based on availa us eye damage/eye irr es serious eye irritation.	itation		
	ratory or skin sensitis			
	sensitisation assified based on availa	able information.		
•	ratory sensitisation assified based on availa	able information.		
Chror	nic toxicity			
	cell mutagenicity assified based on availa	able information.		
	n ogenicity assified based on availa	able information.		
-	oductive toxicity assified based on availa	able information.		
	- single exposure assified based on availa	able information.		
	STOT - repeated exposure Not classified based on available information.			

6/9

Sikafloor[®] Marine-595 Part A



Version 1.0	Revision Date: 27.06.2023	SDS Number: 100000028803	Date of last issue: - Date of first issue: 27.06.2023
Aspira	ation toxicity		
Not cla	assified based on availabl	e information.	
SECTION	12. ECOLOGICAL INFOR	RMATION	
	oxicity		
No da	ta available		
	stence and degradability	1	
No da	ta available		
Bioac	cumulative potential		
No da	ta available		
Mobil	ity in soil		
No da	ta available		
Other	adverse effects		
<u>Produ</u>	<u>ict:</u>		
Addition mation	-	There is no data available f	or this product.

Disposal methods Waste from residues	:	Send to a licensed waste management company.
		Do not contaminate ponds, waterways or ditches with chemi- cal or used container.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product.
		Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR	
UN/ID No.	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable



Sikafloor[®] Marine-595 Part A

27.06.2023	SDS Number: 100000028803	Date of last issue: - Date of first issue: 27.06.2023
g instruction (cargo)	Not applicableNot applicable	
g instruction (passen- craft)	: Not applicable	
Code		
nber		
shipping name		
g group		
•		
-		and the IBC Code
al Regulations		
mber	: Not applicable	
mber r shipping name	: Not applicable	
r shipping name	: Not applicable : Not applicable	
r shipping name diary risk	 Not applicable Not applicable Not applicable 	
r shipping name diary risk ng group	 Not applicable Not applicable Not applicable Not applicable 	
r shipping name diary risk ng group	 Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable 	
r shipping name diary risk ng group	 Not applicable Not applicable Not applicable Not applicable 	
r shipping name diary risk ng group	 Not applicable 	
	g instruction (passen- graft) Code nber shipping name ary risk g group ode pollutant port in bulk according	g instruction (cargo : Not applicable g instruction (passen- traft) Code nber : Not applicable shipping name : Not applicable : Not applicable ary risk : Not applicable g group : Not applicable : Not applicable pollutant : Not applicable pollutant : Not applicable

Poisons

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable
Prohibition/Licensing Requirements	:	There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.

The components of this product are reported in the following inventories:AIIC: On the inventory, or in compliance with the inventory

Sikafloor[®] Marine-595 Part A



/ersion .0	Revision Date: 27.06.2023		SDS Number: 100000028803	Date of last issue: - Date of first issue: 27.06.2023	
SECTION [·]	16. OTHER INFORM				
Revisi	on Date	: :	27.06.2023		
Date fo	Date format :		dd.mm.yyyy		
Full te	ext of other abbreviat	tions			
ADG		: .	Australian Dangerous Goo	ds Code.	
ADR				erning the International Carriage of	
			Dangerous Goods by Road		
CAS		: (: Chemical Abstracts Service		
DNEL		:	Derived no-effect level		
EC50			Half maximal effective concentrationGlobally Harmonized System		
GHS					
	IATA : International Air Transport / IMDG : International Maritime Code				
			nternational Maritime Code	e for Dangerous Goods	
LD50		: Median lethal dosis (the amount of a once, which causes the death of 50% test animals)		nount of a material, given all at ath of 50% (one half) of a group of	
LC50	LC50 : MARPOL : OEL :		Median lethal concentration	n (concentrations of the chemical in animals during the observation	
MARP			,	r the Prevention of Pollution from the Protocol of 1978	
OEL			Occupational Exposure Lin	nit	
PBT			Persistent, bioaccumulative and toxicPredicted no effect concentration		
PNEC					
REACH :		i	and of the Council of 18 De stration, Evaluation, Autho	2006 of the European Parliament ecember 2006 concerning the Reg- risation and Restriction of Chemi- g a European Chemicals Agency	
SVHC vPvB		: :	Substances of Very High C Very persistent and very bi	oncern	

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN